Engineering Index Properties
Avoyelles Parish, Louisiana

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Bd:												
Baldwin---------	0-8	Silty clay loam	CH, CL	A-6, A-7-6	0	0	100	100	100	95-100	35-55	15-28
	8-29	Clay, silty clay	CH	A-7-6	0	0	95-100	95-100	95-100	90-100	51-75	25-45
	29-40	Clay, silty clay, silty clay loam	CH, CL	A-6, A-7-6	0	0	95-100	95-100	95-100	90-100	35-65	15-35
	40-60	Silty clay, silty clay loam, very fine sandy loam	CL	A-6, A-7-6	0	0	95-100	95-100	90-100	60-90	30-50	15-30
Ca:												
Calhoun---------	0-20	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	95-100	15-31	NP-10
	20-35	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	95-100	95-100	30-45	11-24
	35-76	Silt loam, silty clay loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	90-100	25-40	5-20
Cm:												
Commerce--------	0-12	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	75-100	15-30	NP-10
	12-22	Silty clay loam, silt loam, loam	CL	A-6, A-7-6	0	0	100	100	100	85-100	32-45	11-23
	22-68	Stratified very fine sandy loam to silty clay	CL, CL-ML, ML	A-4, A-6, A-7-6	0	0	100	100	100	75-100	23-45	3-23
Cn:												
Convent---------	0-10	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	95-100	85-100	15-27	NP-7
	10-35	Silt loam, very fine sandy loam, loam	CL-ML, ML	A-4	0	0	100	100	95-100	75-100	15-27	NP-7
	35-60	Silt loam			---	---	---	---	---	---	---	---
Cu:												
Convent---------	0-11	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	95-100	85-100	15-27	NP-7
	11-35	Silt loam, very fine sandy loam, loam	CL-ML, ML	A-4	0	0	100	100	95-100	75-100	15-27	NP-7
	35-60	Silt loam			---	---	---	---	---	---	---	---
Cv:												
Coteau----------	0-6	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	95-100	15-27	NP-7
	6-37	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	100	95-100	33-45	12-22
	37-60	Silt loam	CL, CL-ML	A-4, A-6, A-7-6	0	0	100	100	100	95-100	25-42	5-18
Cw:												
Crowley Variant-	0-16	Silt loam	CL-ML, ML	A-4	0	0	100	100	95-100	90-100	15-27	NP-7
	16-47	Silty clay, clay	CH, CL	A-7-6	0	0	100	100	95-100	85-100	41-65	20-40
	47-96	Silty clay, clay, silty clay loam	CH, CL	A-6, A-7-6	0	0	100	100	95-100	85-100	38-65	18-40
Da:												
Deerford--------	0-7	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	95-100	15-28	NP-7
	7-55	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	100	95-100	32-49	11-25
	55-93	Silt loam, silty clay loam, sandy clay loam	CL, CL-ML	A-4, A-6, A-7-6	0	0	100	100	80-100	50-95	25-49	5-25

Table H.--Engineering Index Properties--Continued
Avoyelles Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Dd:												
Dundee----------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	6-45	Silty clay loam, clay loam, sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	45-63	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
De:												
Dundee----------	0-7	Silty clay loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	7-32	Silty clay loam, clay loam, sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	32-60	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
Dn:												
Dundee----------	0-8	Silty clay loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	8-35	Silty clay loam, clay loam, sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	35-65	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
Ds:												
Dundee----------	0-8	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	8-48	Silty clay loam, clay loam, sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	48-60	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
Sharkey---------	0-9	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	9-59	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	59-66	Clay, silty clay loam, silt loam	CH, CL	A-7-6, A-6, A-7-5	0	0	100	100	100	95-100	32-85	11-50
Dv:												
Dundee Variant--	0-7	Clay	CH	A-7	0	0	100	100	100	95-100	51-75	26-45
	7-14	Silty clay loam, silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	14-30	Silty clay loam, clay loam, loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	30-52	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
	52-72	Loam, very fine sandy loam, silty clay	CH, CL, CL-ML, ML	A-4, A-6, A-7	0	0	100	100	85-100	60-95	20-60	3-40
Fa:												
Fausse----------	0-7	Clay	CH, MH, OH	A-7-6	0	0	100	100	100	95-100	60-100	31-71
	7-13	Clay, mucky clay	CH, MH, OH	A-7-6	0	0	100	100	100	95-100	50-100	21-71
	13-37	Clay	CH	A-7-6	0	0	100	100	100	95-100	60-100	31-71
	37-66	Clay, silty clay, silty clay loam	CH, CL, MH, ML	A-7-6	0	0	100	100	100	95-100	45-100	16-71

Table H.--Engineering Index Properties--Continued
Avoyelles Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Ga:												
Gallion---------	0-8	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	100	90-100	15-28	NP-11
	8-37	Silt loam, silty clay loam, clay loam	CL	A-6	0	0	100	100	100	90-100	28-40	11-17
	37-66	Stratified silty clay loam to very fine sandy loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	90-100	23-34	4-12
Go:												
Gallion---------	0-6	Silty clay loam	CL	A-6	0	0	100	100	100	90-100	33-40	15-20
	6-54	Silt loam, silty clay loam, clay loam	CL	A-6	0	0	100	100	100	90-100	28-40	11-17
	54-60	Stratified silty clay loam to very fine sandy loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	90-100	23-34	4-12
Gr:												
Gore----------	0-7	Silt loam	CL-ML, ML	A-4	0	0	100	100	95-100	60-90	15-27	NP-7
	7-47	Clay, silty clay	CH	A-7-6	0	0	100	100	95-100	85-100	53-65	28-40
	47-66	Clay	CH	A-7-6	0	0	100	100	95-100	85-100	51-83	25-53
Gy:												
Guyton----------	0-29	Silt loam	CL-ML, ML	A-4	0	0	100	100	95-100	65-90	15-27	NP-7
	29-54	Silt loam, silty clay loam, clay loam	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	75-95	22-40	6-18
	54-63	Silt loam, silty clay loam, sandy clay loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	95-100	50-95	15-40	NP-18
Ko:												
Kolin----------	0-4	Silt loam	CL-ML, ML	A-4	0	0	100	100	85-100	60-85	15-27	NP-7
	4-27	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	95-100	85-97	30-46	11-22
	27-60	Clay, silty clay	CH	A-7-6	0	0	100	100	90-100	75-95	50-63	25-35
La:												
Latanier--------	0-5	Clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	5-27	Clay, silty clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	27-60	Silt loam, silty clay loam, very fine sandy loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	100	80-100	15-40	NP-17
Ln:												
Latanier--------	0-6	Clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	6-27	Clay, silty clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	27-60	Silt loam, silty clay loam, very fine sandy loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	100	80-100	15-40	NP-17
Lo:												
Loring----------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	95-100	90-100	15-35	NP-15
	6-25	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	32-48	10-20

Table H.--Engineering Index Properties--Continued
Avoyelles Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
25-61	Silt loam,	CL, ML	A-4, A-6, A-7		0	0	100	100	95-100	90-100	30-45	10-22
	silty clay loam											
	61-65	Silt loam	CL, ML	A-4, A-6	0	0	100	100	95-100	70-100	28-40	7-16
Lr:												
Loring----------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	95-100	90-100	15-35	NP-15
	6-19	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	32-48	10-20
	19-57	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	30-45	10-22
	57-65	Silt loam	CL, ML	A-4, A-6	0	0	100	100	95-100	70-100	28-40	7-16
Ma:												
Mckamie---------	0-6	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	95-100	80-100	20-35	4-15
	6-38	Clay, silty clay	CH, CL	A-7-6	0	0	100	100	95-100	80-100	45-70	22-40
	38-71	Silty clay loam, silt loam, very fine sandy loam	CL, CL-ML	A-4, A-6	0	0	100	94-100	88-100	50-95	20-40	5-22
Me:												
Memphis---------	0-6	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	90-100	15-30	NP-10
	6-22	Silt loam, silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-48	15-25
	22-68	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	6-15
Mh:												
Memphis---------	0-6	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	90-100	15-30	NP-10
	6-26	Silt loam, silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-48	15-25
	26-72	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	6-15
Mm:												
Memphis---------	0-5	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	90-100	15-30	NP-10
	5-28	Silt loam, silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-48	15-25
	28-60	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	6-15
Mo:												
Moreland--------	0-10	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	95-100	85-100	18-31	3-13
	10-60	Clay, silty clay loam, silty clay	CH, CL	A-6, A-7-6	0	0	100	100	100	90-100	35-74	20-45
Mr:												
Moreland--------	0-10	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	95-100	85-100	18-31	3-13
	10-60	Clay, silty clay loam, silty clay	CH, CL	A-6, A-7-6	0	0	100	100	100	90-100	35-74	20-45
Ms:												
Moreland--------	0-13	Clay	CH	A-7-6	0	0	100	95-100	90-100	90-100	51-74	25-45
	13-60	Clay, silty clay loam, silty clay	CH, CL	A-6, A-7-6	0	0	100	100	100	90-100	35-74	20-45
Mt:												
Moreland--------	0-13	Clay	CH	A-7-6	0	0	100	95-100	90-100	90-100	51-74	25-45
	13-60	Clay, silty clay loam, silty clay	CH, CL	A-6, A-7-6	0	0	100	100	100	90-100	35-74	20-45
Mu:												
Moreland--------	0-13	Clay	CH	A-7-6	0	0	100	95-100	90-100	90-100	51-74	25-45
	13-60	Clay, silty clay loam, silty clay	CH, CL	A-6, A-7-6	0	0	100	100	100	90-100	35-74	20-45

Table H.--Engineering Index Properties--Continued
Avoyelles Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Mw:												
Moreland--------	0-12	Clay	CH	A-7-6	0	0	100	95-100	90-100	90-100	51-74	25-45
	12-60	Clay, silty clay loam, silty clay	CH, CL	A-6, A-7-6	0	0	100	100	100	90-100	35-74	20-45
Nd:												
Norwood---------	0-9	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	95-100	51-90	20-35	4-15
	9-16	Silt loam, silty clay loam, loam	CL	A-4, A-6, A-7	0	0	100	100	90-100	60-98	25-46	7-26
	16-80	Silt loam, very fine sandy loam, silty clay loam	CL, CL-ML, ML	A-4, A-6, A-7	0	0	100	100	90-100	70-98	20-45	2-25
No:												
Norwood---------	0-6	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	95-100	51-90	20-35	4-15
	6-33	Silt loam, silty clay loam, loam	CL	A-4, A-6, A-7	0	0	100	100	90-100	60-98	25-46	7-26
	33-60	Silt loam, very fine sandy loam, silty clay loam	CL, CL-ML, ML	A-4, A-6, A-7	0	0	100	100	90-100	70-98	20-45	2-25
Nr:												
Norwood---------	0-4	Silty clay loam	CH, CL	A-6, A-7	0	0	100	100	95-100	85-98	30-55	15-35
	4-16	Silt loam, silty clay loam, loam	CL	A-4, A-6, A-7	0	0	100	100	90-100	60-98	25-46	7-26
	16-75	Silt loam, very fine sandy loam, silty clay loam	CL, CL-ML, ML	A-4, A-6, A-7	0	0	100	100	90-100	70-98	20-45	2-25
Nw:												
Norwood---------	0-6	Silty clay loam	CH, CL	A-6, A-7	0	0	100	100	95-100	85-98	30-55	15-35
	6-17	Silt loam, silty clay loam, loam	CL	A-4, A-6, A-7	0	0	100	100	90-100	60-98	25-46	7-26
	17-60	Silt loam, very fine sandy loam, silty clay loam	CL, CL-ML, ML	A-4, A-6, A-7	0	0	100	100	90-100	70-98	20-45	2-25
Ra:												
Roxana----------	0-5	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	85-100	50-75	15-27	NP-7
	5-62	Silt loam, very fine sandy loam, loamy very fine sand	CL-ML, ML	A-4	0	0	100	100	85-100	50-85	15-27	NP-7
Rn:												
Roxana----------	0-5	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	85-100	50-75	15-27	NP-7
	5-40	Silt loam, very fine sandy loam, loamy very fine sand	CL-ML, ML	A-4	0	0	100	100	85-100	50-85	15-27	NP-7
	40-62	Sandy clay loam, fine sandy loam, very fine sandy loam	CL, ML, SM	A-4, A-6	0	0	100	100	80-95	45-80	10-30	NP-17
Ro:												
Roxana----------	0-6	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	85-100	50-75	15-27	NP-7
	6-63	Silt loam, very fine sandy loam, loamy very fine sand	CL-ML, ML	A-4	0	0	100	100	85-100	50-85	15-27	NP-7

Table H.--Engineering Index Properties--Continued
Avoyelles Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Ru:												
Roxana----------	0-6	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	85-100	50-75	15-27	NP-7
	6-64	Silt loam, very fine sandy loam, loamy very fine sand	CL-ML, ML	A-4	0	0	100	100	85-100	50-85	15-27	NP-7
Rx:												
Roxana----------	0-6	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	85-100	50-75	15-27	NP-7
	6-60	Silt loam, very fine sandy loam, loamy very fine sand	CL-ML, ML	A-4	0	0	100	100	85-100	50-85	15-27	NP-7
Sa:												
Sharkey---------	0-6	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	6-35	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	35-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
Se:												
Sharkey---------	0-12	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	12-46	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	46-66	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
Sh:												
Sharkey---------	0-6	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	6-42	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	42-80	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
Sk:												
Sharkey---------	0-11	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	11-39	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	39-64	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
So:												
Solier----------	0-6	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	51-75	26-46
	6-19	Clay, silty clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	51-75	26-46
	19-25	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	95-100	90-100	23-31	3-10
	25-60	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-100	32-45	11-22
	60-84	Silt loam, silty clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-100	32-45	11-22
Sr:												
Solier----------	0-5	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	51-75	26-46
	5-13	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	95-100	90-100	23-31	3-10
	13-24	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-100	32-45	11-22
	24-60	Silt loam, silty clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-100	32-45	11-22
Ta:												
Tensas----------	0-8	Silty clay	CH, CL	A-7-6	0	0	100	100	100	95-100	46-70	22-40
	8-33	Clay, silty clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	33-60	Very fine sandy loam, silty clay loam, silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	80-100	25-40	5-17

Table H.--Engineering Index Properties--Continued
Avoyelles Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Te:												
Tensas----------	0-4	Silty clay	CH, CL	A-7-6	0	0	100	100	100	95-100	46-70	22-40
	4-27	Clay, silty clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	27-60	Very fine sandy loam, silty clay loam, silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	80-100	25-40	5-17
Tn:												
Tensas----------	0-5	Silty clay	CH, CL	A-7-6	0	0	100	100	100	95-100	46-70	22-40
	5-25	Clay, silty clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	25-60	Very fine sandy loam, silty clay loam, silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	80-100	25-40	5-17
Sharkey---------	0-8	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	8-47	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	47-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
Ts:												
Tensas----------	0-4	Silty clay	CH, CL	A-7-6	0	0	100	100	100	95-100	46-70	22-40
	4-28	Clay, silty clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	28-60	Very fine sandy loam, silty clay loam, silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	80-100	25-40	5-17
Sharkey---------	0-10	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	10-48	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	48-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
Vk:												
Vick----------	0-7	Silt loam	CL-ML, ML	A-4	0	0	100	100	95-100	90-100	15-27	NP-7
	7-25	Silt loam, silty clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-100	32-45	11-22
	25-45	Clay, silty clay, silty clay loam	CH, CL	A-7-6	0	0	100	100	95-100	95-100	41-60	20-35
	45-63	Silt loam, loam, silty clay loam	CL, CL-ML, ML	A-4, A-6, A-7-6	0	0	100	100	90-100	85-100	25-45	3-20
Wr:												
Wrightsville----	0-15	Silt loam	CL, CL-ML, ML	A-4	0	0	100	95-100	90-100	70-100	15-30	3-10
	15-50	Silty clay, clay, silty clay loam	CH, CL, MH, ML	A-6, A-7	0	0	100	100	95-100	75-95	39-60	15-25
	50-68	Silty clay loam, silty clay, silt loam	CL	A-4, A-6, A-7	0	0	100	95-100	90-100	70-95	25-50	8-25