


MARYLAND STANDARDS FOR AGRICULTURAL BMPS  
 DETAIL 382-C - FENCE

WOODEN BOARD FENCE



STRAIGHT PANEL

All corner, end, and gate posts: min. 6 in. diam. or 6 in. square.

All line posts: min. 4 in. diam. or 4 in. square.

All boards (rails): min. 1 in. thick and min. 6 in. wide.

SPECIES AND TREATMENT FOR ALL WOOD: Use untreated durable posts and boards of species such as red cedar, black locust or osage-orange with bark removed, or non-durable wood that is preservative pressure treated (0.40 lbs./cubic foot CCA, or equivalent non-CCA treatment). Do not use red pine.

SPECIAL INSTRUCTIONS

---



---



---

Drawing not to scale. Standardized drawing must be adapted to the specific site.

DATE ISSUED: July, 2003

SHEET OF

U.S. DEPARTMENT OF AGRICULTURE  
 NATURAL RESOURCES CONSERVATION SERVICE

382-C-FENCE.DWG

MARYLAND DEPARTMENT OF AGRICULTURE  
 MARYLAND SOIL CONSERVATION DISTRICTS