Engineering Index Properties
St Landry Parish, Louisiana

(Absence of an entry indicates that the data were not estimated.)

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Ac:												
Acadia----------	0-9	Silt loam	CL-ML, ML	A-4	0	0	100	100	95-100	85-100	15-30	NP-7
	9-14	Silt loam, silty clay loam	CL	A-6	0	0	100	100	95-100	85-100	30-40	11-18
	14-44	Clay, silty clay	CH, CL	A-7-6	0	0	100	100	95-100	90-100	42-70	20-43
	44-60	Clay, silty clay, silty clay loam	CH, CL	A-6, A-7-6	0	0	100	100	95-100	85-100	35-65	15-38
Bd:												
Baldwin---------	0-6	Silty clay loam	CH, CL	A-6, A-7-6	0	0	100	100	100	95-100	35-55	15-28
	6-28	Clay, silty clay	CH	A-7-6	0	0	95-100	95-100	95-100	90-100	51-75	25-45
	28-60	Clay, silty clay, silty clay loam	CH, CL	A-6, A-7-6	0	0	95-100	95-100	95-100	90-100	35-65	15-35
Bh:												
Baldwin---------	0-6	Silty clay loam	CH, CL	A-6, A-7-6	0	0	100	100	100	95-100	35-55	15-28
	6-24	Clay, silty clay	CH	A-7-6	0	0	95-100	95-100	95-100	90-100	51-75	25-45
	24-74	Clay, silty clay, silty clay loam	CH, CL	A-6, A-7-6	0	0	95-100	95-100	95-100	90-100	35-65	15-35
Sharkey---------	0-6	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	6-44	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	44-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
BL:												
Basile----------	0-20	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	75-95	15-30	NP-10
	20-48	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	80-95	30-42	12-20
	48-60	Silt loam, silty clay loam	CL	A-4, A-6, A-7-6	0	0	100	100	95-100	80-95	28-42	8-20
Wrightsville----	0-14	Silt loam	CL, CL-ML, ML	A-4	0	0	100	95-100	90-100	70-100	15-30	3-10
	14-46	Silty clay, clay, silty clay loam	CH, CL, MH, ML	A-6, A-7	0	0	100	100	95-100	75-95	39-60	15-25
	46-60	Silty clay loam, silty clay, silt loam	CL	A-4, A-6, A-7	0	0	100	95-100	90-100	70-95	25-50	8-25
Cc:												
Calhoun---------	0-18	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	95-100	15-31	NP-10
	18-46	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	95-100	95-100	30-45	11-24
	46-60	Silt loam, silty clay loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	90-100	25-40	5-20
Cd:												
Commerce--------	0-8	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	75-100	15-30	NP-10
	8-35	Silty clay loam, silt loam, loam	CL	A-6, A-7-6	0	0	100	100	100	85-100	32-45	11-23
	35-60	Stratified very fine sandy loam to silty clay	CL, CL-ML, ML	A-4, A-6, A-7-6	0	0	100	100	100	75-100	23-45	3-23

Table H.--Engineering Index Properties--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
CE:												
Commerce--------	0-5	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	100	90-100	32-50	11-25
	5-25	Silty clay loam, silt loam, loam	CL	A-6, A-7-6	0	0	100	100	100	85-100	32-45	11-23
	25-60	Stratified very fine sandy loam to silty clay	CL, CL-ML, ML	A-4, A-6, A-7-6	0	0	100	100	100	75-100	23-45	3-23
Convent---------	0-18	Silt loam	CL-ML, ML	A-4	0	0	100	100	95-100	85-100	15-27	NP-7
	18-60	Silt loam, very fine sandy loam, loam	CL-ML, ML	A-4	0	0	100	100	95-100	75-100	15-27	NP-7
Cf:												
Convent---------	0-6	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	95-100	85-100	15-27	NP-7
	6-60	Silt loam, very fine sandy loam, loam	CL-ML, ML	A-4	0	0	100	100	95-100	75-100	15-27	NP-7
Ch:												
Convent---------	0-7	Very fine sandy loam	CL-ML, ML	A-4	0	0	100	100	95-100	85-100	15-27	NP-7
	7-60	Silt loam, very fine sandy loam, loam	CL-ML, ML	A-4	0	0	100	100	95-100	75-100	15-27	NP-7
Ck:												
Convent---------	0-5	Silt loam	CL-ML, ML	A-4	0	0	100	100	95-100	85-100	15-27	NP-7
	5-60	Silt loam, very fine sandy loam, loam	CL-ML, ML	A-4	0	0	100	100	95-100	75-100	15-27	NP-7
Commerce--------	0-6	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	75-100	15-30	NP-10
	6-30	Silty clay loam, silt loam, loam	CL	A-6, A-7-6	0	0	100	100	100	85-100	32-45	11-23
	30-60	Stratified very fine sandy loam to silty clay	CL, CL-ML, ML	A-4, A-6, A-7-6	0	0	100	100	100	75-100	23-45	3-23
Co:												
Coteau----------	0-6	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	95-100	15-27	NP-7
	6-45	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	100	95-100	33-45	12-22
	45-72	Silt loam	CL, CL-ML	A-4, A-6, A-7-6	0	0	100	100	100	95-100	25-42	5-18
Cp:												
Coteau----------	0-5	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	95-100	15-27	NP-7
	5-34	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	100	95-100	33-45	12-22
	34-60	Silt loam	CL, CL-ML	A-4, A-6, A-7-6	0	0	100	100	100	95-100	25-42	5-18
Cw:												
Crowley---------	0-20	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	95-100	80-100	15-30	NP-10
	20-31	Silty clay, silty clay loam, clay loam	CH, CL	A-7-6	0	0	100	100	95-100	85-100	41-60	20-35
	31-60	Silty clay loam, silty clay, clay loam	CH, CL	A-6, A-7-6	0	0	100	100	95-100	85-100	38-60	18-35

Table H.--Engineering Index Properties--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
De:												
Dundee----------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	6-29	Silty clay loam, clay loam, sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	29-60	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
Df:												
Dundee----------	0-6	Silty clay loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	6-48	Silty clay loam, clay loam, sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	48-60	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
Dr:												
Dundee----------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	6-37	Silty clay loam, clay loam, sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	37-68	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
Alligator-------	0-6	Clay	CH	A-7	0	0	100	100	95-100	95-100	52-75	30-50
	6-49	Clay, silty clay	CH	A-7	0	0	100	100	100	95-100	62-94	33-64
	49-70	Silty clay loam, silty clay, clay	CH	A-7	0	0	100	100	100	95-100	62-94	33-64
Ds:												
Dundee----------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	90-100	75-98	20-35	3-11
	6-42	Silty clay loam, clay loam, sandy clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	28-44	12-22
	42-60	Loam, very fine sandy loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	85-100	60-90	15-30	NP-8
Sharkey---------	0-4	Silty clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	4-43	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	43-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
FA:												
Falaya----------	0-53	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	95-100	15-30	NP-10
	53-60	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	100	95-100	25-43	7-16
FC:												
Fausse----------	0-8	Clay	CH, MH, OH	A-7-6	0	0	100	100	100	95-100	60-100	31-71
	8-44	Clay	CH	A-7-6	0	0	100	100	100	95-100	60-100	31-71
	44-60	Clay, silty clay, silty clay loam	CH, CL, MH, ML	A-7-6	0	0	100	100	100	95-100	45-100	16-71
Sharkey---------	0-4	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	4-42	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	42-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
Fo:												
Frost----------	0-19	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	80-100	15-30	5-15
	19-60	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	100	90-100	35-50	15-25

Table H.--Engineering Index Properties--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Fr:												
Frost----------	0-22	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	80-100	15-30	5-15
	22-60	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	100	90-100	35-50	15-25
Fz:												
Frozard---------	0-6	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	95-100	15-32	NP-7
	6-56	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	95-100	95-100	90-100	85-100	32-50	15-27
	56-66	Silt loam, silty clay loam	CL	A-6, A-7-6	0	0	95-100	95-100	90-100	85-100	30-45	12-23
Ga:												
Gallion---------	0-8	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	100	90-100	15-28	NP-11
	8-41	Silt loam, silty clay loam, clay loam	CL	A-6	0	0	100	100	100	90-100	28-40	11-17
	41-60	Stratified silty clay loam to very fine sandy loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	90-100	23-34	4-12
Go:												
Gallion---------	0-6	Silty clay loam	CL	A-6	0	0	100	100	100	90-100	33-40	15-20
	6-42	Silt loam, silty clay loam, clay loam	CL	A-6	0	0	100	100	100	90-100	28-40	11-17
	42-60	Stratified silty clay loam to very fine sandy loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	90-100	23-34	4-12
Gp:												
Gallion---------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	100	90-100	15-28	NP-11
	6-43	Silt loam, silty clay loam, clay loam	CL	A-6	0	0	100	100	100	90-100	28-40	11-17
	43-60	Stratified silty clay loam to very fine sandy loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	90-100	23-34	4-12
Perry----------	0-6	Silty clay	CH, CL	A-7-6	0	0	100	100	100	95-100	45-75	22-45
	6-23	Clay	CH	A-7-6	0	0	100	100	100	95-100	60-80	33-50
	23-60	Clay	CH, CL	A-7-6	0	0	90-100	85-100	75-100	70-100	45-80	22-50
Ia:												
Iberia----------	0-12	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	45-88	22-52
	12-48	Clay, silty clay	CH	A-7-5, A-7-6	0	0	95-100	90-100	90-100	85-100	58-88	32-52
	48-70	Silty clay, silty clay loam, clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	41-88	17-52
Je:												
Jeanerette------	0-6	Silt loam	CL, CL-ML	A-4	0	0	100	100	95-100	90-100	23-31	4-10
	6-54	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	85-100	85-100	80-95	80-95	32-48	11-24
	54-60	Silt loam, very fine sandy loam, silty clay loam	CL, CL-ML	A-4, A-6	0	0	90-100	90-100	85-100	85-100	23-40	4-17

Table H.--Engineering Index Properties--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Ju:												
Judice----------	0-7	Silty clay loam	CH, CL	A-7-6	0	0	100	100	100	95-100	47-58	22-30
	7-60	Silty clay, silty clay loam, clay loam	CH, CL	A-7-5, A-7-6	0	0	95-100	95-100	90-100	75-100	47-80	32-48
La:												
Latanier--------	0-6	Clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	6-22	Clay, silty clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	22-60	Silt loam, silty clay loam, very fine sandy loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	100	80-100	15-40	NP-17
Lb:												
Lebeau----------	0-6	Clay	CH	A-7-6	0	0	100	100	95-100	90-100	75-90	48-60
	6-65	Clay	CH	A-7-6	0	0	100	100	90-100	85-100	75-90	48-60
Lc:												
Lebeau----------	0-8	Clay	CH	A-7-6	0	0	100	100	95-100	90-100	75-90	48-60
	8-65	Clay	CH	A-7-6	0	0	100	100	90-100	85-100	75-90	48-60
Le:												
Loreauville-----	0-7	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	85-100	15-31	NP-10
	7-27	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	95-100	90-100	90-100	85-100	32-45	11-22
	27-80	Loam, silt loam, very fine sandy loam	CL, CL-ML	A-4	0	0	95-100	90-100	90-100	85-100	23-31	4-10
Lp:												
Loring----------	0-7	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	95-100	90-100	15-35	NP-15
	7-30	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	32-48	10-20
	30-60	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	30-45	10-22
Lr:												
Loring----------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	95-100	90-100	15-35	NP-15
	6-25	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	32-48	10-20
	25-42	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	30-45	10-22
	42-60	Silt loam	CL, ML	A-4, A-6	0	0	100	100	95-100	70-100	28-40	7-16
Ma:												
Mamou----------	0-16	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	90-100	15-27	NP-7
	16-34	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	100	90-100	34-49	13-28
	34-60	Loam, silty clay loam, silt loam	CL	A-6, A-7-6	---	0	100	100	100	90-100	32-45	11-22
Mc:												
Memphis---------	0-8	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	90-100	15-30	NP-10
	8-35	Silt loam, silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-48	15-25
	35-84	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	6-15
Md:												
Memphis---------	0-6	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	90-100	15-30	NP-10
	6-40	Silt loam, silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-48	15-25
	40-84	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	6-15

Table H.--Engineering Index Properties--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Me:												
Memphis---------	0-5	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	90-100	15-30	NP-10
	5-49	Silt loam, silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-48	15-25
	49-84	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	6-15
Mf:												
Memphis---------	0-4	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	100	90-100	15-30	NP-10
	4-34	Silt loam, silty clay loam	CL	A-6, A-7	0	0	100	100	100	90-100	35-48	15-25
	34-80	Silt loam	CL, ML	A-4, A-6	0	0	100	100	100	90-100	30-40	6-15
Mt:												
Mowata----------	0-17	Silt loam	CL, CL-ML	A-4	0	0	100	100	95-100	90-100	22-30	5-10
	17-47	Silty clay loam, silty clay, clay loam	CH, CL	A-7-6	0	0	100	100	95-100	75-95	41-60	22-37
	47-70	Silty clay loam, silty clay, clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	75-95	37-49	18-29
MU:												
Muskogee--------	0-11	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	85-100	60-90	20-35	4-15
	11-21	Silty clay loam, silt loam	CL	A-6, A-7-6	0	0	100	100	90-100	70-95	30-50	11-25
	21-80	Silty clay, clay	CH	A-7-6	0	0	100	100	90-100	75-95	50-60	25-35
Loring----------	0-6	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	95-100	90-100	15-35	NP-15
	6-24	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	32-48	10-20
	24-60	Silt loam, silty clay loam	CL, ML	A-4, A-6, A-7	0	0	100	100	95-100	90-100	30-45	10-22
Pa:												
Patoutville-----	0-12	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	95-100	15-28	NP-7
	12-40	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	100	95-100	30-50	10-25
	40-70	Silty clay loam, silt loam	CL	A-4, A-6, A-7-6	0	0	100	100	100	95-100	25-50	8-23
Pb:												
Patoutville-----	0-6	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	95-100	15-28	NP-7
	6-28	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	100	95-100	30-50	10-25
	28-60	Silty clay loam, silt loam	CL	A-4, A-6, A-7-6	0	0	100	100	100	95-100	25-50	8-23
Pc:												
Patoutville-----	0-11	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	95-100	15-28	NP-7
	11-30	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	100	95-100	30-50	10-25
	30-60	Silty clay loam, silt loam	CL	A-4, A-6, A-7-6	0	0	100	100	100	95-100	25-50	8-23
Crowley---------	0-16	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	95-100	80-100	15-30	NP-10
	16-26	Silty clay, silty clay loam, clay loam	CH, CL	A-7-6	0	0	100	100	95-100	85-100	41-60	20-35
	26-60	Silty clay loam, silty clay, clay loam	CH, CL	A-6, A-7-6	0	0	100	100	95-100	85-100	38-60	18-35
Pr:												
Perry----------	0-7	Clay	CH, CL	A-7-6	0	0	100	100	100	95-100	45-75	22-45
	7-27	Clay	CH	A-7-6	0	0	100	100	100	95-100	60-80	33-50
	27-60	Clay	CH, CL	A-7-6	0	0	90-100	85-100	75-100	70-100	45-80	22-50

Table H.--Engineering Index Properties--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Depth	USDA texture	Classification: Unified	Classification: AASHTO	Fragments: >10 inches	Fragments: 3-10 inches	Percentage passing sieve number--: 4	10	40	200	Liquid limit	Plasticity index
	In				Pct	Pct					Pct	
Sh:												
Sharkey---------	0-6	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	6-48	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	48-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
So:												
Sharkey---------	0-6	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	6-48	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	48-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
Sp:												
Sharkey---------	0-7	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	7-40	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	40-60	Clay, silty clay loam, silt loam	CH, CL	A-6, A-7-5, A-7-6	0	0	100	100	100	95-100	32-85	11-50
Ts:												
Tensas----------	0-4	Silty clay	CH, CL	A-7-6	0	0	100	100	100	95-100	46-70	22-40
	4-21	Clay, silty clay	CH	A-7-6	0	0	100	100	100	95-100	51-75	26-45
	21-60	Very fine sandy loam, silty clay loam, silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	100	80-100	25-40	5-17
Sharkey---------	0-5	Clay	CH, CL	A-7-5, A-7-6	0	0	100	100	100	95-100	46-85	22-50
	5-52	Clay	CH	A-7-5, A-7-6	0	0	100	100	100	95-100	56-85	30-50
	52-60	Clay, silty clay loam, silt loam	CH, CL	A-7-6, A-6, A-7-5	0	0	100	100	100	95-100	32-85	11-50
Wv:												
Wrightsville----	0-19	Silt loam	CL, CL-ML, ML	A-4	0	0	100	95-100	90-100	70-100	15-30	3-10
	19-53	Silty clay, clay, silty clay loam	CH, CL, MH, ML	A-6, A-7	0	0	100	100	95-100	75-95	39-60	15-25
	53-60	Silty clay loam, silty clay, silt loam	CL	A-4, A-6, A-7	0	0	100	95-100	90-100	70-95	25-50	8-25
Vidrine---------	0-22	Silt loam	CL-ML, ML	A-4	0	0	100	100	100	90-100	15-27	NP-7
	22-45	Silty clay, silty clay loam	CH, CL	A-7-6	0	0	100	100	100	90-100	41-60	19-32
	45-60	Silt loam, silty clay loam, silty clay	CH, CL	A-4, A-6, A-7-6	0	0	90-100	85-100	85-100	70-100	28-55	8-28