

Engineering Interpretations

Soil Features

This table gives estimates of several important soil features which are used in land use planning that involves engineering considerations. Soil features which are covered include bedrock depth and hardness, cemented pan depth and hardness, subsidence, potential frost action, and risk of corrosion for uncoated steel or for concrete.

DEPTH TO BEDROCK - This value is given if bedrock is within a depth of 60 inches. The depth is based on many soil borings and observations made during soil mapping. The rock is specified as either soft or hard. If the rock is soft, excavations can be made with trenching machines, backhoes, or small rippers. If the rock is hard or massive, blasting or special equipment generally is needed for excavation.

CEMENTED PAN - Cemented pan is a nearly continuous layer of indurated or strongly cemented material having a hard, brittle consistency because the particles are held together by cementing substances such as, calcium carbonate, or oxides of silicon, iron, or aluminum. These layers are identified when they occur within a depth of 60 inches. Pans are classified as "thin" or "thick." "Thin" cemented pans are thin enough so that excavations can be made with trenching machines, backhoes, or small rippers and other equipment common to construction of pipelines, sewer lines, cemeteries, and the like. "Thick" cemented pans are sufficiently thick or massive to require blasting or special equipment beyond which is considered normal in excavating for this type of construction.

SUBSIDENCE - Subsidence potential is the maximum possible loss of surface elevation from the drainage of wet soils having organic layers or semi-fluid mineral layers. Estimates of the depth of subsidence (in inches) that takes place soon after drainage (initial subsidence) and after oxidation (total subsidence) are given for soils that are likely to subside.

POTENTIAL FROST ACTION - This is the likelihood of upward or lateral movement of soil by the formation of segregated ice lenses (frost heave) and the subsequent loss of soil strength upon thawing. The following classes are used in regions where frost action is a potential problem: (1) Low -- soils are rarely susceptible to the formation of ice lenses, (2) Moderate -- soils are susceptible to the formation of ice lenses, resulting in frost heave and subsequent loss of soil strength, and (3) High -- soils are highly susceptible to the formation of ice lenses, resulting in frost heave and subsequent loss of soil strength.

RISK OF CORROSION - Various metals and other materials corrode when on or in the soil, and some metals and materials corrode more rapidly when in contact with specific soils than when in contact with others. Corrosivity ratings are given for two of the common structural materials, uncoated steel and concrete. The risk of corrosion classes are low, moderate, and high.

This subsection includes:

- **(a) Soil Features**

Grundy County, Missouri
Soil Features

(See text for definitions of terms used in this table. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Restrictive layer				Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Thickness	Hardness	Initial	Total		Uncoated steel	Concrete
		In	In		In	In			
03B: KILWINNING-----	---	---	---	---	0	0	Moderate	High	Moderate
04: HAIG-----	---	---	---	---	0	0	High	High	Moderate
06: EDINA-----	---	---	---	---	0	0	Moderate	High	Moderate
11B: GRUNDY-----	---	---	---	---	0	0	High	High	Moderate
12B2: GRUNDY-----	---	---	---	---	0	0	High	High	Moderate
14C: LAMONI-----	---	---	---	---	0	0	Moderate	High	Moderate
15C2: LAMONI-----	---	---	---	---	0	0	Moderate	High	Moderate
16D: SHELBY-----	---	---	---	---	0	0	Moderate	Moderate	Moderate
16E: SHELBY-----	---	---	---	---	0	0	Moderate	Moderate	Moderate
17D2: SHELBY-----	---	---	---	---	0	0	Moderate	Moderate	Moderate
17E2: SHELBY-----	---	---	---	---	0	0	Moderate	Moderate	Moderate
21D: GARA-----	---	---	---	---	0	0	Moderate	Moderate	Moderate

Grundy County, Missouri
Soil Features

(See text for definitions of terms used in this table. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Restrictive layer				Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Thickness	Hardness	Initial	Total		Uncoated steel	Concrete
		In	In		In	In			
21E: GARA-----	---	---	---	---	0	0	Moderate	Moderate	Moderate
22D2: GARA-----	---	---	---	---	0	0	Moderate	Moderate	Moderate
22E2: GARA-----	---	---	---	---	0	0	Moderate	Moderate	Moderate
23B: ARMSTRONG-----	---	---	---	---	0	0	High	High	Moderate
23C: ARMSTRONG-----	---	---	---	---	0	0	High	High	Moderate
24B2: ARMSTRONG-----	---	---	---	---	0	0	High	High	Moderate
24C2: ARMSTRONG-----	---	---	---	---	0	0	High	High	Moderate
25B: PERSHING-----	---	---	---	---	0	0	High	High	Moderate
26B2: PERSHING-----	---	---	---	---	0	0	High	High	Moderate
33F: VANMETER-----	Bedrock (paralithic)	32-60	---	---	0	0	Moderate	High	Low
45: HUMESTON-----	---	---	---	---	0	0	High	High	Moderate
50A: LANDES-----	---	---	---	---	0	0	Moderate	Low	Low

