

1990 HIGHLY ERODIBLE LIST
with Frozen Soil Erodibility (K) and Soil Loss Tolerance (T) Factors
BENTON COUNTY

SYMBOL	MAPUNIT NAME	COMPONENT	k fact	t fact	HEL CLASS
BtC	BRITWATER GRAVELLY SILT LOAM, 3 TO 8 PERCENT SLOPES	BRITWATER	0.32	3	1
BtD	BRITWATER GRAVELLY SILT LOAM, 8 TO 12 PERCENT SLOPES	BRITWATER	0.32	3	1
CeC	CANE LOAM, 3 TO 8 PERCENT SLOPES	CANE	0.28	3	1
CnB	CAPTINA SILT LOAM, 1 TO 3 PERCENT SLOPES	CAPTINA	0.43	3	2
Co	CARYTOWN SILT LOAM	CARYTOWN	0.43	3	3
Cs	CHEROKEE SILT LOAM	CHEROKEE	0.43	4	3
CvF	CLARKSVILLE CHERTY SILT LOAM, 12 TO 50 PERCENT SLOPES	CLARKSVILLE	0.28	3	1
Eg	ELSAH SOILS	ELSAH	0.28	3	3
EnD	ENDERS GRAVELLY LOAM, 3 TO 12 PERCENT SLOPES	ENDERS	0.32	3	1
EOd	ENDERS STONY LOAM, 3 TO 12 PERCENT SLOPES	ENDERS	0.32	3	1
EOf	ENDERS STONY LOAM, 12 TO 30 PERCENT SLOPES	ENDERS	0.28	3	1
Ft	FATIMA SILT LOAM, OCCASIONALLY FLOODED	FATIMA	0.28	5	3
He	HEALING SILT LOAM	HEALING	0.37	5	3
Hf	HEALING SILT LOAM, OCCASIONALLY FLOODED	HEALING	0.37	5	3
JaB	JAY SILT LOAM, 1 TO 3 PERCENT SLOPES	JAY	0.43	3	2
Jo	JOHNSBURG SILT LOAM	JOHNSBURG	0.43	3	3
LrC	LINKER FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	LINKER	0.28	2	2
Me	MAYES SILTY CLAY LOAM	MAYES	0.43	5	3
MuD	MOUNTAINBURG STONY SANDY LOAM, 3 TO 12 PERCENT SLOPES	MOUNTAINBURG	0.17	1	1
MuE	MOUNTAINBURG STONY SANDY LOAM, 12 TO 40 PERCENT SLOPES	MOUNTAINBURG	0.17	1	1
NeB	NEWTONIA SILT LOAM, 1 TO 3 PERCENT SLOPES	NEWTONIA	0.37	5	2
NfC	NIXA CHERTY SILT LOAM, 3 TO 8 PERCENT SLOPES	NIXA	0.32	3	1
NfD	NIXA CHERTY SILT LOAM, 8 TO 12 PERCENT SLOPES	NIXA	0.32	3	1
NoD	NOARK CHERTY SILT LOAM, 8 TO 12 PERCENT SLOPES	NOARK	0.28	3	1
NoE	NOARK CHERTY SILT LOAM, 12 TO 20 PERCENT SLOPES	NOARK	0.28	3	1
NoF	NOARK CHERTY SILT LOAM, 20 TO 45 PERCENT SLOPES	NOARK	0.28	3	1
PeB	PERIDGE SILT LOAM, 1 TO 3 PERCENT SLOPES	PERIDGE	0.37	5	2
PeC	PERIDGE SILT LOAM, 3 TO 8 PERCENT SLOPES	PERIDGE	0.37	5	2
Se	SECESH GRAVELLY SILT LOAM, OCCASIONALLY FLOODED	SECESH	0.32	4	2
SoF	SOGN ROCKY SILT LOAM 12 TO 40 PERCENT SLOPES (MOKO)	SOGN	0.24	1	1
SrE	SOGN-CLARESON COMPLEX, 8 TO 20 PERCENT SLOPES (MOKO, ARKANA)	SOGN	0.24	1	1
SrE	SOGN-CLARESON COMPLEX, 8 TO 20 PERCENT SLOPES (MOKO, ARKANA)	CLARESON	0.24	2	1
Ssb2	SUMMIT SILTY CLAY, 3 TO 15 PERCENT SLOPES, ERODED	SUMMIT	0.37	5	2
ToA	TALOKA SILT LOAM, 0 TO 1 PERCENT SLOPES	TALOKA	0.43	5	3
TsC	TONTI CHERTY SILT LOAM, 3 TO 8 PERCENT SLOPES	TONTI	0.37	3	1
VsF	VENTRIS STONY SILT LOAM, 15 TO 40 PERCENT SLOPES	VENTRIS	0.28	2	1
WeC	WABEN CHERTY SILT LOAM 3 TO 8 PERCENT SLOPES	WABEN	0.28	5	1
WeD	WABEN CHERTY SILT LOAM, 8 TO 12 PERCENT SLOPES	WABEN	0.28	5	1