

**1990 HIGHLY ERODIBLE LIST**  
**with Frozen Soil Erodibility (K) and Soil Loss Tolerance (T) Factors**  
**OUACHITA COUNTY**

SYMBOL	MAPUNIT NAME	COMPONENT	k fact	t fact	HEL CLASS
ALB	ALAGA ASSOCIATION, UNDULATING	ALAGA	0.15	5	2
ALC	ALAGA ASSOCIATION, ROLLING	ALAGA	0.15	5	1
AS	AMY ASSOCIATION, FREQUENTLY FLOODED	AMY	0.43	5	3
AgC	ALAGA LOAMY SAND, 1 TO 8 PERCENT SLOPES	ALAGA	0.15	5	2
AgE	ALAGA LOAMY SAND, 8 TO 20 PERCENT SLOPES	ALAGA	0.15	5	1
Am	AMY SILT LOAM	AMY	0.43	5	3
BB	BIBB SOILS	BIBB	0.28	5	3
CNB	CAHABA-NORFOLK ASSOCIATION, UNDULATING	CAHABA	0.24	5	2
CNB	CAHABA-NORFOLK ASSOCIATION, UNDULATING	NORFOLK	0.20	5	2
CaB	CAHABA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	CAHABA	0.24	5	3
CaC	CAHABA FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	CAHABA	0.24	5	2
CaD	CAHABA FINE SANDY LOAM, 8 TO 12 PERCENT SLOPES (SMITHDALE)	CAHABA	0.28	5	1
En	ENNIS SILTY CLAY LOAM (OUACHITA SILT LOAM)	ENNIS	0.37	5	3
GoB	GOLDSBORO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	GOLDSBORO	0.20	5	3
KNB	KIRVIN-NORFOLK ASSOCIATION, UNDULATING	KIRVIN	0.37	4	2
KNB	KIRVIN-NORFOLK ASSOCIATION, UNDULATING	NORFOLK	0.20	5	2
KSC	KIRVIN-SACUL ASSOCIATION, ROLLING	KIRVIN	0.37	4	1
KSC	KIRVIN-SACUL ASSOCIATION, ROLLING	SACUL	0.28	5	1
KSD	KIRVIN-SACUL ASSOCIATION, HILLY	KIRVIN	0.32	4	1
KSD	KIRVIN-SACUL ASSOCIATION, HILLY	SACUL	0.32	5	1
KfC	KIRVIN FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	KIRVIN	0.37	4	1
KfE	KIRVIN FINE SANDY LOAM, 8 TO 20 PERCENT SLOPES	KIRVIN	0.37	4	1
LeB	LEADVALE SILT LOAM, 1 TO 3 PERCENT SLOPES	LEADVALE	0.43	3	2
Lf	LEAF SILT LOAM	LEAF	0.32	4	3
Lo	LOBELVILLE FINE SANDY LOAM (SARDIS LOAM)	LOBELVILLE	0.37	5	3
LuC	LUCY LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	LUCY	0.15	5	2
Ma	MASHULAVILLE SILT LOAM	MASHULAVILLE	0.32	3	3
NoB	NORFOLK FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	NORFOLK	0.20	5	3
NoC	NORFOLK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	NORFOLK	0.20	5	2
OU	OUACHITA ASSOCIATION, FREQUENTLY FLOODED	OUACHITA	0.37	5	3
Ot	OUACHITA SILT LOAM	OUACHITA	0.37	5	3
PhB	PHEBA SILT LOAM, 1 TO 3 PERCENT SLOPES	PHEBA	0.43	3	2
SKB	SACUL-KIRVIN ASSOCIATION, UNDULATING	SACUL	0.32	5	2
SKB	SACUL-KIRVIN ASSOCIATION, UNDULATING	KIRVIN	0.24	4	2
SaB	SACUL FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	SACUL	0.32	5	3
SaC	SACUL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	SACUL	0.32	5	2
SaE	SACUL FINE SANDY LOAM, 8 TO 16 PERCENT SLOPES	SACUL	0.32	5	1
SlB	SAFFELL GRAVELLY SANDY LOAM, 1 TO 3 PERCENT SLOPES	SAFFELL	0.20	4	3
SlC	SAFFELL GRAVELLY SANDY LOAM, 3 TO 10 PERCENT SLOPES	SAFFELL	0.20	4	2
Sm	SMITHTON FINE SANDY LOAM	SMITHTON	0.32	5	3