

1990 HIGHLY ERODIBLE LIST
with Frozen Soil Erodibility (K) and Soil Loss Tolerance (T) Factors
SEBASTIAN COUNTY

SYMBOL	MAPUNIT NAME	COMPONENT	k fact	t fact	HEL CLASS
Ba	BARLING SILT LOAM	BARLING	0.37	5	3
CaC	CANE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	CANE	0.28	3	1
Cr	CLEORA FINE SANDY LOAM	CLEORA	0.20	5	3
Cv	CREVASSE SOILS	CREVASSE	0.17	5	3
EdC	ENDERS SILT LOAM, 3 TO 8 PERCENT SLOPES	ENDERS	0.37	3	1
Edd	ENDERS SILT LOAM, 8 TO 12 PERCENT SLOPES	ENDERS	0.37	3	1
EeE	ENDERS STONY SILT LOAM, 12 TO 30 PERCENT SLOPES	ENDERS	0.32	3	1
EmC	ENDERS-MOUNTAINBURG ASSOCIATION, ROLLING	ENDERS	0.32	3	1
EmC	ENDERS-MOUNTAINBURG ASSOCIATION, ROLLING	MOUNTAINBURG	0.17	1	1
EmE	ENDERS-MOUNTAINBURG ASSOCIATION, STEEP	ENDERS	0.32	3	1
EmE	ENDERS-MOUNTAINBURG ASSOCIATION, STEEP	MOUNTAINBURG	0.17	1	1
Ib	IBERIA CLAY	IBERIA	0.32	5	3
LeB	LEADVALE SILT LOAM, 1 TO 3 PERCENT SLOPES	LEADVALE	0.43	3	2
LeC	LEADVALE SILT LOAM, 3 TO 8 PERCENT SLOPES	LEADVALE	0.43	3	1
LnC	LINKER FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	LINKER	0.28	2	2
MkC	MCKAMIE SILT LOAM, 3 TO 8 PERCENT SLOPES	MCKAMIE	0.37	5	2
MlD	MONTEVALLO GRAVELLY LOAM, 3 TO 12 PERCENT SLOPES	MONTEVALLO	0.28	1	1
MmD	MOUNTAINBURG SANDY LOAM, 3 TO 12 PERCENT SLOPES	MOUNTAINBURG	0.24	1	1
MnD	MOUNTAINBURG STONY SANDY LOAM, 3 TO 12 PERCENT SLOPES	MOUNTAINBURG	0.17	1	1
MnE	MOUNTAINBURG STONY SANDY LOAM, 12 TO 35 PERCENT SLOPES	MOUNTAINBURG	0.17	1	1
MuC	MUSKOGEE SILT LOAM, 3 TO 8 PERCENT SLOPES	MUSKOGEE	0.43	5	2
No	NORWOOD SILTY CLAY LOAM	NORWOOD	0.32	5	3
SaB	SALLISAW LOAM, 1 TO 3 PERCENT SLOPES	SALLISAW	0.37	4	2
SaC	SALLISAW LOAM, 3 TO 8 PERCENT SLOPES	SALLISAW	0.37	4	1
SlC	SALLISAW STONY LOAM, 1 TO 8 PERCENT SLOPES	SALLISAW	0.28	4	2
Sn	SEVERN SILT LOAM	SEVERN	0.37	5	3
Tf	TAFT SILT LOAM	TAFT	0.43	3	3
Wg	WING SILT LOAM	WING	0.49	1	1
Wr	WRIGHTSVILLE SILT LOAM	WRIGHTSVILLE	0.49	5	3
WsA	WRIGHTSVILLE COMPLEX, 0 TO 2 PERCENT SLOPES	WRIGHTSVILLE	0.49	5	3
Wt	WRIGHTSVILLE-MESSER COMPLEX	WRIGHTSVILLE	0.49	5	3
Wt	WRIGHTSVILLE-MESSER COMPLEX	MESSER	0.49	5	3