

CHAPTER 6 - APPENDIX
STATE SUPPLEMENTS INDEX

	<u>PAGE</u>
652.0605 - State Supplement	AL6-85(1)
A. Permanent/Solid-Set Sprinkler Irrigation System	AL6-85(1)
General	AL6-85(1)
Design Criteria	AL6-85(1)
Example Problem	AL6-85(1)
Layout Considerations	AL6-85(4)
Construction Requirements	AL6-85(4)
B. Traveling Gun Sprinkler Irrigation System	AL6-85(12)
General	AL6-85(12)
Design Criteria	AL6-85(12)
Example Problem	AL6-85(12)
Layout Considerations	AL6-85(14)
Construction Requirements	AL6-85(14)
C. Center-Pivot Irrigation System	AL6-85(20)
General	AL6-85(20)
Design Criteria	AL6-85(20)
Formulas Used in Design and Evaluation of Center-Pivot Irrigation Systems	AL6-85(20)
Example Problem No. 1	AL6-85(20)
Example Problem No. 2	AL6-85(22)
Construction Requirements	AL6-85(22)
Layout Considerations	AL6-85(23)
D. Trickle Irrigation System	AL6-85(31)
General	AL6-85(31)
Design Criteria	AL6-85(31)
Example Problem	AL6-85(31)
Material and Construction Requirements	AL6-85(33)

FIGURES

Figure AL6-B-1 Irrigation Hose Pressure Loss Per 100 ft.	AL6-85(15)
Figure AL6-C-1 Capacity Requirements for Center-Pivot Systems	AL6-85(26)
Figure AL6-D-1 Loss of Pressure Due to Friction Along a Pipeline Having Only One Size of Pipe with Uniform Outlets	AL6-85(34)

TABLES

Table AL6-A-1 Typical Sprinkler Manufacturer's Data	AL6-85(5)
Table AL6-B-1 Guide for Flexible Irrigation Hose Selection	AL6-85(15)
Table AL6-C-1 Center-Pivot Irrigation Systems	AL6-85(25)

EXHIBITS

Exhibit AL6-A-1 Irrigation Data Sheet - Permanent/Solid-Set Sprinkler Irrigation System	AL6-85(6)
(Example Problem)	
Exhibit AL6-B-1 Irrigation Data Sheet - Traveling Gun Irrigation System (Example Problem)	AL6-85(16)
Exhibit AL6-C-1 Irrigation Data Sheet - Center Pivot-Irrigation System (Example Problem)	AL6-85(27)
Exhibit AL6-D-1 Irrigation Data Sheet - Trickle Irrigation System (Example Problem)	AL6-85(35)
Exhibit AL6-D-2 Computer Design of Pipelines	AL6-85(43)

APPENDIX

Tables

Table AL6-A1. Conversion Factors.	AL6-85(48)
Table AL6-2A. Friction Head Loss in Plastic Irrigation Pipelines Manufactured of PVC or ABS Compounds Standard Dimension Ratio - SDR = 21 IPS Pipe	AL6-85(49)
Table AL6-A3. Friction Head Loss in Plastic Irrigation Pipelines Manufactured of PVC or ABS Compounds standard Dimension Ratio - SDR - 21, PIP Pipe	AL6-85(52)
Table AL6-A4. Friction Loss Characteristics - PVC Class 315 IPD Plastic Pipe	AL6-85(54)
Sizes ½ " thru 3½ "	
Table AL6-A5. Friction Loss Characteristics - PVC Sche. 40 IPS Plastic Pipe - Sizes ½ " thru 3 ½"	AL6-85(55)
Table AL6-A6. Friction Loss Characteristics - PVC Sche. 40 IPS Plastic Pipe - Sizes 4" thru 12" Flow GPM 1 thru 600	AL6-85(56)
Table AL6-A7. Friction Loss Characteristics - PVC Sche. 40 IPS Plastic Pipe - Sizes 4" thru 12: Flow GPM 650 thru 5000	AL6-85(57)
Table AL6-A8. Friction Loss Characteristics - PVC Sche. 80 IPS Plastic Pipe -	AL6-85(58)
Sizes ½ " thru 3 ½" - Flow GPM 1 thru 600	
Table AL6-A9. Friction Loss Characteristics - OVC Sche. 80 IPS Plastic Pipe -	AL6-85(59)
Sizes 4" thru 12" - Flow GPM 1 thru 600	
Table AL6-A10. Friction Loss Characteristics - PVC Sche. 80 IPS Plastic Pipe -	AL6-85(60)
Sizes 4" thru 12" - Flow GPM 650 thru 5000	
Table AL6-A11. Friction Loss in feet per 100 feet in Asbestos Cement Pressure Pipe.	AL6-85(61)
Table AL6-A12. Pressure (friction) Loss, in feet per 100 feet, for Portable Aluminum Irrigation Pipe with Couplings (Based on Scobey's formula $K_x = 0.40$, and 30-ft. Pipe Lengths.)	AL6-85(62)
Table AL6-A13. Friction Loss Characteristics - Polyethylene (PE) SDR Pressure Rated Tube -	AL6-85(64)
Sizes ½ " thru 6".	
Table AL6-A14. Feeder Line Friction Loss (per 100 feet).	AL6-85(66)
Table AL6-A15. Friction Head Loss and Velocity in 0.580" and 0.622" Plastic Hose	AL6-85(69)
(Drip Irrigation Laterals).	
Table AL6-A16. Pressure Loss in Center-Pivot System, psi.	AL6-85(74)
Table AL6-A17. Factors (f) for Computing Friction Head Loss in a Line with Multiple Outlets.	AL6-85(75)
Table AL6-A18. Head Loss Coefficients for Fittings and Special Conditions Where $H = K_v^2 / 2g$...	AL6-85(76)
Table AL6-A19. Friction Losses Through Pipe Fittings in Terms of Equivalent Lengths of	AL6-85(77)
Standard Pipe.	
Table AL6-A20. Application for Planning Irrigation Systems (inches per hour).	AL6-85(80)
Table AL6-A21. Center Pivot Systems. Time Required to Apply 1 in. Gross Application (hrs/in) ...	AL6-85(81)
and Gross Capacity (in/day).	
Table AL6-A22. Standard Pipe Dimensions – All Dimensions in Inches – Rigid PVC Plastic Pipe..	AL6-85(83)
Table AL5-A23. Standard Pipe Dimensions – Flexible Polyethylene Tube (PE).	AL6-85(83)
Table AL6-A24. Standard Pipe Dimensions – All Dimensions in Inches – Rigid PVC Plastic Pipe. .	AL6-85(83)
Table AL6-A25a. Friction Head Loss in Plastic Irrigation Pipelines Manufactured of PVC	AL6-85(84)
or ABS Compounds Standard Dimension Ratio SDR = 26, IPS Pipe, ½" thru 3 ½" (2 gpm – 500 gpm).	
Table AL6-A25b. Friction Head Loss in Plastic Irrigation Pipelines Manufactured of PVC	AL6-85(85)
or ABS Compounds Standard Dimension Ratio SDR = 26, IPS Pipe, 4" thru 12" (15 gpm – 600 gom).	
Table AL6-A25c. Friction Head Loss in Plastic Irrigation Pipelines Manufactured of PVC	AL6-85(86)
or ABS Compounds Standard Dimension Ratio SDR = 26, IPS Pipe, 4" thru 12" (600 gpm – 1800 gpm).	
Table AL6-A26a. Friction Head Loss in Plastic Irrigation Pipe Manufactured of PVC or ABS	AL6-85(87)
Compounds – SDR = 32.5 (1¼" – 3½") (2 gpm – 500 gpm).	
Table AL6-A26b. Friction Head Loss in Plastic Irrigation Pipe Manufactured of PVC or ABS	AL6-85(88)
Compounds – SDR = 32.5 (4" – 12") (15 gpm – 600 gpm).	
Table AL6-A26c. Friction Head Loss in Plastic Irrigation Pipe Manufactured of PVC or ABS	AL6-85(89)
Compounds – SDR = 32.5 (4" – 12") (600 gpm – 1800 gpm).	
Table AL6-A27. Irrigation Screen Filters.	AL6-85(90)

Exhibits

Exhibit AL6-A1.	Flexible Irrigation Hose Pressure loss per 100 feet of Length.	AL6-85(63)
Exhibit AL6-A2.	Friction Loss in Polyethylene Pipe.	AL6-85(65)
Exhibit AL6-A3.	Friction Head Loss as a Function of Flow Rate for Lateral Tubing Manufactured in English Dimensions.	AL6-85(67)
Exhibit AL6-A4.	Friction Head Loss as a Function of Flow Rate for Lateral Tubing Manufactured in Metric Dimensions.	AL6-85(68)
Exhibit AL6-A5.	Horsepower Required to Pump Water.	AL6-85(78)
Exhibit AL6-A6.	Capacity Requirements for Irrigation Systems.	AL6-85(79)
Exhibit AL6-A7.	Center Pivot Water Supply Nomograph.	AL6-85(82)