



Two Loops Twisted Of Either A 9-Gauge Smooth Malleable Galvanized Wire, 12-Gauge Double-Stranded Or A 12 1/2-Gauge Galvanized High-tensile Wire. (Refer to Georgia Fence Standard 382)



SINGLE H-BRACE END POST DETAIL
Not to Scale


Notes for Floating Brace:

- Use 1-3/8" dia. galvanized tubing or 4" dia. wood. Landscape timbers are not permitted.
- Use 10" spike nail or brace pin at connection to post.
- Use 15" min. disc blade or flat stone as shown.
- Tension wire is 12.5 gauge High Tensile
- Notch brace member 3/8" at lower end to accept tension wire
- Cinch tension wires both directions with wire or crimping sleeve.




FLOATING BRACE
Not to Scale

Two Loops Twisted Of Either A 9-Gauge Smooth Malleable Galvanized Wire, 12-Gauge Double-Stranded Or A 12 1/2-Gauge Galvanized High-tensile Wire. (Refer to Georgia Fence Standard 382)



SINGLE H-BRACE CORNER DETAIL
Not to Scale



TOP VIEW - 20° OR LESS CORNER DETAIL
Not to Scale

Use a double H-brace corner post assembly for any angle where fence alignment changes more than 20 degrees.

File Name
GA_Fen_1

Drawing Name
GA_Fen_1.dwg

09/13/11 (rev)


Sheet 1 of 3

FENCING - GEORGIA

SINGLE H-BRACE




Natural Resources Conservation Service
United States Department of Agriculture




DOUBLE H-BRACE END POST DETAIL
Not to Scale

Two Loops Twisted Of Either A 9-Gauge Smooth Malleable Galvanized Wire, 12-Gauge Double-Stranded Or A 12 1/2-Gauge Galvanized High-tensile Wire. (Refer to Georgia Fence Standard 382) (Typ.)



DOUBLE H-BRACE CORNER DETAIL
Not to Scale

Two Loops Twisted Of Either A 9-Gauge Smooth Malleable Galvanized Wire, 12-Gauge Double-Stranded Or A 12 1/2-Gauge Galvanized High-tensile Wire. (Refer to Georgia Fence Standard 382) (Typ.)



DOUBLE H-BRACE PULL ASSEMBLY DETAIL
Not to Scale




Two Loops Twisted Of Either A 9-Gauge Smooth Malleable Galvanized Wire, 12-Gauge Double-Stranded Or A 12 1/2-Gauge Galvanized High-tensile Wire. (Refer to Georgia Fence Standard 382) (Typ.)

File Name GA_Fen_2	Drawing Name GA_Fen_2.dwg	Date 09/13/11 (rev.)	Sheet 2 of 3
-----------------------	------------------------------	-------------------------	--------------

FENCING - GEORGIA

DOUBLE H-BRACE





- NOTES:**
- Steel posts can be used instead of wood line posts. See Georgia Fence Standard – Code 382 for specifications.
 - Refer to Fence Standard – Code 382 for material and construction details.
 - Drawings are not to scale.

File Name	GA_Fen3
Drawing Name	GA_Fen3.dwg
	09/13/11 (rev.)
	Sheet 3 of 3

FENCING – GEORGIA
 BARBED, WOVEN, & HIGH-TENSILE

