

Scenario Worksheet

Practice and Scenario Description:

Information Type	Data
Region	Mid Atlantic
State	New Jersey
Discipline Group	Forestry
Practice Code/Name	655 - Forest Trails and Landings
Scenario ID	1
Scenario Name	Trail and Landing Installation

Scenario Description	Construction of forest trails and landings for the purpose of providing access to a gently sloping forested tract. Access will allow the application of other conservation practices, monitoring and the removal of forest products. It is not, however, to be used if the installation is done as part of a commercial operation such as timber harvesting. In such a case, the Scenario 1 should be used. Installation will include removal of trees and brush as needed, a minimum amount of blading and soil disturbance, and the installing of water control measures such as water bars, broad-based dips, wing ditches, etc. It will not include measures more common to access roads such as graveling or ditching. Installation will be supervised by a consultant forester, land manager, or other resource professional. Resource concerns include Excessive sediment in surface waters, Sheet & rill erosion, and Concentrated flow erosion
Before Practice Situation	Access to the tract is not available for occasional travel by the landowner or manager for the purposes of monitoring, installing conservation practices and/or the removal of forest products. Improperly installed trails and landings will cause soil erosion and water quality problems.
After Practice Situation	A trail system is installed that provides access to the forested tract and does not cause excessive erosion or water quality concerns.
Scenario Feature Measure	Length of trail treated
Scenario Unit	Feet
Scenario Typical Size	2000

Cost Summary:

Cost Category	Scenario Cost	Scenario Cost/Unit
Materials	\$38.50	\$0.02
Equipment/Installation	\$2,220.30	\$1.11
Labor	\$1,298.50	\$0.65
Mobilization	\$688.57	\$0.34
Acquisition of Technical Knowledge	\$0.00	\$0.00
Foregone Income	\$0.00	\$0.00
Total	\$4,245.87	\$2.12

Scenario Worksheet

Practice and Scenario Description:	
Information Type	Data
Region	Mid Atlantic
State	New Jersey
Discipline Group	Forestry
Practice Code/Name	655 - Forest Trails and Landings
Scenario ID	2
Scenario Name	Trail Erosion Control w/o Vegetation, Slopes < 35%

Scenario Description	<p>Rehabilitation of existing forest access trail segments on a 20% slope and a 4% grade by addressing legacy resource issues for long-term use. Typically the trail is a single lane (18-foot wide, including cut and fill), seasonal prism requiring sustained erosion control measures installed by using heavy equipment such as dozers, graders, backhoes, and/or excavators. The purpose is to hydrologically disconnect the existing trail/landing system from streams and natural drainages. This scenario includes designing and installing measures such as cross drains, rock drains, relief drains, out sloping (or changing surface drainage), rolling dips and water bars and ditch outs as needed, and applies to only those segments of the trail system that have resource concerns requiring rehabilitation. Some hand work (chainsaw) will be needed to allow the use of the equipment. Installation will be supervised. Other practices such as Stream Crossing, and Critical Area Planting, Access Road, and Structure for Water Control can be adjacent/appurtenant but not part of this practice scenario. Treatments are for long-term reduction of sediment, restoration of fish habitat, creation of fire access, and the removal of routes off unstable slopes. Resource concerns include: Excessive sedimentation in surface waters, Concentrated flow erosion, Sheet and rill erosion, and Degradation of wildlife species.</p>
Before Practice Situation	<p>Trails are delivering sediment to waterways, impacting riparian areas and wetlands and possibly affecting T&E species. The system's usefulness for access is also being compromised by inadequate erosion and drainage control systems. However rehabilitation over abandonment is an acceptable course of action.</p>
After Practice Situation	<p>Trails and landings provide access and do not adversely affect the resources concerns.</p>

Scenario Feature Measure	Length of trail treated
Scenario Unit	Feet
Scenario Typical Size	2000

Cost Summary:		
Cost Category	Scenario Cost	Scenario Cost/Unit
Materials	\$77.00	\$0.04
Equipment/Installation	\$3,592.00	\$1.80
Labor	\$2,121.58	\$1.06
Mobilization	\$1,364.24	\$0.68
Acquisition of Technical Knowledge	\$0.00	\$0.00
Foregone Income	\$0.00	\$0.00
Total	\$7,154.82	\$3.58

Scenario Worksheet

Practice and Scenario Description:	
Information Type	Data
Region	Mid Atlantic
State	New Jersey
Discipline Group	Forestry
Practice Code/Name	655 - Forest Trails and Landings
Scenario ID	3
Scenario Name	Trail Erosion Control w/o Vegetation, Slopes >35%

Scenario Description	<p>Rehabilitation of existing forest access trails and landings by addressing legacy resource issues such as sedimentation, for long-term use. Typically the trail is a single lane, existing 18-foot wide including cut and fill seasonal road prism on a moderately steep (45%) slope on forestland requiring sustained erosion control measures applied by using heavy equipment such as dozers, backhoes, graders, excavators, rock and rollers. The purpose is to hydrologically disconnect existing trail/landing system from the streams and natural drainages. This includes the design and installation of cross drains, rock drains, relief drains, out sloping (or changing road surface drainage), rolling dips and water bars and ditch outs as needed This scenario applies to only those segments of the trail system that have resource concerns requiring rehabilitation. A typical water bar or rolling dip installed in this scenario is on a 75 to 100 foot spacing with a depth of about 1 foot. A layer of aggregate rock is compacted into a 20 foot length of road around the deepest section of the dip. Some hand work (chainsaw) will be needed to allow the use of the equipment. The work will be supervised. Other practices such as Stream Crossing, and Critical Area Planting, Access Road and Structure for Water Control can be adjacent/appurtenant but not part of this practice scenario. Resource concerns include: Excessive sedimentation in surface waters, Concentrated flow erosion, Sheet and rill erosion, and Degradation of wildlife species.</p>
Before Practice Situation	Trails are delivering sediment to waterways, impacting riparian/wetlands and/or possibly affecting fish/T&E species. The usefulness of the trail/landing system is being adversely affected by erosion.
After Practice Situation	Trails and landings provide access and do not adversely affect the resources concerns.
Scenario Feature Measure	Length of trail treated
Scenario Unit	Feet
Scenario Typical Size	500

Cost Summary:		
Cost Category	Scenario Cost	Scenario Cost/Unit
Materials	\$158.55	\$0.32
Equipment/Installation	\$6,518.54	\$13.04
Labor	\$2,967.94	\$5.94
Mobilization	\$1,351.88	\$2.70
Acquisition of Technical Knowledge	\$0.00	\$0.00
Foregone Income	\$0.00	\$0.00
Total	\$10,996.91	\$21.99

Scenario Worksheet

Practice and Scenario Description:	
Information Type	Data
Region	Mid Atlantic
State	New Jersey
Discipline Group	Forestry
Practice Code/Name	655 - Forest Trails and Landings
Scenario ID	4
Scenario Name	Grading and Shaping with Vegetative Establishment

Scenario Description	<p>Rehabilitation of existing forest access trails and landings on a medium slope by addressing rutting, erosion, and sedimentation. Typically the trail is a single, existing 18-foot wide (including cut and fill) seasonal road prism on gently sloping terrain requiring sustained erosion control measures applied with heavy equipment such as dozers, graders, backhoes, and/or excavators. The purpose is to hydrologically disconnect the existing trail/landing system from streams and natural drainages and to establish a vegetative cover. This scenario includes designing and installation measures such as cross drains, rock drains, relief drainage, out sloping (or changing surface drainage), rolling dips and water bars and ditch outs as needed, and applies to only those segments of the trail system that have resource concerns requiring rehabilitation. It also includes seedbed preparation, seeding and soil amendments determined to be needed. Some hand work (chainsaw) will be needed to allow the use of the equipment. The work will be supervised. Other practices such as Stream Crossing, and Critical Area Planting, Access Road and Structure for Water Control can be adjacent/appurtenant but not part of the practice scenario. Treatments are for long-term reduction of sediment, restore fish habitat, create fire access and to move routes off unstable slopes. Resource concerns include: Excessive sediment in surface waters, Concentrated and Sheet & rill flow erosion, Soil compaction, and Habitat degradation.</p>
Before Practice Situation	<p>Trail/landings are delivering sediment to waterways, impacting riparian/wetlands and/or possibly affecting fish/T&E species. The usefulness of the trail/landing system is being adversely affected by erosion.</p>
After Practice Situation	<p>A trail system is installed that provides access to the forested tract and does not cause excessive erosion or water quality concerns.</p>
Scenario Feature Measure	Length of trail treated
Scenario Unit	Feet
Scenario Typical Size	2000

Cost Summary:		
Cost Category	Scenario Cost	Scenario Cost/Unit
Materials	\$373.66	\$0.19
Equipment/Installation	\$4,413.62	\$2.21
Labor	\$1,432.24	\$0.72
Mobilization	\$791.70	\$0.40
Acquisition of Technical Knowledge	\$0.00	\$0.00
Foregone Income	\$0.00	\$0.00
Total	\$7,011.22	\$3.51

Cost Details:									
Cost Category	Component ID	Component Name	Component Description	Unit	Price (\$/unit)	Quantity	Cost	Component Justification	Quantity Justification
Materials	109	Ladino Clover (Trifolium repens)	Introduced Legumes and shipping.	Pound	\$3.74	2.5	\$9.35		18' x 2000' = 0.83 acres; 3 pounds per acre
Materials	73	Phosphorus, P2O5	Price per pound of P2O5 supplied by Superphosphate. Price is not per pound of total product applied, no conversion is needed.	Pound	\$0.96	55	\$52.80		
Materials	43	Silt Fence	Silt Fence with support post, includes materials, equipment and labor	Foot	\$0.77	100	\$77.00		
Materials	74	Potassium, K2O	K2O supplied by Muriate Of Potash. Price is not per pound of total product applied, no conversion is needed.	Pound	\$0.53	40	\$21.20		
Materials	75	Lime, ENM	Fertilizer: Limestone Spread on field.	Ton	\$93.78	1	\$93.78		
Materials	69	Nitrogen (N), Ammonium Nitrate	Price per pound of N supplied by Ammonium Nitrate. Price is not per pound of total product applied, no conversion is needed.	Pound	\$0.88	70	\$61.60		
Materials	105	Alsike Clover (Trifolium hybridum)	Introduced Legumes and shipping.	Pound	\$3.06	2.5	\$7.65		18' x 2000' = 0.83 acres; 3 pounds per acre
Materials	96	Redtop (Agrostis gigantea)	Introduced Perennial Grasses and shipping.	Pound	\$9.45	0.83	\$7.84		18' x 2000' = 0.83 acres; 1 pound per acre
Materials	92	Orchard Grass (Dactylis glomerata)	Introduced Perennial Grasses and shipping.	Pound	\$2.04	20.8	\$42.43		18' x 2000' = 0.83 acres; 25 pounds per acre
Equipment/Installation	1782	Motor Grader, 200 HP	Motor Grader or Maintainer, 200 hp. Typical of equipment with HP in range of 170-240. Equipment cost, does not include labor.	Hour	\$137.86	10	\$1,378.60		
Equipment/Installation	950	Fertilizer, ground application, dry bulk	Dry bulk fertilizer application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$5.89	1	\$5.89		
Equipment/Installation	953	Lime application	Lime application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$8.36	1	\$8.36		
Equipment/Installation	959	Seeding Operation, Broadcast, Ground	Broadcast seed via ground operation. May require post tillage operation to incorporate seed. Equipment and labor cost included.	Acre	\$9.62	1	\$9.62		
Equipment/Installation	965	All terrain vehicles, ATV	Includes equipment and labor costs.	Hour	\$28.60	10	\$286.00		
Equipment/Installation	1500	Water Bars	Installation of graded trail water controlling structures such as water bars, broad based dips for erosion control. Typical cross section is 1.5 feet high with 4:1 side slopes yielding about 0.33 CV/ft of length.	Foot	\$1.66	300	\$498.00		
Equipment/Installation	1448	Truck, water	Water tanker truck. Equipment only.	Hour	\$149.16	6	\$894.96		
Equipment/Installation	926	Backhoe, 80 HP	Wheel mounted backhoe excavator with horsepower range of 60 to 90. Equipment and power unit costs. Labor not included.	Hour	\$45.10	16	\$721.60		
Equipment/Installation	937	Chainsaw	Equipment and power unit costs. Labor not included.	Hour	\$5.40	8	\$43.20		
Equipment/Installation	945	Tillage, Light	Includes light disking (tandem) or field cultivator. Equipment and power unit costs. Labor is included.	Acre	\$9.63	1	\$9.63		
Equipment/Installation	933	Skidsteer, 80 HP	Skidsteer loader with horsepower range of 60 to 90. Equipment and power unit costs. Labor not included.	Hour	\$34.86	16	\$557.76		
Labor	231	General Labor	Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc.	Hour	\$22.79	16	\$364.64		
Labor	232	Equipment Operators, Light	Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers	Hour	\$22.29	40	\$891.60		

Scenario Worksheet

Practice and Scenario Description:	
Information Type	Data
Region	Mid Atlantic
State	New Jersey
Discipline Group	Forestry
Practice Code/Name	655 - Forest Trails and Landings
Scenario ID	5
Scenario Name	Temporary Stream Crossing
Scenario Description	The design and installation of a temporary stream crossing that will meet the immediate forest management/conservation needs. Afterwards the crossing will be restored and stabilized. Improperly designed and/or installed stream crossings will, in the long term, adversely affect water quality and aquatic life. Approaches will also be stabilized for the use of the crossing and stabilized afterwards as necessary. Installation will be supervised. Permanent and/or high-traffic crossings will be designed and installed according to the Stream Crossing (578) Standard. Resource concerns include: Excessive sediment in surface waters and Habitat degradation.
Before Practice Situation	Access to a forested tract is not available for the installation of conservation practices or removal of forest products due to the lack of a suitable stream crossing(s).
After Practice Situation	Access was available to address other resource concerns/management needs and the stream is restored to its previous or better condition.
Scenario Feature Measure	Number of crossings
Scenario Unit	Each
Scenario Typical Size	1

Cost Summary:		
Cost Category	Scenario Cost	Scenario Cost/Unit
Materials	\$77.00	\$77.00
Equipment/Installation	\$281.48	\$281.48
Labor	\$165.10	\$165.10
Mobilization	\$866.52	\$866.52
Acquisition of Technical Knowledge	\$0.00	\$0.00
Foregone Income	\$0.00	\$0.00
Total	\$1,390.10	\$1,390.10

