

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AD: ADEL-----	90	Very limited Slope Restricted permeability	1.00 0.46	Very limited Slope Seepage	1.00 0.53
AF: AGUA FRIA-----	90	Somewhat limited Restricted permeability	0.46	Very limited Seepage  Slope	1.00  0.08
AG: ALLUVIAL LAND, GRAVELLY-----	80	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage  Depth to saturated zone Content of large stones	1.00 1.00  1.00 0.01
AL: ALLUVIAL LAND-----	80	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage  Depth to saturated zone	1.00 1.00  1.00
AM: ALLUVIAL LAND-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Seepage  Depth to saturated zone	1.00 1.00  1.00
An: ANCHO-----	90	Very limited Restricted permeability	1.00	Not limited	
Ao: ANCHO-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone	1.00

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AP: APACHE-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Content of large stones	0.45	Slope	1.00
				Content of large stones	0.94
				Seepage	0.53
BA: BADLAND-----	95	Very limited Depth to bedrock	1.00	Not rated Not rated; Unified	
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
BD: BASALT ROCK LAND----	100	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Unified	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
Be: BLUEWING-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
Bf: BLUEWING-----	90	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Flooding	0.40
Bg: BLUEWING-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.08
BH: BLUEWING-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.08

**United States Department of Agriculture  
Natural Resources Conservation Service**

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BM: BOBTAIL-----	90	Very limited Restricted permeability Depth to bedrock Filtering capacity Slope	1.00 1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage Content of large stones	1.00 1.00 1.00 0.01
BO: BOBTAIL-----	60	Very limited Restricted permeability Depth to bedrock Filtering capacity Slope	1.00 1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage Content of large stones	1.00 1.00 1.00 0.01
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock Slope	1.00 1.00	Not rated Not rated; Unified Not rated; Fragments > 75mm Depth to hard bedrock Slope	1.00 1.00
BR: BORREGO-----	90	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.53
CA: CALABASAS-----	90	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.68 0.53
CB: CALABASAS-----	95	Very limited Restricted permeability Slope	1.00 0.16	Very limited Slope Seepage	1.00 0.53
CC: CAPILLO-----	80	Very limited Slope Depth to bedrock	1.00 0.78	Very limited Slope Depth to soft bedrock	1.00 0.42

**United States Department of Agriculture  
Natural Resources Conservation Service**

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CE: CAPILLO-----	55	Very limited Slope Depth to bedrock	1.00 0.78	Very limited Slope Depth to soft bedrock	1.00 0.42
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock  Slope	1.00 1.00	Not rated Not rated; Unified Not rated; Fragments > 75mm Depth to hard bedrock Slope	1.00 1.00
Cf: CERRILLOS-----	90	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage  Slope	0.53 0.08
CG: CERRILLOS-----	90	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage  Slope	0.53 0.08
Ch: CERRILLOS-----	95	Somewhat limited Restricted permeability	0.46	Very limited Slope  Seepage	1.00 0.53
CM: CHIMAYO-----	90	Very limited Depth to bedrock  Slope Content of large stones	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00
CO: CLOVIS-----	80	Somewhat limited Restricted permeability	0.46	Very limited Seepage	1.00
CU: CUEVA-----	85	Very limited Depth to bedrock  Slope	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 0.27

**United States Department of Agriculture  
Natural Resources Conservation Service**

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CV: CUNDIYO-----	90	Very limited Slope Content of large stones	1.00 1.00	Very limited Slope Seepage Content of large stones	1.00 1.00 1.00
DP: DEAN-----	70	Somewhat limited Restricted permeability	0.46	Somewhat limited Slope Seepage	0.68 0.53
PASTURA-----	20	Very limited Depth to cemented pan	1.00	Very limited Depth to cemented pan Slope Seepage	1.00 0.68 0.53
Ec: EL RANCHO-----	90	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage	0.53
Ed: EL RANCHO-----	90	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage	0.53
Ee: EL RANCHO-----	85	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage Slope	0.53 0.32
Eh: EL RANCHO VARIANT---	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
EL: EL RANCHO-----	65	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage Slope	0.53 0.32
FRUITLAND-----	25	Not limited		Very limited Seepage Slope	1.00 0.32

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EN: ENCIERRO-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	0.16	Slope Seepage	1.00 0.27
Fe: FIVEMILE-----	90	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.08
FF: FIVEMILE-----	90	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.08
FG: FORTWINGATE VARIANT-	85	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	0.78	Seepage	0.53
		Restricted permeability	0.46	Depth to soft bedrock	0.42
Fn: FRUITLAND-----	90	Not limited		Very limited Seepage	1.00
Fr: FRUITLAND-----	90	Not limited		Very limited Seepage Slope	1.00 0.32
Fs: FRUITLAND-----	90	Not limited		Very limited Seepage	1.00
Ft: FRUITLAND-----	90	Not limited		Very limited Seepage	1.00
GG: GALISTEO-----	70	Very limited Flooding	1.00	Very limited Flooding	1.00
		Restricted permeability	1.00		
GULLIED LAND-----	15	Very limited Flooding	1.00	Not rated Not rated; Unified	
		Restricted permeability	1.00	Flooding	1.00

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GL: GUAJE-----	90	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
HA: HAGERMAN-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 0.53 0.08
HC: HARVEY-----	80	Somewhat limited Restricted permeability	0.46	Somewhat limited Slope Seepage	0.68 0.53
HD: HARVEY-----	60	Somewhat limited Restricted permeability	0.46	Somewhat limited Slope Seepage	0.68 0.53
DEAN-----	30	Very limited Depth to cemented pan	1.00	Very limited Depth to cemented pan Slope	1.00 0.68
HP: HARVEY-----	45	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage Slope	0.53 0.08
PENISTAJA-----	35	Somewhat limited Restricted permeability	0.46	Very limited Seepage Slope	1.00 0.08
HR: HARVEY-----	40	Somewhat limited Restricted permeability	0.46	Very limited Slope Seepage	1.00 0.53
CERRILLOS-----	30	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage Slope	0.53 0.08

**United States Department of Agriculture  
Natural Resources Conservation Service**

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LB: LA BRIER-----	90	Very limited Restricted permeability Flooding	1.00  0.40	Somewhat limited Flooding	0.40
Lf: LA FONDA-----	95	Somewhat limited Restricted permeability	0.46	Very limited Slope  Seepage	1.00  0.53
Lg: LAPORTE-----	65	Not rated Not rated; Fragments > 75mm Depth to bedrock  Slope	1.00  1.00	Not rated Not rated; Fragments > 75mm Depth to soft bedrock Slope Seepage	1.00  1.00 0.53
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock  Slope	1.00  1.00	Not rated Not rated; Unified Not rated; Fragments > 75mm Depth to hard bedrock Slope	1.00  1.00
LH: LAPORTE-----	65	Very limited Depth to bedrock  Slope	1.00  1.00	Very limited Depth to soft bedrock Slope Seepage	1.00  1.00 0.53
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock  Slope	1.00  1.00	Not rated Not rated; Unified Not rated; Fragments > 75mm Depth to hard bedrock Slope	1.00  1.00
LL: LAS LUCAS-----	90	Very limited Restricted permeability Depth to bedrock	1.00  0.78	Somewhat limited Slope  Depth to soft bedrock	0.68  0.42

**United States Department of Agriculture  
Natural Resources Conservation Service**

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
<b>LS:</b>					
LOS ALAMOS-----	55	Very limited Depth to bedrock Restricted permeability	1.00 0.46	Very limited Seepage Depth to soft bedrock Slope	1.00 1.00 0.68
SILVER-----	35	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.68
<b>LU:</b>					
LUNCH VARIANT-----	90	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.46 0.40	Very limited Depth to saturated zone Seepage Flooding Slope	1.00 0.53 0.40 0.08
<b>MA:</b>					
MAJADA-----	90	Very limited Slope Restricted permeability Content of large stones	1.00 0.46 0.05	Very limited Slope Content of large stones Seepage	1.00 0.57 0.53
<b>MC:</b>					
MCVICKERS VARIANT---	90	Very limited Restricted permeability Slope	1.00 0.84	Very limited Slope Seepage	1.00 0.53
<b>MD:</b>					
MIRABAL-----	90	Very limited Depth to bedrock Content of large stones Slope	1.00 1.00 1.00	Very limited Depth to hard bedrock Content of large stones Seepage Slope	1.00 1.00 1.00 1.00
<b>ME:</b>					
MIRABAL-----	90	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Content of large stones Seepage	1.00 1.00 1.00 1.00

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MF: MIRABAL-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Content of large stones	1.00	Content of large stones	1.00
				Seepage	1.00
ROCK OUTCROP-----	30	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Unified	
		Depth to bedrock	1.00	Not rated; Fragments > 75mm	
		Slope	1.00	Depth to hard bedrock	1.00
				Slope	1.00
MG: MONTOSO-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	1.00	Slope	1.00
MH: MONTOSO-----	90	Very limited Filtering capacity	1.00	Very limited Slope	1.00
		Slope	1.00	Seepage	1.00
MO: MORIARTY-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00
		Restricted permeability	1.00	Slope	0.08
NA: NAMBE-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.46	Seepage	1.00
				Content of large stones	0.86
NB: NAMBE-----	90	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.89	Seepage	1.00
				Content of large stones	1.00

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NE: NAMBE-----	90	Very limited Slope Content of large stones	1.00  0.89	Very limited Slope Seepage  Content of large stones	1.00  1.00  1.00
NM: NAMBE-----	65	Very limited Slope Content of large stones	1.00  0.89	Very limited Slope Seepage  Content of large stones	1.00  1.00  1.00
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock  Slope	1.00   1.00	Not rated Not rated; Unified Not rated; Fragments > 75mm Depth to hard bedrock Slope	1.00   1.00  1.00
NR: NAMBE-----	65	Very limited Slope Content of large stones	1.00  0.89	Very limited Slope Seepage  Content of large stones	1.00  1.00  1.00
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock  Slope	1.00   1.00	Not rated Not rated; Unified Not rated; Fragments > 75mm Depth to hard bedrock Slope	1.00   1.00  1.00
OG: ORTIZ-----	90	Very limited Depth to bedrock  Restricted permeability Slope	1.00  1.00 1.00	Very limited Depth to soft bedrock Slope	1.00  1.00
OP: OTERO-----	40	Not limited		Very limited Seepage Slope	1.00 0.68

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OP: continued PALMA-----	40	Not limited		Very limited Seepage	1.00
				Slope	0.68
Pa: PANKY-----	90	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.53
				Slope	0.08
PB: PANKY-----	90	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.53
				Slope	0.08
PC: PENA-----	85	Somewhat limited Slope	0.84	Very limited Content of large stones	1.00
		Restricted permeability	0.46	Slope	1.00
		Content of large stones	0.43	Seepage	0.53
PD: PENISTAJA-----	90	Somewhat limited Restricted permeability	0.46	Very limited Seepage	1.00
				Slope	0.08
PE: PENITENTE-----	90	Very limited Content of large stones	1.00	Very limited Content of large stones	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
PH: PERSAYO-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	0.96	Slope	1.00
SHALE ROCK LAND-----	30	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Unified	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	0.96	Slope	1.00

**United States Department of Agriculture  
Natural Resources Conservation Service**

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PK: POJOAQUE-----	60	Very limited Slope Restricted permeability	1.00 0.46	Very limited Slope Seepage	1.00 0.53
PANKY-----	35	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.68 0.53
Pm: POJOAQUE-----	50	Very limited Slope Restricted permeability	1.00 0.46	Very limited Slope Seepage	1.00 0.53
ROUGH BROKEN LAND---	40	Very limited Restricted permeability Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
PN: POJOAQUE-----	50	Very limited Slope Restricted permeability	1.00 0.46	Very limited Slope Seepage	1.00 0.53
ROUGH BROKEN LAND---	40	Very limited Restricted permeability Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
PR: PREWITT-----	90	Very limited Restricted permeability Flooding	1.00 0.40	Somewhat limited Flooding Slope	0.40 0.08
RD: REDNUN-----	90	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.68 0.50
RE: REDNUN-----	50	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.68

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RE: continued PENA-----	30	Very limited Restricted permeability Slope	1.00  0.84	Very limited Slope  Seepage	1.00  0.53
RG: REDNUN-----	60	Very limited Restricted permeability	1.00	Somewhat limited Seepage  Slope	0.50  0.08
RG: TRAVESSILLA-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Slope	1.00  1.00
RH: RIVERWASH, SANDY----	90	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage  Depth to saturated zone	1.00 1.00  1.00
BLUEWING-----	10	Very limited Filtering capacity	1.00	Very limited Seepage  Slope	1.00  0.08
RK: ROCK OUTCROP-----	100	Not rated Not rated; Fragments > 75mm Depth to bedrock	1.00	Not rated Not rated; Unified Depth to hard bedrock Slope	1.00   1.00  0.68
RL: ROCK OUTCROP-----	70	Not rated Not rated; Fragments > 75mm Depth to bedrock  Slope	1.00  1.00	Not rated Not rated; Unified Depth to hard bedrock Slope Content of large stones	1.00  1.00  1.00  1.00

**United States Department of Agriculture  
Natural Resources Conservation Service**

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RL: continued CHIMAYO-----	20	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Content of large stones	0.19	Content of large stones	0.99
				Seepage	0.53
RO: ROCK SLIDES-----	100	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	1.00	Content of large stones	1.00
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
RU: ROUGH BROKEN LAND---	85	Very limited Restricted permeability	1.00	Very limited Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Slope	1.00	Seepage	1.00
SF: SANTA FE-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
LA FONDA-----	45	Somewhat limited Restricted permeability	0.46	Very limited Slope	1.00
				Seepage	0.53
Sk: SANTA FE-----	65	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	0.01
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm	1.00	Not rated Not rated; Unified	1.00
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Content of large	1.00
SM: SANTA FE-----	65	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SM: continued ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock	1.00	Not rated Not rated; Unified Depth to hard bedrock	1.00
		Slope	1.00	Content of large stones Slope	1.00
SP: SILVER-----	50	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.08
POJOAQUE-----	30	Somewhat limited Restricted permeability	0.46	Very limited Slope	1.00
				Seepage	0.53
SR: SILVER-----	90	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.68
ST: STONY ROCK LAND-----	80	Not rated Not rated; Fragments > 75mm Slope	1.00	Not rated Not rated; Unified Slope	1.00
				Content of large stones	1.00
ROCK OUTCROP-----	20	Not rated Not rated; Fragments > 75mm Depth to bedrock	1.00	Not rated Not rated; Unified Depth to hard bedrock	1.00
				Content of large stones Slope	1.00
SU: SUPERVISOR-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	1.00	Slope Seepage	1.00
SV: SUPERVISOR-----	65	Very limited Depth to bedrock	1.00	Very limited Depth to hard	1.00

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SV: continued SUPERVISOR		Slope	1.00	bedrock Slope Seepage	1.00 1.00 1.00
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock	1.00	Not rated Not rated; Unified Depth to hard bedrock	1.00 1.00 1.00 1.00
		Slope	1.00	Slope Content of large stones	1.00 1.00
TA: TAPIA-----	50	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage Slope	0.53 0.08
DEAN-----	30	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage Slope	0.53 0.08
TB: TRAVESSILLA-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Slope	1.00 0.68
BERNAL-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Slope	1.00 0.68
TR: TRAVESSILLA-----	50	Very limited Depth to bedrock Slope	1.00 0.84	Very limited Depth to hard bedrock Slope	1.00 1.00
ROCK OUTCROP-----	25	Not rated Not rated; Fragments > 75mm Depth to bedrock	1.00	Not rated Not rated; Unified Depth to hard bedrock Content of large stones Slope	1.00 1.00 1.00 1.00

United States Department of Agriculture  
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County  
Table ENG-5.--Sanitary Facilities

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
TU: TUFF ROCK LAND-----	90	Not rated Not rated; Fragments > 75mm Depth to bedrock	1.00	Not rated Not rated; Unified Depth to hard bedrock	1.00
		Slope	1.00	Slope Content of large stones	1.00
W: WATER-----	95	Not rated Not rated; Slope  Not rated; Fragments > 75mm		Not rated Not rated; Unified Not rated; Slope  Not rated; Fragments > 75mm	
WC: WILCOXSON VARIANT---	90	Very limited Restricted permeability Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
WL: WILLARD-----	90	Very limited Restricted permeability	1.00	Not limited	
WN: WITT-----	90	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage  Slope	0.53  0.08
ZU: ZUNI VARIANT-----	85	Very limited Restricted permeability Slope Depth to bedrock	1.00 1.00 0.78	Very limited Slope  Seepage Depth to hard bedrock	1.00  0.53 0.42

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)