

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AD: ADEL-----	90	Somewhat limited Seepage Slope	0.72 0.12	Very limited Piping	1.00	Very limited Depth to water	1.00
AF: AGUA FRIA-----	90	Very limited Seepage	1.00	Not limited		Very limited Depth to water	1.00
AG: ALLUVIAL LAND, GRAVELLY-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.70	Very limited Cutbanks cave	1.00
AL: ALLUVIAL LAND-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.70	Very limited Cutbanks cave	1.00
AM: ALLUVIAL LAND-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.06	Very limited Cutbanks cave	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
An: ANCHO-----	90	Somewhat limited Seepage	0.04	Somewhat limited Piping	0.50	Very limited Depth to water	1.00
Ao: ANCHO-----	90	Somewhat limited Seepage	0.04	Somewhat limited Depth to saturated zone Piping Salinity	0.95 0.50 0.12	Somewhat limited Slow refill Salty water Cutbanks cave Depth to water	0.96 0.50 0.10 0.02
AP: APACHE-----	90	Very limited Depth to bedrock Seepage	1.00 0.53	Very limited Thin layer Content of large stones	1.00 0.45	Very limited Depth to water	1.00
BA: BADLAND-----	95	Very limited Slope Depth to bedrock	1.00 1.00	Not rated Not rated Not rated Seepage Thin layer	1.00 1.00	Very limited Depth to water	1.00
BD: BASALT ROCK LAND----	100	Very limited Slope Depth to bedrock	1.00 1.00	Not rated Not rated; Fragments > 75mm Not rated Not rated Seepage Thin layer	1.00 1.00	Not rated Not rated; Fragments > 75mm Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Be: BLUEWING-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Depth to water	1.00
Bf: BLUEWING-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage Salinity	1.00 0.62 0.12	Very limited Cutbanks cave Salty water Depth to water	1.00 0.50 0.01
Bg: BLUEWING-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Depth to water	1.00
BH: BLUEWING-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Depth to water	1.00
BM: BOBTAIL-----	90	Very limited Seepage Slope Depth to bedrock	1.00 0.88 0.85	Somewhat limited Thin layer	0.85	Very limited Depth to water	1.00
BO: BOBTAIL-----	60	Very limited Seepage Slope Depth to bedrock	1.00 1.00 0.85	Somewhat limited Thin layer	0.85	Very limited Depth to water	1.00
ROCK OUTCROP-----	25	Very limited Depth to bedrock Slope	1.00 1.00	Not rated Not rated; Fragments > 75mm Not rated Not rated Thin layer	1.00	Not rated Not rated; Fragments > 75mm Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BR: BORREGO-----	90	Very limited Depth to bedrock Slope	1.00 0.12	Very limited Thin layer Piping	1.00 0.03	Very limited Depth to water	1.00
CA: CALABASAS-----	90	Somewhat limited Seepage	0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
CB: CALABASAS-----	95	Somewhat limited Seepage	0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
CC: CAPILLO-----	80	Somewhat limited Slope Depth to bedrock	0.50 0.01	Somewhat limited Piping Thin layer Seepage	0.12 0.11 0.04	Very limited Depth to water	1.00
CE: CAPILLO-----	55	Somewhat limited Slope Depth to bedrock	0.99 0.01	Somewhat limited Piping Thin layer Seepage	0.12 0.11 0.04	Very limited Depth to water	1.00
ROCK OUTCROP-----	25	Very limited Depth to bedrock Slope	1.00 1.00	Not rated Not rated; Fragments > 75mm Not rated Not rated Thin layer	 1.00	Not rated Not rated; Fragments > 75mm Depth to water	 1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cf: CERRILLOS-----	90	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.86	Very limited Depth to water	1.00
CG: CERRILLOS-----	90	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.86	Very limited Depth to water	1.00
Ch: CERRILLOS-----	95	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.86	Very limited Depth to water	1.00
CM: CHIMAYO-----	90	Very limited Depth to bedrock	1.00	Very limited Content of large stones	1.00	Very limited Depth to water	1.00
		Slope	0.97	Thin layer	1.00		
		Seepage	0.72				
CO: CLOVIS-----	80	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.97 0.02	Very limited Depth to water	1.00
CU: CUEVA-----	85	Somewhat limited Slope Seepage Depth to bedrock	0.88 0.53 0.11	Somewhat limited Thin layer	0.85	Very limited Depth to water	1.00
CV: CUNDIYO-----	90	Very limited Seepage	1.00	Very limited Content of large stones	1.00	Very limited Depth to water	1.00
		Slope	1.00	Seepage	0.25		

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DP:							
DEAN-----	70	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
PASTURA-----	20	Very limited Depth to cemented pan Seepage	1.00 0.01	Very limited Thin layer Piping	1.00 0.79	Very limited Depth to water	1.00
Ec:							
EL RANCHO-----	90	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
Ed:							
EL RANCHO-----	90	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
Ee:							
EL RANCHO-----	85	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
Eh:							
EL RANCHO VARIANT---	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.19	Very limited Depth to water	1.00
EL:							
EL RANCHO-----	65	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
FRUITLAND-----	25	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
EN:							
ENCIERRO-----	90	Very limited Depth to bedrock	1.00	Very limited Thin layer Piping	1.00 0.47	Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fe: FIVEMILE-----	90	Somewhat limited Seepage	0.04	Not limited		Very limited Depth to water	1.00
FF: FIVEMILE-----	90	Somewhat limited Seepage	0.04	Not limited		Very limited Depth to water	1.00
FG: FORTWINGATE VARIANT-	85	Somewhat limited Slope Seepage Depth to bedrock	0.97 0.72 0.01	Somewhat limited Thin layer	0.11	Very limited Depth to water	1.00
Fn: FRUITLAND-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
Fr: FRUITLAND-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
Fs: FRUITLAND-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
Ft: FRUITLAND-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
GG: GALISTEO-----	70	Not limited		Not limited		Very limited Depth to water	1.00
GULLIED LAND-----	15	Not limited		Not rated Not rated Not rated		Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GL: GUAJE-----	90	Somewhat limited Slope	0.12	Somewhat limited Seepage	0.50	Very limited Depth to water	1.00
HA: HAGERMAN-----	85	Somewhat limited Seepage Depth to bedrock	0.72 0.52	Somewhat limited Thin layer Seepage	0.52 0.01	Very limited Depth to water	1.00
HC: HARVEY-----	80	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.58	Very limited Depth to water	1.00
HD: HARVEY-----	60	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.58	Very limited Depth to water	1.00
DEAN-----	30	Very limited Depth to cemented pan	1.00	Very limited Thin layer Piping	1.00 1.00	Very limited Depth to water	1.00
HP: HARVEY-----	45	Somewhat limited Seepage	0.72	Somewhat limited Piping Seepage	0.74 0.03	Very limited Depth to water	1.00
PENISTAJA-----	35	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.98 0.04	Very limited Depth to water	1.00
HR: HARVEY-----	40	Somewhat limited Seepage	0.72	Somewhat limited Piping Seepage	0.58 0.01	Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HR: continued CERRILLOS-----	30	Somewhat limited Seepage	0.72	Somewhat limited Piping Seepage	0.86 0.04	Very limited Depth to water	1.00
LB: LA BRIER-----	90	Not limited		Not limited		Very limited Depth to water	1.00
Lf: LA FONDA-----	95	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.53	Very limited Depth to water	1.00
Lg: LAPORTE-----	65	Somewhat limited Depth to bedrock	0.50	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
		Slope Seepage	0.03 0.01	Thin layer	1.00	Depth to water	1.00
ROCK OUTCROP-----	25	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
		Slope Seepage	0.03 0.01	Not rated Not rated Thin layer	1.00	Depth to water	1.00
LH: LAPORTE-----	65	Somewhat limited Depth to bedrock Slope Seepage	0.50 0.03 0.01	Very limited Thin layer	1.00	Very limited Depth to water	1.00
ROCK OUTCROP-----	25	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LH: continued ROCK OUTCROP		Slope Seepage	0.03 0.01	Not rated Not rated Not rated Thin layer	1.00	Depth to water	1.00
LL: LAS LUCAS-----	90	Somewhat limited Seepage Depth to bedrock	0.04 0.01	Somewhat limited Piping Thin layer	0.21 0.11	Very limited Depth to water	1.00
LS: LOS ALAMOS-----	55	Very limited Seepage Depth to bedrock	1.00 0.01	Somewhat limited Piping Thin layer Seepage	0.97 0.46 0.03	Very limited Depth to water	1.00
SILVER-----	35	Not limited		Not limited		Very limited Depth to water	1.00
LU: LUNCH VARIANT-----	90	Somewhat limited Seepage	0.72	Very limited Depth to saturated zone Seepage	1.00 0.06	Somewhat limited Slow refill Cutbanks cave Depth to water	0.28 0.10 0.01
MA: MAJADA-----	90	Somewhat limited Seepage Slope	0.72 0.72	Somewhat limited Seepage Content of large stones	0.12 0.05	Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MC: MCVICKERS VARIANT---	90	Somewhat limited Slope	0.01	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
MD: MIRABAL-----	90	Very limited Seepage	1.00	Very limited Content of large stones	1.00	Very limited Depth to water	1.00
		Depth to bedrock Slope	0.99 0.08	Thin layer Seepage	0.99 0.04		
ME: MIRABAL-----	90	Very limited Seepage	1.00	Very limited Content of large stones	1.00	Very limited Depth to water	1.00
		Slope Depth to bedrock	1.00 0.99	Thin layer Seepage	0.99 0.04		
MF: MIRABAL-----	60	Very limited Seepage	1.00	Very limited Content of large stones	1.00	Very limited Depth to water	1.00
		Slope Depth to bedrock	1.00 0.99	Thin layer Seepage	0.99 0.04		
ROCK OUTCROP-----	30	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
		Slope	1.00	Not rated Not rated Thin layer	1.00	Depth to water	1.00
MG: MONTOSO-----	90	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.62	Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MH: MONTOSO-----	90	Very limited Seepage Slope	1.00 0.97	Somewhat limited Seepage	0.62	Very limited Depth to water	1.00
MO: MORIARTY-----	90	Not limited		Not limited		Very limited Depth to water	1.00
NA: NAMBE-----	90	Very limited Seepage Slope	1.00 0.88	Somewhat limited Content of large stones	0.46	Very limited Depth to water	1.00
NB: NAMBE-----	90	Very limited Seepage Slope	1.00 0.88	Somewhat limited Content of large stones	0.89	Very limited Depth to water	1.00
NE: NAMBE-----	90	Very limited Seepage Slope	1.00 0.97	Somewhat limited Content of large stones	0.89	Very limited Depth to water	1.00
NM: NAMBE-----	65	Very limited Seepage Slope	1.00 0.72	Somewhat limited Content of large stones	0.89	Very limited Depth to water	1.00
ROCK OUTCROP-----	25	Very limited Depth to bedrock	1.00	Not rated Not rated;		Not rated Not rated;	

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NM: continued ROCK OUTCROP		Slope	0.72	Fragments > 75mm Not rated Not rated Not rated Thin layer	1.00	Fragments > 75mm Depth to water	1.00
NR: NAMBE-----	65	Very limited Seepage	1.00	Somewhat limited Content of large stones	0.89	Very limited Depth to water	1.00
		Slope	1.00				
ROCK OUTCROP-----	25	Very limited Slope	1.00	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
		Depth to bedrock	1.00	Not rated Not rated Not rated Thin layer	1.00	Depth to water	1.00
OG: ORTIZ-----	90	Somewhat limited Slope	0.21	Somewhat limited Piping	0.93	Very limited Depth to water	1.00
		Depth to bedrock	0.11	Thin layer	0.85		
		Seepage	0.04				
OP: OTERO-----	40	Very limited Seepage	1.00	Somewhat limited Seepage	0.01	Very limited Depth to water	1.00
PALMA-----	40	Very limited Seepage	1.00	Somewhat limited Seepage	0.01	Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pa: PANKY-----	90	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.81	Very limited Depth to water	1.00
PB: PANKY-----	90	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.81	Very limited Depth to water	1.00
PC: PENA-----	85	Somewhat limited Seepage	0.72	Somewhat limited Content of large stones	0.43	Very limited Depth to water	1.00
		Slope	0.01				
PD: PENISTAJA-----	90	Very limited Seepage	1.00	Somewhat limited Piping	0.98	Very limited Depth to water	1.00
PE: PENITENTE-----	90	Somewhat limited Seepage	0.70	Very limited Content of large stones	1.00	Very limited Depth to water	1.00
		Slope	0.03				
PH: PERSAYO-----	60	Somewhat limited Depth to bedrock	0.76	Very limited Thin layer	1.00	Very limited Depth to water	1.00
		Slope	0.02	Piping	0.59		
SHALE ROCK LAND-----	30	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
		Slope	0.02	Not rated Not rated Not rated Thin layer	1.00	Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PK: POJOAQUE-----	60	Somewhat limited Seepage Slope	0.72 0.03	Not limited		Very limited Depth to water	1.00
PANKY-----	35	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.69	Very limited Depth to water	1.00
Pm: POJOAQUE-----	50	Somewhat limited Seepage Slope	0.72 0.06	Not limited		Very limited Depth to water	1.00
ROUGH BROKEN LAND---	40	Very limited Seepage Depth to bedrock Slope	1.00 0.69 0.06	Very limited Piping Thin layer	1.00 0.70	Very limited Depth to water	1.00
PN: POJOAQUE-----	50	Somewhat limited Seepage Slope	0.72 0.06	Not limited		Very limited Depth to water	1.00
ROUGH BROKEN LAND---	40	Very limited Seepage Depth to bedrock Slope	1.00 0.69 0.06	Very limited Piping Thin layer	1.00 0.70	Very limited Depth to water	1.00
PR: PREWITT-----	90	Somewhat limited Seepage	0.04	Somewhat limited Piping	0.53	Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RD: REDNUN-----	90	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
RE: REDNUN-----	50	Somewhat limited Seepage	0.04	Not limited		Very limited Depth to water	1.00
PENA-----	30	Somewhat limited Seepage Slope	0.72 0.01	Somewhat limited Seepage	0.50	Very limited Depth to water	1.00
RG: REDNUN-----	60	Somewhat limited Seepage	0.70	Not limited		Very limited Depth to water	1.00
TRAVESSILLA-----	30	Very limited Depth to bedrock	1.00	Very limited Thin layer	1.00	Very limited Depth to water	1.00
RH: RIVERWASH, SANDY----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.93	Very limited Cutbanks cave	1.00
BLUEWING-----	10	Very limited Seepage	1.00	Somewhat limited Seepage	0.62	Very limited Depth to water	1.00
RK: ROCK OUTCROP-----	100	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm Not rated Not rated Seepage Thin layer	 1.00 1.00	Not rated Not rated; Fragments > 75mm Depth to water	 1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RL: ROCK OUTCROP-----	70	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
		Slope	1.00	Not rated Not rated Seepage Thin layer	1.00 1.00	Depth to water	1.00
CHIMAYO-----	20	Very limited Depth to bedrock Seepage	1.00 0.72	Very limited Thin layer Content of large stones	1.00 0.19	Very limited Depth to water	1.00
		Slope	0.50				
RO: ROCK SLIDES-----	100	Very limited		Very limited		Very limited	
		Seepage	1.00	Content of large stones	1.00	Depth to water	1.00
		Slope	1.00	Seepage	1.00		
		Depth to bedrock	0.46	Thin layer	0.46		
RU: ROUGH BROKEN LAND---	85	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Depth to water	1.00
		Slope	0.88	Thin layer	0.70		
		Depth to bedrock	0.69				
SF: SANTA FE-----	45	Very limited Depth to bedrock	1.00	Very limited Seepage	1.00	Very limited Depth to water	1.00
		Slope	0.06	Thin layer	1.00		
LA FONDA-----	45	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.53	Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sk:							
SANTA FE-----	65	Very limited Depth to bedrock Slope	1.00 0.03	Very limited Thin layer	1.00	Very limited Depth to water	1.00
ROCK OUTCROP-----	25	Very limited Depth to bedrock Slope	1.00 0.03	Not rated Not rated; Fragments > 75mm Not rated Not rated Seepage Thin layer	 1.00 1.00	Not rated Not rated; Fragments > 75mm Depth to water	 1.00
SM:							
SANTA FE-----	65	Very limited Depth to bedrock Slope	1.00 0.03	Very limited Thin layer	1.00	Very limited Depth to water	1.00
ROCK OUTCROP-----	25	Very limited Depth to bedrock Slope	1.00 0.03	Not rated Not rated; Fragments > 75mm Not rated Not rated Thin layer	 1.00	Not rated Not rated; Fragments > 75mm Depth to water	 1.00
SM: continued							
ROCK OUTCROP							
SP:							
SILVER-----	50	Somewhat limited Seepage	0.01	Not limited		Very limited Depth to water	1.00
POJOAQUE-----	30	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SR: SILVER-----	90	Somewhat limited Seepage	0.01	Not limited		Very limited Depth to water	1.00
ST: STONY ROCK LAND-----	80	Very limited Slope	1.00	Not rated Not rated; Fragments > 75mm Not rated Not rated Thin layer	1.00	Not rated Not rated; Fragments > 75mm Depth to water	1.00
ROCK OUTCROP-----	20	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm Not rated Not rated Thin layer	1.00	Not rated Not rated; Fragments > 75mm Depth to water	1.00
ST: continued ROCK OUTCROP							
SU: SUPERVISOR-----	90	Very limited Seepage Depth to bedrock Slope	1.00 0.85 0.82	Somewhat limited Thin layer Seepage	0.85 0.04	Very limited Depth to water	1.00
SV: SUPERVISOR-----	65	Very limited Seepage Slope Depth to bedrock	1.00 1.00 0.85	Somewhat limited Thin layer Seepage	0.85 0.04	Very limited Depth to water	1.00

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SV: continued ROCK OUTCROP-----	25	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
		Slope	1.00	Not rated Not rated Thin layer	1.00	Depth to water	1.00
TA: TAPIA-----	50	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
DEAN-----	30	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
TB: TRAVESSILLA-----	50	Very limited Depth to bedrock	1.00	Very limited Thin layer	1.00	Very limited Depth to water	1.00
BERNAL-----	30	Very limited Depth to bedrock	1.00	Very limited Thin layer Seepage	1.00 0.04	Very limited Depth to water	1.00
TR: TRAVESSILLA-----	50	Very limited Depth to bedrock Slope	1.00 0.01	Very limited Thin layer	1.00	Very limited Depth to water	1.00
ROCK OUTCROP-----	25	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm Not rated		Not rated Not rated; Fragments > 75mm Depth to water	1.00
				Not rated Not rated Thin layer	1.00		

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TU: TUFF ROCK LAND-----	90	Very limited Depth to bedrock	1.00	Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
		Slope	1.00	Not rated Not rated Thin layer	1.00	Depth to water	1.00
W: WATER-----	95	Not rated Not rated; Slope		Not rated Not rated; Fragments > 75mm		Not rated Not rated; Fragments > 75mm	
				Not rated Not rated Not rated		Depth to water	1.00
WC: WILCOXSON VARIANT---	90	Very limited Seepage	1.00	Somewhat limited Thin layer	0.85	Very limited Depth to water	1.00
		Depth to bedrock	0.85				
		Slope	0.41				
WL: WILLARD-----	90	Somewhat limited Seepage	0.04	Somewhat limited Piping Salinity	0.34 0.12	Very limited Depth to water	1.00
WN: WITT-----	90	Somewhat limited Seepage	0.72	Somewhat limited Piping	0.88	Very limited Depth to water	1.00
ZU: ZUNI VARIANT-----	85	Somewhat limited Slope	0.12	Somewhat limited Thin layer	0.11	Very limited Depth to water	1.00
		Depth to bedrock	0.10				

United States Department of Agriculture
Natural Resources Conservation Service

03/02/2004

Santa Fe Area, New Mexico, Santa Fe County and Part of Rio Arriba County
Table WMS-1.--Water Management

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)