



Natural Resources Conservation Service
CONSERVATION PRACTICE STANDARD
PRESCRIBED GRAZING
CODE 528

(ac)

DEFINITION

Managing the harvest of vegetation with grazing and/or browsing animals.

PURPOSE

This practice may be applied as a part of conservation management system to achieve one or more of the following:

- Improve or maintain desired species composition, structure and/or vigor of plant communities
- Improve or maintain quantity and/or quality of forage for grazing and browsing animals' health and productivity
- Improve or maintain surface and/or subsurface water quality and/or quantity
- Improve or maintain riparian and/or watershed function
- Reduce soil erosion, and maintain or improve soil health
- Improve or maintain the quantity, quality, or connectivity of food and/or cover available for wildlife
- Manage fine fuel loads to achieve desired conditions

CONDITIONS WHERE PRACTICE APPLIES

This practice applies to all lands where grazing and/or browsing animals are managed.

CRITERIA

General Criteria Applicable to All Purposes

Removal of herbage will be in accordance with site production limitations, rate of plant growth the physiological needs of forage plants and the nutritional needs of the animals.

Adequate quantity and quality drinking water will be supplied at all times during period of occupancy.

Adjust intensity, frequency, timing and duration of grazing and/or browsing to meet the desired

NRCS reviews and periodically updates conservation practice standards. To obtain the current version of this standard, contact your Natural Resources Conservation Service State office or visit the Field Office Technical Guide online by going to the NRCS website at <https://www.nrcs.usda.gov/> and type FOTG in the search field.

USDA is an equal opportunity provider, employer, and lender.

NRCS, WV
January 2017

objectives for the plant communities and the associated resources, including the grazing and/or browsing animal.

Manage kind of animal, animal number, grazing distribution, length of grazing and/or browsing periods and timing of use to provide grazed plants sufficient recovery time to meet planned objectives. The recovery period of non-grazing can be provided for the entire year or during the growing season of key plants.

Deferment (non-grazing period less than one year) and/or rest (non-grazing period equal or greater than one year) will be planned for critical periods of plant needs.

Provide deferment or rest from grazing or browsing to ensure the success of prescribed fire, brush management, seeding or other conservation practices that cause stress or damage to key plants.

Manage grazing and/or browsing animals to maintain adequate vegetative cover on sensitive areas (i.e. riparian, wetland, habitats of concern, karst areas).

Manage livestock movements based on rate of plant growth, available forage, and allowable utilization target.

Develop contingency plans to deal with expected episodic disturbance events e.g. insect infestation, drought, wildfire, etc.

Additional Criteria to Improve or Maintain the Health and Vigor of Plant

Communities Duration and intensity of grazing and/or browsing will be based on desired plant health and expected productivity of key forage species to meet management objectives.

Plan periodic deferment from grazing and/or browsing to maintain or restore the desired plant community following episodic events, such as wildfire or severe drought.

Where appropriate, soil test periodically for nutrient status and soil reaction and apply fertilizer and/or soil amendments according to soil test to improve or maintain plant vigor.

Additional Criteria to Improve or Maintain Quantity and Quality of Forage for Animal Health and Productivity

Plan grazing and/or browsing to match forage quantity and quality goals of the producer within the capability of the resource to respond to management.

Enhance diversity of rangeland and pasture plants to optimize delivery of nutrients to the animals by planning intensity, frequency, timing and duration of grazing and/or browsing.

Plan intensity, frequency, timing and duration of grazing and/or browsing reduce animal stress and mortality from toxic and poisonous plants.

Supplemental feed and/or minerals will be balanced with the forage consumption to meet the desired nutritional level for the kind and class of grazing and/or browsing livestock.

Dietary needs of livestock will be based on the National Research Council's Nutrient Requirements of Domestic Animals or similar scientific sources with appropriate adjustments made for increased energy demand required by browsing or grazing animals foraging for food including travel to and from pasture site.

Biosecurity safeguards will be in place to prevent the spread of disease between on-farm or ranch classes of livestock and between livestock farm or ranch units.

Shelter in the form of windbreaks, sheds, shade structures, and other protective features will be used where conditions warrant to protect livestock from severe weather, intense heat/humidity, and predators.

Additional Criteria to Control Disease, Insect, Weed and Invasive Plants

Schedule harvest periods to control disease, insect, and weed infestations. When a pesticide is used to control disease, insects or weeds, adhere to the specific days to harvest period stated on the pesticide label. Evaluate pest management options by planning conservation practice standard Pest Management (595).

Lessen incidence of disease, insect damage, and weed infestation by managing for desirable plant vigor. Plan and schedule removal of invasive plants.

Additional Criteria to Improve or Maintain Surface and/or Subsurface Water Quality and Quantity Minimize concentrated livestock areas to enhance nutrient distribution and improve or maintain ground cover.

Plan intensity, frequency, timing and duration of grazing and/or browsing to:

- Minimize deposition or flow of animal wastes into water bodies,
- Minimize animal impacts on stream bank or shoreline stability.
- Provide adequate ground cover and plant density to maintain or improve infiltration capacity and reduce runoff.
- Provide adequate ground cover and plant density to maintain or improve filtering capacity of the vegetation.

Additional Criteria to Improve or Maintain Riparian and Watershed Function

Minimize concentrated livestock areas to enhance nutrient distribution and improve or maintain ground cover and riparian/floodplain plant community structure and functions.

Plan intensity, frequency, timing and duration of grazing and/or browsing to:

- Provide adequate ground cover and plant density to maintain or improve infiltration capacity and reduce runoff.
- Provide adequate ground cover and plant density to maintain or improve filtering capacity of the vegetation.

Maintain adequate riparian community structure and function to sustain associated riparian, wetland, floodplain and stream species.

Additional Criteria to Reduce Soil Erosion and Maintain Soil Condition

Identify species of concern in the objectives of the prescribed grazing plan.

Plan intensity, frequency, timing, and duration of grazing and/or browsing to provide for the development and maintenance of the plant structure, density, and diversity needed for the habitat requirements of the desired fish and wildlife species of concern.

Additional Criteria to Improve or Maintain Food and/or Cover for Fish and Wildlife Species of Concern

Plan intensity, frequency, timing, and duration of grazing and/or browsing to manage fuel continuity and loading to reduce wildfire hazard and/or facilitate desired conditions for prescribed burns.

Additional Criteria for Management of Fine Fuel Load

Plan intensity, frequency, timing and duration of grazing and/or browsing to reduce hazardous fuel loads.

Plan intensity, frequency, timing and duration of grazing and/or browsing to manage fuel continuity, load and other conditions to facilitate prescribed burns.

Additional Criteria for Reduction of Stored Feeds

Stockpiling of forages for fall/winter grazing will take place of the enrolled acres. Stockpiling forages will allow for late summer and fall growth to accumulate and provide a desired source of fall/winter forages for livestock.

- ***Follow specifications for prescribed grazing on the farm operation.***
 - ***Acreage to be stockpiled will be either cut for hay or grazed by livestock to a height of approximately 3" between July 15th and August 15th.***
 - ***Apply 50# of actual Nitrogen fertilizer to stockpiled acres at the time the stockpiling starts, but no later than August 15th. (Certified Conservation Planner discretion)***
 - ***Acreage to be stockpiled will not be utilized for hay or grazing for the remainder of the growing season.***
-
- ***Stockpiled fields will be utilized for fall/winter grazing after all other available pasture areas are utilized. Approximate start date grazing stockpiling forages is December 1st.***
 - ***A minimum of four (4) paddocks will be utilized to graze the stockpiled forage, and/or***
 - ***a 1-2 day rotation of livestock thru stockpiled forage for improved forage utilization (ex. Strip grazing) will be followed.***
 - ***Supplemental feeding areas, if needed, will be located a minimum of 100 feet from streams, drainage ways, or surface water.***

CONSIDERATIONS

Protect soil, water, air, plant and animal resources when locating livestock feeding, supplements, handling and watering facilities.

Livestock feeding, handling, and watering facilities will be designed and installed in a manner to improve and/or maintain animal distribution. These facilities will also be designed and installed to minimize stress, the spread of disease, parasites, contact with harmful organisms and toxic plants.

Utilization or stubble height target levels are tools that can be used in conjunction with monitoring to help ensure that resource conservation and producer objectives are met.

Where practical and beneficial, start the grazing sequence in a different management unit each growing season.

When weeds are a significant problem prescribed grazing and/or browsing should be implemented in conjunction with other pest management practices to promote plant community resistance to invasive species and protect desired plant communities.

Prescribed grazing should consider the needs of other enterprises utilizing the same land, such as wildlife and recreational uses.

Consider improving carbon sequestration in biomass and soils through management of grazing and/or browsing to produce the desired results.

If nutrients are being applied, Nutrient Management (590) will be applied.

Where a sacrifice area has been identified to assist in contingency management i.e. drought, flooding, winter feeding, etc., follow Criteria from CPS (512) Forage and Biomass Planting and CPS

(342) Critical Area Treatment. Winter feeding areas will be rotated on annual basis.

PLANS AND SPECIFICATIONS

The prescribed grazing plan shall conform to all applicable federal, state and local laws. Seek measures to avoid adverse effects to endangered, threatened, and candidate species and their habitats.

Prepare a prescribed grazing plan for all planned management units where grazing and/or browsing will occur according to state standards and specifications.

Prescribed Grazing Plan will include:

- Goals and Objectives clearly stated.
- Resource Inventory that identifies:
 - existing resource conditions and concerns
 - ecological site or forage suitability group **(if available)**
 - identifies opportunities to enhance resource conditions
 - location and condition of structural improvements such as fences, water developments, etc, including seasonal availability and quality of watering sites.
- Forage Inventory of the expected forage quality, quantity and species in each management unit(s).
- Forage-Animal Balance developed for the grazing plan, which ensures forage produced or available meets forage demand of livestock and/or wildlife.
- Grazing Plan developed for livestock that identifies periods of grazing and/or browsing, deferment, rest, and other treatment activities for each management unit.
- Contingency plan developed that details potential problems (i.e., severe drought, flooding, insects) and serves as a guide for adjusting the grazing prescription to ensure resource management and economic feasibility without resource degradation.
- Monitoring plan developed with appropriate records to assess in determining whether the grazing strategy is resulting in a positive or upward trend and is meeting objectives. Identify the key areas and key plants that the manager should evaluate in making grazing management decisions.

Utilize the following tools:

- ***Forage Inventory Worksheets and Livestock Inventory Worksheets***
- ***Guide to Grazing Height Requirements***
- ***Estimating Carrying Capacity/Stocking Rate***
- ***Estimating Days of Stockpiled Forage Available (if applicable)***

OPERATION AND MAINTENANCE**Operation**

Prescribed Grazing will be applied on a continuing basis throughout the occupation period of all planned grazing units.

Adjustments will be made as needed to ensure that the goals and objectives of the prescribed grazing strategy are met.

Maintenance

Monitoring data and grazing records will be used on a regular basis within the prescribed grazing plan to insure that objectives are being met, or to make necessary changes in the prescribed grazing plan to meet objectives.

All facilitating and accelerating practices (e.g. Fence (382), Pest Management (595), Brush Management (314), Pasture Planting (512) (etc.) that are needed to effect adequate grazing and/or browsing distribution as planned by this practice standard will be maintained in good working order and are being operated as intended.

REFERENCES

Barnes, R.F., D.A. Miller, and C.J. Nelson. 1995. Forages, The Science of Grassland Agriculture, 5th Ed. Iowa State University Press, Ames, IA.

Bedunah, D. J. and R. E. Sosebee, Editors. 1995. Wildland Plants. Physiological Ecology and Developmental Morphology. Society for Range Management, Denver, CO.

Heitschmidt, R. K. and J. W. Stuth eds. 1991. Grazing Management an Ecological Perspective. Timber Press

Hodgson, J. and A.W. Illius. Editors. 1996. Ecology and Management of Grazing Systems. CABI, Wellingford, UK.

Holechek, J. L., R. D. Pieper and C. H. Herbel. 2000. Range management principles and practices. 5th edition. Prentice Hall, NJ.

Smith, D., R.J. Bula, and R.P. Walgenbach. 1986. Forage Management 5th ed. Kendall/Hunt Publ. Co. Dubuque, Iowa.

United States Department of Agriculture, Natural Resources Conservation Service. 1997. National range and pasture handbook. Washington, DC.

Vallentine, J.F. 2001. Grazing management. Academic Press, San

Diego, CA. Voisin, A. 1959. Grass productivity. Philosophical

Library, New York.

***The Agronomy Guide, Current Edition, Penn State Extension
Publications; <http://extension.psu.edu/agronomy-guide>***

***Note: Bold italics is information added or changes made to the National Conservation
Standard by WV.***