

| Map Unit Symbol | Map Unit Name   | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 1               | ACACIO SANDY LOAM                                     |                |                     |   |                             |   |                                |                    |              |
|                 |   | ACACIO         | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
| 10              | CRYAQUOLLS AND HISTOSOLS, FLOODED                     |                |                     |   |                             |   |                                |                    |              |
|                 |   | CRYAQUOLLS     | 50                  | 9-72  | Frequent                    | Very limited                                | Very limited                   | Moderately slow    | Medium       |
|                 |   | HISTOSOLS      | 50                  | 9-72  | Frequent                    | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 11              | CUMBRES VERY STONY LOAM, 1 TO 9 PERCENT SLOPES        |                |                     |   |                             |   |                                |                    |              |
|                 |   | CUMBRES        | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 12              | DERRICK VERY COBBLY SANDY LOAM, 0 TO 1 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | DERRICK        | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 13              | DERRICK VERY COBBLY SANDY LOAM, 1 TO 3 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | DERRICK        | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 14              | DUNUL GRAVELLY SANDY LOAM                             |                |                     |   |                             |   |                                |                    |              |
|                 |   | DUNUL          | 100                 | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Very low     |
| 15              | DUNUL-LAMANGA COMPLEX                                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | DUNUL          | 60                  | > 72  | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Very low     |
|                 |   | LAMANGA        | 30                  | 27-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 16              | EMPEDRADO-CURECANTI COMPLEX, 5 TO 25 PERCENT SLOPES   |                |                     |   |                             |   |                                |                    |              |
|                 |   | EMPEDRADO      | 40                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | Medium       |
|                 |   | CURECANTI      | 30                  | > 72  | None                        | Very limited                                | Very limited                   | Moderate           | Medium       |
| 17              | GARITA COBBLY LOAM, 0 TO 3 PERCENT SLOPES             |                |                     |   |                             |   |                                |                    |              |
|                 |   | GARITA         | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 18              | GARITA COBBLY LOAM, 3 TO 25 PERCENT SLOPES            |                |                     |   |                             |   |                                |                    |              |
|                 |   | GARITA         | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Moderately rapid   | Low          |
| 19              | GRAYPOINT GRAVELLY SANDY LOAM, 0 TO 1 PERCENT SLOPES  |                |                     |   |                             |   |                                |                    |              |
|                 |   | GRAYPOINT      | 100                 | 21-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 2               | ALAMOSA LOAM  |                |                     |   |                             |   |                                |                    |              |
|                 |   | ALAMOSA        | 100                 | 15-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately slow    | Medium       |
| 20              | GRAYPOINT GRAVELLY SANDY LOAM, 1 TO 3 PERCENT SLOPES  |                |                     |   |                             |   |                                |                    |              |
|                 |   | GRAYPOINT      | 100                 | 21  | None                        | Very limited                                | Very limited                   | Moderate           | Low          |

| Map Unit Symbol | Map Unit Name                                  | Component Name    | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|-------------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 21              | GRAYPOINT GRAVELLY SANDY LOAM, WET             |                   |                     |   |                             |   |                                |                    |              |
|                 |  | GRAYPOINT         | 100                 | 21-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 22              | HOOPER CLAY LOAM                               |                   |                     |   |                             |   |                                |                    |              |
|                 |  | HOOPER            | 100                 | 60-72                                       | None                        | Somewhat limited                            | Very limited                   | Very slow          | Very high    |
| 23              | HOOPER LOAMY SAND                              |                   |                     |   |                             |   |                                |                    |              |
|                 |  | HOOPER            | 100                 | 60-72                                       | None                        | Somewhat limited                            | Very limited                   | Very slow          | Very high    |
| 24              | JERRY LOAM, 3 TO 25 PERCENT SLOPES             |                   |                     |   |                             |   |                                |                    |              |
|                 |  | JERRY             | 100                 | > 72  | None                        | Somewhat limited                            | Very limited                   | Slow               | High         |
| 25              | LAJARA LOAM                                    |                   |                     |   |                             |   |                                |                    |              |
|                 |  | LAJARA            | 100                 | 18-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 26              | LAMANGA SANDY CLAY LOAM                        |                   |                     |   |                             |   |                                |                    |              |
|                 |  | LAMANGA           | 100                 | 27-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 27              | LASAUSES SANDY CLAY LOAM                       |                   |                     |   |                             |   |                                |                    |              |
|                 |  | LASAUSES          | 100                 | 27-72                                       | Rare                        | Very limited                                | Very limited                   | Slow               | High         |
| 28              | LUHON LOAM, 1 TO 3 PERCENT SLOPES              |                   |                     |   |                             |   |                                |                    |              |
|                 |  | LUHON             | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Very low     |
| 29              | LUHON LOAM, 3 TO 9 PERCENT SLOPES              |                   |                     |   |                             |   |                                |                    |              |
|                 |  | LUHON             | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
| 3               | AQUIC USTORTHENTS, GRAVELLY                    |                   |                     |   |                             |   |                                |                    |              |
|                 |  | AQUIC USTORTHENTS | 100                 | 27-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 30              | MCGINTY SANDY LOAM                             |                   |                     |   |                             |   |                                |                    |              |
|                 |  | MCGINTY           | 100                 | 57-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Very low     |
| 31              | MCGINTY SANDY LOAM, FAN, 1 TO 3 PERCENT SLOPES |                   |                     |   |                             |   |                                |                    |              |
|                 |  | MCGINTY           | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Very low     |
| 32              | MCGINTY SANDY LOAM, FAN, 3 TO 9 PERCENT SLOPES |                   |                     |   |                             |   |                                |                    |              |
|                 |  | MCGINTY           | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Low          |
| 33              | MIRACLE LOAM, 3 TO 9 PERCENT SLOPES            |                   |                     |   |                             |   |                                |                    |              |
|                 |  | MIRACLE           | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 34              | MISHAK LOAM                                    |                   |                     |   |                             |   |                                |                    |              |
|                 |  | MISHAK            | 100                 | 18-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |

| Map Unit Symbol | Map Unit Name                                  | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 35              | MISHAK LOAM, DRAINED                           |                |                     |   |                             |   |                                |                    |              |
|                 |  | MISHAK         | 100                 | 45-72                                       | None                        | Somewhat limited                            | Somewhat limited               | Moderate           | Low          |
| 36              | MOGOTE LOAM                                    |                |                     |   |                             |   |                                |                    |              |
|                 |  | MOGOTE         | 100                 | 33-72                                       | Rare                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 37              | MONTE LOAM, 0 TO 1 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |  | MONTE          | 100                 | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderate           | Low          |
| 38              | MONTE LOAM, 1 TO 3 PERCENT SLOPES              |                |                     |   |                             |   |                                |                    |              |
|                 |  | MONTE          | 100                 | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderate           | Low          |
| 39              | MOSCA LOAMY SAND                               |                |                     |   |                             |   |                                |                    |              |
|                 |  | MOSCA          | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Rapid              | Negligible   |
| 4               | AQUOLLS AND AQUENTS, FREQUENTLY FLOODED        |                |                     |   |                             |   |                                |                    |              |
|                 |  | AQUOLLS        | 60                  | 21-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
|                 |  | AQUENTS        | 30                  | 18-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 40              | MOSCA LOAMY SAND, SALINE                       |                |                     |   |                             |   |                                |                    |              |
|                 |  | MOSCA          | 100                 | 30-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 41              | NORTONVILLE LOAM                               |                |                     |   |                             |   |                                |                    |              |
|                 |  | NORTONVILLE    | 100                 | 21-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderate           | Low          |
| 42              | PLATORO LOAM                                   |                |                     |   |                             |   |                                |                    |              |
|                 |  | PLATORO        | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderate           | Low          |
| 43              | QUAMON-LAJARA COMPLEX                          |                |                     |   |                             |   |                                |                    |              |
|                 |  | QUAMON         | 45                  | 48-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderately rapid   | Very low     |
|                 |  | LAJARA         | 35                  | 18-72                                       | Frequent                    | Very limited                                | Very limited                   | Moderately rapid   | Very low     |
| 44              | RYAN PARK SANDY LOAM, 3 TO 5 PERCENT SLOPES    |                |                     |   |                             |   |                                |                    |              |
|                 |  | RYAN PARK      | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately rapid   | Very low     |
| 45              | SAN ARCACIO SANDY LOAM                         |                |                     |   |                             |   |                                |                    |              |
|                 |  | SAN ARCACIO    | 100                 | 42-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderate           | Low          |
| 46              | SAN ARCACIO SANDY LOAM, SALINE                 |                |                     |   |                             |   |                                |                    |              |
|                 |  | SAN ARCACIO    | 100                 | 27-72                                       | None                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 47              | SEITZ VERY STONY LOAM, 10 TO 65 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |  | SEITZ          | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |

| Map Unit Symbol | Map Unit Name                                       | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 48              | SHAWA LOAM, 0 TO 1 PERCENT SLOPES                   |                |                     |   |                             |   |                                |                    |              |
|                 |   | SHAWA          | 100                 | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderate           | Low          |
| 49              | SHAWA LOAM, 1 TO 3 PERCENT SLOPES                   |                |                     |   |                             |   |                                |                    |              |
|                 |   | SHAWA          | 100                 | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderate           | Low          |
| 5               | ARENA LOAM  |                |                     |   |                             |   |                                |                    |              |
|                 |   | ARENA          | 85                  | 18-72                                       | Occasional                  | Very limited                                | Very limited                   | Slow               | Medium       |
| 50              | SHAWA LOAM, WET                                     |                |                     |   |                             |   |                                |                    |              |
|                 |   | SHAWA          | 100                 | 36-72                                       | Rare                        | Very limited                                | Very limited                   | Moderate           | Low          |
| 51              | SPACE CITY LOAMY FINE SAND, 1 TO 9 PERCENT SLOPES   |                |                     |   |                             |   |                                |                    |              |
|                 |   | SPACE CITY     | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Rapid              | Very low     |
| 52              | STUNNER LOAM  |                |                     |   |                             |   |                                |                    |              |
|                 |   | STUNNER        | 100                 | > 72  | None                        | Not limited                                 | Very limited                   | Moderately slow    | Medium       |
| 53              | TRAVELERS VERY STONY LOAM, 1 TO 3 PERCENT SLOPES    |                |                     |   |                             |   |                                |                    |              |
|                 |   | TRAVELERS      | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |
| 54              | TRAVELERS VERY STONY LOAM, 3 TO 25 PERCENT SLOPES   |                |                     |   |                             |   |                                |                    |              |
|                 |   | TRAVELERS      | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 55              | VASTINE LOAM  |                |                     |   |                             |   |                                |                    |              |
|                 |   | VASTINE        | 100                 | 27-72                                       | Occasional                  | Very limited                                | Very limited                   | Moderate           | Low          |
| 56              | ZINZER LOAM   |                |                     |   |                             |   |                                |                    |              |
|                 |   | ZINZER         | 100                 | > 72  | None                        | Not limited                                 | Somewhat limited               | Moderately slow    | Low          |
| 57              | ZINZER LOAM, SALINE                                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | ZINZER         | 100                 | 36-72                                       | None                        | Somewhat limited                            | Very limited                   | Moderate           | Low          |
| 6               | ARENA LOAM, DRAINED                                 |                |                     |   |                             |   |                                |                    |              |
|                 |   | ARENA          | 100                 | 51-72                                       | None                        | Somewhat limited                            | Somewhat limited               | Slow               | Medium       |
| 7               | BUSHVALLEY VERY STONY LOAM, 10 TO 40 PERCENT SLOPES |                |                     |   |                             |   |                                |                    |              |
|                 |   | BUSHVALLEY     | 100                 | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
| 8               | BUSHVALLEY-YOUGA COMPLEX, 3 TO 25 PERCENT SLOPES    |                |                     |   |                             |   |                                |                    |              |
|                 |   | BUSHVALLEY     | 60                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | Very high    |
|                 |   | YOUGA          | 25                  | > 72  | None                        | Very limited                                | Very limited                   | Slow               | High         |

| Map Unit Symbol | Map Unit Name                      | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|------------------------------------|----------------|---------------------|---|-----------------------------|---|--------------------------------|--------------------|--------------|
| 9               | CORLETT-HOOPER COMPLEX, UNDULATING |                |                     |   |                             |   |                                |                    |              |
|                 |                                    | CORLETT        | 60                  | 57-72                                       | None                        | Somewhat limited                            | Very limited                   | Rapid              | Negligible   |
|                 |                                    | HOOPER         | 40                  | 60-72                                       | None                        | Somewhat limited                            | Very limited                   | Very slow          | Very high    |