

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---------------------------------------------------|--------------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 1 | ALAMOSA LOAM, 1 TO 3 PERCENT SLOPES | | | | | | | | |
| | | ALAMOSA | 85 | 15-72 | Frequent | Very limited | Very limited | Moderately slow | Medium |
| 10 | BLENDON SANDY LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | BLENDON | 85 | > 72 | None | Not limited | Very limited | Moderate | Low |
| 100 | TRUCKTON-BRESSER COMPLEX, ERODED | | | | | | | | |
| | | TRUCKTON, ERODED | 55 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| | | BRESSER, ERODED | 30 | > 72 | None | Not limited | Very limited | Moderately slow | High |
| 101 | USTIC TORRIFLUENTS, LOAMY | | | | | | | | |
| | | USTIC TORRIFLUENTS | 85 | > 72 | None | Not limited | Not Rated | Moderate | Low |
| 102 | VALENT SAND, 1 TO 9 PERCENT SLOPES | | | | | | | | |
| | | VALENT | 85 | > 72 | None | Not limited | Very limited | Rapid | Very low |
| 103 | VALENT SAND, 9 TO 20 PERCENT SLOPES | | | | | | | | |
| | | VALENT | 85 | > 72 | None | Very limited | Very limited | Rapid | Very low |
| 104 | VONA SANDY LOAM, 1 TO 3 PERCENT SLOPES | | | | | | | | |
| | | VONA | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Very low |
| 105 | VONA SANDY LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | VONA | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 106 | WIGTON LOAMY SAND, 1 TO 8 PERCENT SLOPES | | | | | | | | |
| | | WIGTON | 85 | > 72 | None | Not limited | Very limited | Rapid | Very low |
| 107 | WILEY SILT LOAM, 1 TO 3 PERCENT SLOPES | | | | | | | | |
| | | WILEY | 85 | > 72 | None | Not limited | Somewhat limited | Moderate | Low |
| 108 | WILEY SILT LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | WILEY | 85 | > 72 | None | Not limited | Somewhat limited | Moderate | Medium |
| 109 | YODER GRAVELLY SANDY LOAM, 1 TO 8 PERCENT SLOPES | | | | | | | | |
| | | YODER | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 11 | BRESSER SANDY LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | BRESSER | 85 | > 72 | None | Not limited | Very limited | Moderately slow | Medium |
| 110 | YODER GRAVELLY SANDY LOAM, 8 TO 25 PERCENT SLOPES | | | | | | | | |
| | | YODER | 85 | > 72 | None | Very limited | Very limited | Moderately rapid | Low |

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--------------------------------------------------------|----------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 12 | BRESSER SANDY LOAM, 3 TO 5 PERCENT SLOPES | | | | | | | | |
| | | BRESSER | 85 | > 72 | None | Not limited | Very limited | Moderately slow | Medium |
| 13 | BRESSER SANDY LOAM, 5 TO 9 PERCENT SLOPES | | | | | | | | |
| | | BRESSER | 85 | > 72 | None | Not limited | Very limited | Moderately slow | High |
| 14 | BRUSSETT LOAM, 1 TO 3 PERCENT SLOPES | | | | | | | | |
| | | BRUSSETT | 85 | > 72 | None | Somewhat limited | Somewhat limited | Moderately slow | Medium |
| 15 | BRUSSETT LOAM, 3 TO 5 PERCENT SLOPES | | | | | | | | |
| | | BRUSSETT | 85 | > 72 | None | Somewhat limited | Somewhat limited | Moderately slow | Medium |
| 16 | CHASEVILLE GRAVELLY SANDY LOAM, 1 TO 8 PERCENT SLOPES | | | | | | | | |
| | | CHASEVILLE | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 17 | CHASEVILLE GRAVELLY SANDY LOAM, 8 TO 40 PERCENT SLOPES | | | | | | | | |
| | | CHASEVILLE | 85 | > 72 | None | Very limited | Very limited | Moderately rapid | Medium |
| 18 | CHASEVILLE-MIDWAY COMPLEX | | | | | | | | |
| | | CHASEVILLE | 70 | > 72 | None | Very limited | Very limited | Moderately rapid | Medium |
| | | MIDWAY | 20 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 19 | COLUMBINE GRAVELLY SANDY LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | COLUMBINE | 85 | > 72 | None | Not limited | Very limited | Rapid | Negligible |
| 2 | ASCALON SANDY LOAM, 1 TO 3 PERCENT SLOPES | | | | | | | | |
| | | ASCALON | 85 | > 72 | None | Not limited | Very limited | Moderate | Low |
| 20 | CONNERTON-ROCK OUTCROP COMPLEX, 8 TO 90 PERCENT SLOPES | | | | | | | | |
| | | CONNERTON | 45 | > 72 | None | Very limited | Very limited | Moderate | Medium |
| | | ROCK OUTCROP | 40 | > 72 | None | Not Rated | Not Rated | NA | Not Rated |
| 21 | CRUCKTON SANDY LOAM, 1 TO 9 PERCENT SLOPES | | | | | | | | |
| | | CRUCKTON | 85 | > 72 | None | Not limited | Very limited | Moderate | Medium |
| 22 | CUSHMAN LOAM, 1 TO 5 PERCENT SLOPES | | | | | | | | |
| | | CUSHMAN | 85 | > 72 | None | Somewhat limited | Very limited | Moderately slow | Low |
| 23 | CUSHMAN LOAM, 5 TO 15 PERCENT SLOPES | | | | | | | | |
| | | CUSHMAN | 85 | > 72 | None | Somewhat limited | Very limited | Moderately slow | Medium |

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|-----------------------------------------------------------|--------------------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 24 | CUSHMAN-KUTCH COMPLEX, 3 TO 12 PERCENT SLOPES | | | | | | | | |
| | | CUSHMAN | 40 | > 72 | None | Somewhat limited | Very limited | Moderately slow | Medium |
| | | KUTCH | 30 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 25 | ELBETH SANDY LOAM, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | ELBETH | 85 | > 72 | None | Not limited | Very limited | Moderately slow | Medium |
| 26 | ELBETH SANDY LOAM, 8 TO 15 PERCENT SLOPES | | | | | | | | |
| | | ELBETH | 85 | > 72 | None | Somewhat limited | Very limited | Moderately slow | Medium |
| 27 | ELBETH-PRING COMPLEX, 5 TO 30 PERCENT SLOPES | | | | | | | | |
| | | ELBETH | 60 | > 72 | None | Somewhat limited | Very limited | Moderately slow | Medium |
| | | PRING | 20 | > 72 | None | Very limited | Very limited | Moderately rapid | Low |
| 28 | ELLCOTT LOAMY COARSE SAND, 0 TO 5 PERCENT SLOPES | | | | | | | | |
| | | ELLCOTT | 85 | > 72 | Frequent | Very limited | Very limited | Rapid | Negligible |
| 29 | FLUVAQUENTIC HAPLAQUOLLS, NEARLY LEVEL | | | | | | | | |
| | | FLUVAQUENTIC HAPLAQUOLLS | 85 | 12-72 | Frequent | Very limited | Not Rated | Moderately rapid | Very low |
| 3 | ASCALON SANDY LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | ASCALON | 85 | > 72 | None | Not limited | Very limited | Moderate | Medium |
| 30 | FORT COLLINS LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | FORT COLLINS | 85 | > 72 | None | Not limited | Somewhat limited | Moderate | Low |
| 31 | FORT COLLINS LOAM, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | FORT COLLINS | 85 | > 72 | None | Not limited | Somewhat limited | Moderate | Medium |
| 32 | FORTWINGATE-ROCK OUTCROP COMPLEX, 15 TO 60 PERCENT SLOPES | | | | | | | | |
| | | FORTWINGATE | 40 | > 72 | None | Very limited | Very limited | Slow | Very high |
| | | ROCK OUTCROP | 30 | > 72 | None | Not Rated | Not Rated | NA | Not Rated |
| 33 | HELDT CLAY LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | HELDT | 85 | > 72 | None | Very limited | Not limited | Slow | High |
| 34 | HOLDERNESS LOAM, 1 TO 5 PERCENT SLOPES | | | | | | | | |
| | | HOLDERNESS | 85 | > 72 | None | Very limited | Somewhat limited | Slow | High |
| 35 | HOLDERNESS LOAM, 5 TO 8 PERCENT SLOPES | | | | | | | | |
| | | HOLDERNESS | 85 | > 72 | None | Very limited | Very limited | Slow | Very high |

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|----------------------------------------------------------------|----------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 36 | HOLDERNESS LOAM, 8 TO 15 PERCENT SLOPES | | | | | | | | |
| | | HOLDERNESS | 85 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 37 | JARRE GRAVELLY SANDY LOAM, 1 TO 8 PERCENT SLOPES | | | | | | | | |
| | | JARRE | 85 | > 72 | None | Not limited | Very limited | Moderately slow | High |
| 38 | JARRE-TECOLOTE COMPLEX, 8 TO 65 PERCENT SLOPES | | | | | | | | |
| | | JARRE | 40 | > 72 | None | Very limited | Very limited | Moderately slow | High |
| | | TECOLOTE | 30 | > 72 | None | Very limited | Very limited | Moderate | High |
| 39 | KEITH SILT LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | KEITH | 85 | > 72 | None | Not limited | Somewhat limited | Moderately slow | Medium |
| 4 | BADLAND | | | | | | | | |
| | | BADLAND | 95 | > 72 | None | Very limited | Not Rated | NA | Not Rated |
| 40 | KETTLE GRAVELLY LOAMY SAND, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | KETTLE | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 41 | KETTLE GRAVELLY LOAMY SAND, 8 TO 40 PERCENT SLOPES | | | | | | | | |
| | | KETTLE | 85 | > 72 | None | Very limited | Very limited | Moderately rapid | Medium |
| 42 | KETTLE-ROCK OUTCROP COMPLEX | | | | | | | | |
| | | KETTLE | 60 | > 72 | None | Very limited | Very limited | Moderately rapid | Medium |
| | | ROCK OUTCROP | 20 | > 72 | None | Not Rated | Not Rated | NA | Not Rated |
| 43 | KIM LOAM, 1 TO 8 PERCENT SLOPES | | | | | | | | |
| | | KIM | 85 | > 72 | None | Not limited | Somewhat limited | Moderate | Medium |
| 44 | KUTCH CLAY LOAM, 3 TO 5 PERCENT SLOPES | | | | | | | | |
| | | KUTCH | 85 | > 72 | None | Very limited | Very limited | Slow | High |
| 45 | KUTCH CLAY LOAM, 5 TO 20 PERCENT SLOPES | | | | | | | | |
| | | KUTCH | 85 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 46 | KUTLER-BROADMOOR-ROCK OUTCROP COMPLEX, 25 TO 90 PERCENT SLOPES | | | | | | | | |
| | | KUTLER | 35 | > 72 | None | Very limited | Very limited | Moderate | Medium |
| | | ROCK OUTCROP | 30 | > 72 | None | Not Rated | Not Rated | NA | Not Rated |
| | | BROADMOOR | 30 | > 72 | None | Very limited | Very limited | Moderate | Medium |
| 47 | LIMON CLAY, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | LIMON | 85 | > 72 | Occasional | Very limited | Very limited | Slow | High |

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|--------------------------------------------------------|----------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 48 | LOUVIERS SILTY CLAY LOAM, 3 TO 18 PERCENT SLOPES | | | | | | | | |
| | | LOUVIERS | 85 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 49 | LOUVIERS COBBLY CLAY LOAM, 5 TO 40 PERCENT SLOPES | | | | | | | | |
| | | LOUVIERS | 85 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 5 | BIJOU LOAMY SAND, 1 TO 8 PERCENT SLOPES | | | | | | | | |
| | | BIJOU | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 50 | MANVEL LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | MANVEL | 90 | > 72 | None | Not limited | Somewhat limited | Moderately slow | High |
| 51 | MANZANOLA CLAY LOAM, 0 TO 1 PERCENT SLOPES | | | | | | | | |
| | | MANZANOLA | 85 | > 72 | None | Somewhat limited | Not limited | Slow | High |
| 52 | MANZANOLA CLAY LOAM, 1 TO 3 PERCENT SLOPES | | | | | | | | |
| | | MANZANOLA | 85 | > 72 | None | Somewhat limited | Not limited | Slow | High |
| 53 | MANZANOLA CLAY LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | MANZANOLA | 85 | > 72 | None | Somewhat limited | Somewhat limited | Slow | Very high |
| 54 | MIDWAY CLAY LOAM, 3 TO 25 PERCENT SLOPES | | | | | | | | |
| | | MIDWAY | 85 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 55 | NEDERLAND COBBLY SANDY LOAM, 9 TO 25 PERCENT SLOPES | | | | | | | | |
| | | NEDERLAND | 85 | > 72 | None | Very limited | Very limited | Moderately slow | High |
| 56 | NELSON-TASSEL FINE SANDY LOAMS, 3 TO 18 PERCENT SLOPES | | | | | | | | |
| | | NELSON | 45 | > 72 | None | Somewhat limited | Very limited | Moderate | Low |
| | | TASSEL | 30 | > 72 | None | Very limited | Very limited | Moderately slow | High |
| 57 | NEVILLE FINE SANDY LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | NEVILLE | 85 | > 72 | None | Not limited | Somewhat limited | Moderate | Medium |
| 58 | NEVILLE-REDNUN COMPLEX, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | NEVILLE | 60 | > 72 | None | Not limited | Somewhat limited | Moderate | Medium |
| | | REDNUN | 30 | > 72 | None | Somewhat limited | Somewhat limited | Slow | High |
| 59 | NUNN CLAY LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | NUNN | 85 | > 72 | None | Not limited | Not limited | Slow | High |
| 6 | BIJOU SANDY LOAM, 1 TO 3 PERCENT SLOPES | | | | | | | | |
| | | BIJOU | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Very low |

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|-----------------------------------------------------------|----------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 60 | OLNEY SANDY LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | OLNEY | 85 | > 72 | None | Not limited | Very limited | Moderately slow | Medium |
| 61 | OLNEY SANDY LOAM, 3 TO 5 PERCENT SLOPES | | | | | | | | |
| | | OLNEY | 85 | > 72 | None | Not limited | Very limited | Moderately slow | Medium |
| 62 | OLNEY AND VONA SOILS, ERODED | | | | | | | | |
| | | OLNEY, ERODED | 45 | > 72 | None | Not limited | Very limited | Moderately slow | Medium |
| | | VONA, ERODED | 30 | > 72 | None | Not limited | Very limited | Moderate | Low |
| 63 | PAUNSAUGUNT-ROCK OUTCROP COMPLEX, 15 TO 65 PERCENT SLOPES | | | | | | | | |
| | | PAUNSAUGUNT | 50 | > 72 | None | Very limited | Very limited | Slow | Very high |
| | | ROCK OUTCROP | 40 | > 72 | None | Not Rated | Not Rated | NA | Not Rated |
| 64 | PENROSE-MANVEL COMPLEX, 3 TO 45 PERCENT SLOPES | | | | | | | | |
| | | PENROSE | 50 | > 72 | None | Very limited | Very limited | Slow | Very high |
| | | MANVEL | 30 | > 72 | None | Somewhat limited | Very limited | Moderately slow | High |
| 65 | PERRY PARK GRAVELLY SANDY LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | PERRY PARK | 85 | > 72 | None | Not limited | Very limited | Moderately slow | High |
| 66 | PEYTON SANDY LOAM, 1 TO 5 PERCENT SLOPES | | | | | | | | |
| | | PEYTON | 85 | > 72 | None | Not limited | Somewhat limited | Moderately slow | Medium |
| 67 | PEYTON SANDY LOAM, 5 TO 9 PERCENT SLOPES | | | | | | | | |
| | | PEYTON | 85 | > 72 | None | Not limited | Very limited | Moderately slow | High |
| 68 | PEYTON-PRING COMPLEX, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | PEYTON | 40 | > 72 | None | Not limited | Somewhat limited | Moderately slow | Medium |
| | | PRING | 30 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 69 | PEYTON-PRING COMPLEX, 8 TO 15 PERCENT SLOPES | | | | | | | | |
| | | PEYTON | 40 | > 72 | None | Somewhat limited | Very limited | Moderately slow | High |
| | | PRING | 30 | > 72 | None | Somewhat limited | Very limited | Moderately rapid | Low |
| 7 | BIJOU SANDY LOAM, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | BIJOU | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 70 | PITS, GRAVEL | | | | | | | | |
| | | PITS, GRAVEL | 90 | > 72 | None | Not Rated | Not Rated | Rapid | Negligible |

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|---------------------------------------------------------------|----------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 71 | PRING COARSE SANDY LOAM, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | PRING | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 72 | PRING COARSE SANDY LOAM, 8 TO 15 PERCENT SLOPES | | | | | | | | |
| | | PRING | 85 | > 72 | None | Somewhat limited | Very limited | Moderately rapid | Low |
| 73 | RAZOR CLAY LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | RAZOR | 85 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 74 | RAZOR STONY CLAY LOAM, 5 TO 15 PERCENT SLOPES | | | | | | | | |
| | | RAZOR | 85 | > 72 | None | Somewhat limited | Very limited | Slow | Very high |
| 75 | RAZOR-MIDWAY COMPLEX | | | | | | | | |
| | | RAZOR | 50 | > 72 | None | Very limited | Very limited | Slow | Very high |
| | | MIDWAY | 30 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 76 | RIZOZO-NEVILLE COMPLEX, 3 TO 30 PERCENT SLOPES | | | | | | | | |
| | | RIZOZO | 35 | > 72 | None | Very limited | Very limited | Slow | Very high |
| | | NEVILLE | 25 | > 72 | None | Somewhat limited | Very limited | Moderate | Medium |
| 77 | ROCK OUTCROP-COLDCREEK-TOLMAN COMPLEX, 9 TO 90 PERCENT SLOPES | | | | | | | | |
| | | ROCK OUTCROP | 30 | > 72 | None | Not Rated | Not Rated | NA | Not Rated |
| | | COLDCREEK | 30 | > 72 | None | Very limited | Very limited | Moderately slow | High |
| | | TOLMAN | 20 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 78 | SAMPSON LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | SAMPSON | 90 | > 72 | None | Not limited | Somewhat limited | Moderate | Low |
| 79 | SATANTA LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | SATANTA | 85 | > 72 | None | Somewhat limited | Somewhat limited | Moderate | Low |
| 8 | BLAKELAND LOAMY SAND, 1 TO 9 PERCENT SLOPES | | | | | | | | |
| | | BLAKELAND | 85 | > 72 | None | Not limited | Very limited | Rapid | Very low |
| 80 | SATANTA LOAM, 3 TO 5 PERCENT SLOPES | | | | | | | | |
| | | SATANTA | 85 | > 72 | None | Not limited | Somewhat limited | Moderate | Low |
| 81 | SATANTA-NEVILLE COMPLEX, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | SATANTA | 50 | > 72 | None | Not limited | Somewhat limited | Moderate | Medium |
| | | NEVILLE | 40 | > 72 | None | Not limited | Somewhat limited | Moderate | Medium |

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|------------------------------------------------------------------|--------------------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 82 | SCHAMBER-RAZOR COMPLEX, 8 TO 50 PERCENT SLOPES | | | | | | | | |
| | | SCHAMBER | 40 | > 72 | None | Very limited | Very limited | Moderately rapid | Medium |
| | | RAZOR | 30 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 83 | STAPLETON SANDY LOAM, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | STAPLETON | 80 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 84 | STAPLETON SANDY LOAM, 8 TO 15 PERCENT SLOPES | | | | | | | | |
| | | STAPLETON | 85 | > 72 | None | Somewhat limited | Very limited | Moderately rapid | Low |
| 85 | STAPLETON-BERNAL SANDY LOAMS, 3 TO 20 PERCENT SLOPES | | | | | | | | |
| | | STAPLETON | 40 | > 72 | None | Somewhat limited | Very limited | Moderately rapid | Low |
| | | BERNAL | 30 | > 72 | None | Very limited | Very limited | Slow | Very high |
| 86 | STONEHAM SANDY LOAM, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | STONEHAM | 85 | > 72 | None | Somewhat limited | Somewhat limited | Moderate | Medium |
| 87 | STONEHAM SANDY LOAM, 8 TO 15 PERCENT SLOPES | | | | | | | | |
| | | STONEHAM | 85 | > 72 | None | Somewhat limited | Very limited | Moderate | Medium |
| 88 | STROUPE-TRAVESSILLA-ROCK OUTCROP COMPLEX, 9 TO 90 PERCENT SLOPES | | | | | | | | |
| | | STROUPE | 40 | > 72 | None | Very limited | Very limited | Slow | Very high |
| | | TRAVESSILLA | 25 | > 72 | None | Very limited | Very limited | Slow | Very high |
| | | ROCK OUTCROP | 20 | > 72 | None | Not Rated | Not Rated | NA | Not Rated |
| 89 | TASSEL FINE SANDY LOAM, 3 TO 18 PERCENT SLOPES | | | | | | | | |
| | | TASSEL | 85 | > 72 | None | Very limited | Very limited | Moderately slow | High |
| 9 | BLAKELAND-FLUVAQUENTIC HAPLAQUOLLS | | | | | | | | |
| | | BLAKELAND | 60 | > 72 | None | Not limited | Very limited | Rapid | Very low |
| | | FLUVAQUENTIC HAPLAQUOLLS | 30 | 12-72 | Occasional | Very limited | Not Rated | Moderately rapid | Very low |
| 90 | TERRY SANDY LOAM, 1 TO 8 PERCENT SLOPES | | | | | | | | |
| | | TERRY | 85 | > 72 | None | Somewhat limited | Very limited | Moderate | Low |
| 91 | TERRY-RAZOR COMPLEX, 3 TO 20 PERCENT SLOPES | | | | | | | | |
| | | TERRY | 50 | > 72 | None | Somewhat limited | Very limited | Moderate | Low |
| | | RAZOR | 30 | > 72 | None | Very limited | Very limited | Slow | Very high |

| Map Unit Symbol | Map Unit Name | Component Name | Percent of Map Unit | Depth to Seasonal High Water Table (inches) | Seasonal Flooding Frequency | Limitations for Buildings without Basements | Limitations for Sewage Lagoons | Permeability Class | Runoff Class |
|-----------------|----------------------------------------------------------|----------------|---------------------|---------------------------------------------|-----------------------------|---------------------------------------------|--------------------------------|--------------------|--------------|
| 92 | TOMAH-CROWFOOT LOAMY SANDS, 3 TO 8 PERCENT SLOPES | | | | | | | | |
| | | TOMAH | 50 | > 72 | None | Not limited | Very limited | Moderate | Low |
| | | CROWFOOT | 30 | > 72 | None | Not limited | Very limited | Moderate | Low |
| 93 | TOMAH-CROWFOOT COMPLEX, 8 TO 15 PERCENT SLOPES | | | | | | | | |
| | | TOMAH | 50 | > 72 | None | Somewhat limited | Very limited | Moderate | Low |
| | | CROWFOOT | 30 | > 72 | None | Somewhat limited | Very limited | Moderate | Low |
| 94 | TRAVESSILLA-ROCK OUTCROP COMPLEX, 8 TO 90 PERCENT SLOPES | | | | | | | | |
| | | TRAVESSILLA | 45 | > 72 | None | Very limited | Very limited | Slow | Very high |
| | | ROCK OUTCROP | 30 | > 72 | None | Not Rated | Not Rated | NA | Not Rated |
| 95 | TRUCKTON LOAMY SAND, 1 TO 9 PERCENT SLOPES | | | | | | | | |
| | | TRUCKTON | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 96 | TRUCKTON SANDY LOAM, 0 TO 3 PERCENT SLOPES | | | | | | | | |
| | | TRUCKTON | 85 | > 72 | None | Not limited | Very limited | Moderately rapid | Very low |
| 97 | TRUCKTON SANDY LOAM, 3 TO 9 PERCENT SLOPES | | | | | | | | |
| | | TRUCKTON | 80 | > 72 | None | Not limited | Very limited | Moderately rapid | Low |
| 98 | TRUCKTON-BLAKELAND COMPLEX, 9 TO 20 PERCENT SLOPES | | | | | | | | |
| | | TRUCKTON | 60 | > 72 | None | Very limited | Very limited | Moderately rapid | Low |
| | | BLAKELAND | 25 | > 72 | None | Very limited | Very limited | Rapid | Very low |
| 99 | TRUCKTON-BRESSER COMPLEX, 5 TO 20 PERCENT SLOPES | | | | | | | | |
| | | TRUCKTON | 45 | > 72 | None | Very limited | Very limited | Moderately rapid | Low |
| | | BRESSER | 35 | > 72 | None | Not limited | Very limited | Moderately slow | High |