

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
1	ABSTED CLAY, 0 TO 1 PERCENT SLOPES								
		ABSTED	85	> 72	None	Very limited	Not limited	Very slow	Very high
10	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES								
		COLBY	85	> 72	None	Not limited	Somewhat limited	Moderate	Low
11	COLBY SILT LOAM, 3 TO 9 PERCENT SLOPES								
		COLBY	85	> 72	None	Not limited	Somewhat limited	Moderate	Medium
12	FLUVAQUENTS, NEARLY LEVEL*								
		FLUVAQUENTS, NEARLY LEVEL	85	30-72	Frequent	Very limited	Very limited	Moderate	Low
13	FORT COLLINS SANDY LOAM, 0 TO 3 PERCENT SLOPES								
		FORT COLLINS	85	> 72	None	Not limited	Somewhat limited	Moderate	Low
14	GOSHEN SILT LOAM								
		GOSHEN	85	> 72	Occasional	Very limited	Very limited	Moderate	Low
15	HAVERSON CLAY LOAM								
		HAVERSON	85	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
16	HAVERSON CLAY LOAM, SALINE								
		HAVERSON, SALINE	85	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
17	KEYNER LOAMY SAND, 0 TO 2 PERCENT SLOPES								
		KEYNER	85	> 72	None	Not limited	Somewhat limited	Moderate	Low
18	KEYNER VARIANT LOAMY SAND								
		KEYNER VARIANT	85	> 72	None	Very limited	Not limited	Very slow	High
19	KIM-CANYON COMPLEX, 2 TO 10 PERCENT SLOPES								
		KIM	65	> 72	None	Not limited	Somewhat limited	Moderate	Medium
		CANYON	20	> 72	None	Very limited	Very limited	Moderately slow	High
2	ARVADA-ABSTED CLAYS, 0 TO 2 PERCENT SLOPES								
		ARVADA	50	> 72	None	Very limited	Not limited	Very slow	Very high
		ABSTED	45	> 72	None	Very limited	Not limited	Very slow	Very high
20	KIM-HARVEY LOAMS, 1 TO 3 PERCENT SLOPES								
		KIM	50	> 72	None	Not limited	Somewhat limited	Moderate	Low
		HARVEY	35	> 72	None	Not limited	Somewhat limited	Moderate	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
21	KIM-HARVEY-STONEHAM LOAMS, 1 TO 3 PERCENT SLOPES								
		KIM	40	> 72	None	Not limited	Somewhat limited	Moderate	Low
		HARVEY	25	> 72	None	Not limited	Somewhat limited	Moderate	Low
		STONEHAM	25	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
22	KIM-STONEHAM-LARIMER LOAMS, 3 TO 12 PERCENT SLOPES								
		KIM	35	> 72	None	Somewhat limited	Very limited	Moderate	Medium
		STONEHAM	30	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
		LARIMER	25	> 72	None	Not limited	Very limited	Moderate	Medium
23	LIMON CLAY								
		LIMON	85	> 72	Occasional	Very limited	Very limited	Slow	High
24	MANZANOLA CLAY LOAM, 0 TO 2 PERCENT SLOPES								
		MANZANOLA	85	> 72	None	Somewhat limited	Not limited	Slow	High
25	MIDWAY CLAY, 5 TO 12 PERCENT SLOPES								
		MIDWAY	85	> 72	None	Very limited	Very limited	Slow	Very high
26	NORKA SILT LOAM, 0 TO 2 PERCENT SLOPES								
		NORKA	85	> 72	None	Not limited	Somewhat limited	Moderate	Low
27	OLNEY LOAMY SAND, 0 TO 2 PERCENT SLOPES								
		OLNEY	85	> 72	None	Not limited	Somewhat limited	Moderate	Low
28	OTERO SANDY LOAM, 1 TO 5 PERCENT SLOPES								
		OTERO	85	> 72	None	Not limited	Very limited	Moderately rapid	Very low
29	PLAYAS								
		PLAYAS	85	0-72	None	Very limited	Very limited	Slow	High
3	BACA LOAM, 0 TO 1 PERCENT SLOPES								
		BACA	85	> 72	None	Not limited	Somewhat limited	Slow	High
30	RICHFIELD SILT LOAM, 0 TO 1 PERCENT								
		RICHFIELD	85	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
31	SHINGLE CLAY LOAM, 2 TO 10 PERCENT SLOPES								
		SHINGLE	85	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
32	SINGERTON-PULTNEY COMPLEX, 1 TO 10 PERCENT SLOPES								
		SINGERTON	45	> 72	None	Somewhat limited	Somewhat limited	Moderate	Medium
		PULTNEY	35	> 72	None	Somewhat limited	Very limited	Moderately slow	High
33	STONEHAM LOAM, 0 TO 3 PERCENT SLOPES								
		STONEHAM	85	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
34	STONEHAM-KIM LOAMS, 0 TO 2 PERCENT SLOPES, ERODED								
		STONEHAM	50	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
		KIM	40	> 72	None	Not limited	Somewhat limited	Moderate	Low
35	SUNDANCE LOAMY SAND								
		SUNDANCE	85	> 72	None	Somewhat limited	Somewhat limited	Moderately slow	Medium
36	SUNDANCE-FORT COLLINS COMPLEX, 0 TO 2 PERCENT SLOPES								
		SUNDANCE	55	> 72	None	Not limited	Somewhat limited	Moderately slow	Low
		FORT COLLINS	35	> 72	None	Not limited	Somewhat limited	Moderate	Low
37	VALENT LOAMY SAND, 3 TO 10 PERCENT SLOPES								
		VALENT	85	> 72	None	Not limited	Very limited	Rapid	Very low
38	VALENT-BLOWNOUT LAND COMPLEX, 2 TO 8 PERCENT SLOPES								
		VALENT	40	> 72	None	Not limited	Very limited	Rapid	Very low
39	VONA SANDY LOAM, 1 TO 3 PERCENT SLOPES								
		VONA	85	> 72	None	Not limited	Very limited	Moderately rapid	Very low
4	BACA-WILEY COMPLEX, 0 TO 2 PERCENT SLOPES								
		BACA	50	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
		WILEY	40	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
40	VONA-STONEHAM SANDY LOAMS, 1 TO 10 PERCENT SLOPES								
		VONA	55	> 72	None	Not limited	Very limited	Moderately rapid	Low
		STONEHAM	35	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
41	WILEY LOAM								
		WILEY	85	> 72	None	Not limited	Somewhat limited	Moderate	Low

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
5	BANKARD-GLENBERG COMPLEX								
		BANKARD	60	> 72	Frequent	Very limited	Very limited	Rapid	Negligible
		GLENBERG	30	> 72	None	Not limited	Very limited	Moderately rapid	Very low
6	BIJOU LOAMY SAND, 0 TO 2 PERCENT SLOPES								
		BIJOU	90	> 72	None	Not limited	Very limited	Moderately rapid	Very low
7	BIJOU-VALENT LOAMY SANDS, 1 TO 8 PERCENT SLOPES								
		BIJOU	50	> 72	None	Not limited	Very limited	Moderately rapid	Very low
		VALENT	40	> 72	None	Not limited	Very limited	Rapid	Very low
8	CADOMA CLAY, 1 TO 8 PERCENT SLOPES								
		CADOMA	85	> 72	None	Very limited	Very limited	Slow	Very high
9	CANYON-ROCK OUTCROP COMPLEX, 1 TO 20 PERCENT SLOPES								
		CANYON	65	> 72	None	Very limited	Very limited	Moderately slow	High