

Map Unit Name

Angie fine sandy loam
 Angie fine sandy loam, very gently sloping phase
 Angie sandy loam, 2 to 5 percent slopes
 Angie sandy loam, 2 to 5 percent slopes (Prime farmland if drained)
 Angie variant loam
 Bama fine sandy loam, 0 to 2 percent slopes
 Bama fine sandy loam, 2 to 5 percent slopes
 Blakely loam
 Bowie fine sand, 2 to 5 percent slopes
 Bowie fine sand, 5 to 8 percent slopes
 Bowie loamy sand, 0 to 2 percent slopes
 Bowie loamy sand, 2 to 5 percent slopes
 Bowie loamy sand, 2 to 5 percent slopes, eroded
 Bowie loamy sand, 5 to 8 percent slopes
 Carnegie fine sandy loam, 5 to 8 percent slopes, severely eroded
 Carnegie fine sandy loam, eroded very gently sloping phase
 Carnegie fine sandy loam, level phase
 Carnegie fine sandy loam, very gently sloping phase
 Carnegie loamy fine sand, 0 to 2 percent slopes
 Carnegie loamy fine sand, 2 to 5 percent slopes
 Carnegie loamy fine sand, 2 to 5 percent slopes, eroded
 Carnegie loamy fine sand, 5 to 8 percent slopes
 Carnegie loamy fine sand, 5 to 8 percent slopes, eroded
 Carnegie loamy sand, 2 to 5 percent slopes
 Carnegie loamy sand, 2 to 5 percent slopes, eroded
 Clarendon fine sandy loam
 Clarendon loamy fine sand, 2 to 5 percent slopes
 Compass loamy sand, 0 to 2 percent slopes
 Compass loamy sand, 2 to 5 percent slopes
 Compass loamy sand, 5 to 8 percent slopes
 Congaree silt loam (Prime farmland if protected from flooding or not frequently flooded during the growing season)
 Cuthbert loamy fine sand, 2 to 5 percent slopes
 Cuthbert soils, 2 to 5 percent slopes
 Dothan fine sandy loam, 0 to 2 percent slopes
 Dothan fine sandy loam, 2 to 5 percent slopes
 Dothan fine sandy loam, 5 to 8 percent slopes
 Dothan loamy fine sand, 2 to 5 percent slopes
 Dothan loamy fine sand, 5 to 8 percent slopes
 Dothan loamy fine sand, 5 to 8 percent slopes, eroded
 Dothan loamy sand, 0 to 2 percent slopes
 Dothan loamy sand, 2 to 5 percent slopes
 Dothan loamy sand, 5 to 8 percent slopes
 Dothan sandy loam, 0 to 2 percent slopes
 Dunbar loamy sand, 2 to 5 percent slopes (Prime farmland if drained)
 Duplin fine sandy loam, 0 to 2 percent slopes

Map Unit Name

Duplin fine sandy loam, 2 to 5 percent slopes
 Duplin loamy fine sand, 2 to 5 percent slopes
 Duplin very fine sandy loam, very rarely flooded
 Emory fine sandy loam, ponded
 Escambia fine sandy loam, 0 to 2 percent slopes
 Escambia fine sandy loam, 0 to 2 percent slopes (Prime farmland if drained)
 Escambia fine sandy loam, 0 to 3 percent slopes
 Escambia sandy loam, 0 to 2 percent slopes (Prime farmland if drained)
 Escambia sandy loam, 2 to 5 percent slopes (Prime farmland if drained)
 Esto fine sandy loam, 2 to 5 percent slopes
 Esto loam, 2 to 5 percent slopes
 Esto loamy sand, 0 to 5 percent slopes
 Esto loamy sand, 2 to 5 percent slopes
 Eulonia loamy fine sand, 0 to 2 percent slopes
 Eulonia loamy fine sand, 2 to 5 percent slopes
 Eunola fine sand, 0 to 5 percent slopes (Prime farmland if drained)
 Eunola fine sand, occasionally flooded
 Eunola fine sandy loam, 0 to 2 percent slopes, occasionally flooded
 Eunola fine sandy loam, 2 to 5 percent slopes, occasionally flooded
 Eunola loamy fine sand, 0 to 5 percent slopes, occasionally flooded (Prime farmland if drained)
 Eunola-Bonneau fine sands, 0 to 5 percent slopes
 Faceville fine sandy loam, 2 to 5 percent slopes
 Faceville fine sandy loam, 5 to 8 percent slopes, eroded
 Faceville fine sandy loam, level phase
 Faceville fine sandy loam, very gently sloping phase
 Faceville loamy fine sand, 0 to 2 percent slopes
 Faceville loamy fine sand, 2 to 5 percent slopes
 Faceville loamy fine sand, 2 to 5 percent slopes, eroded
 Faceville loamy fine sand, 5 to 8 percent slopes
 Faceville loamy sand, 2 to 5 percent slopes
 Faceville loamy sand, 2 to 5 percent slopes, eroded
 Faceville loamy sand, 5 to 8 percent slopes, eroded
 Faceville sandy loam, 2 to 5 percent slopes
 Faceville sandy loam, 5 to 8 percent slopes
 Florala loamy fine sand, 0 to 2 percent slopes (Prime farmland if drained)
 Florala loamy fine sand, 2 to 5 percent slopes (Prime farmland if drained)
 Florala loamy sand, 0 to 2 percent slopes (Prime farmland if drained)
 Florala loamy sand, 2 to 5 percent slopes (Prime farmland if drained)
 Goldsboro loamy coarse sand, 0 to 2 percent slopes
 Goldsboro loamy coarse sand, 2 to 5 percent slopes
 Goldsboro loamy coarse sand, 5 to 8 percent slopes
 Goldsboro loamy fine sand, 0 to 2 percent slopes
 Goldsboro loamy fine sand, 2 to 5 percent slopes
 Goldsboro loamy sand, 0 to 2 percent slopes
 Goldsboro loamy sand, 2 to 5 percent slopes

Map Unit Name

Greenville fine sandy loam, 2 to 5 percent slopes
 Greenville fine sandy loam, 5 to 8 percent slopes
 Gritney loamy sand, 2 to 5 percent slopes
 Hannahatchee soils, local alluvium
 Hernando fine sand, 2 to 5 percent slopes
 Hernando fine sand, 5 to 8 percent slopes
 Hornsville fine sandy loam, 0 to 2 percent slopes
 Hornsville fine sandy loam, 2 to 5 percent slopes
 Irvington fine sandy loam
 Iuka loam
 Izagora fine sandy loam
 Izagora fine sandy loam, 0 to 2 percent slopes, occasionally flooded
 Izagora loamy fine sand
 Johns fine sandy loam (Prime farmland if drained)
 Kalmia fine sandy loam, level phase
 Kalmia fine sandy loam, very gently sloping phase
 Kalmia loamy fine sand, 0 to 2 percent slopes
 Kalmia loamy fine sand, 2 to 5 percent slopes
 Leefield fine sand, 0 to 5 percent slopes (Prime farmland if drained)
 Levyville-Hague complex
 Levyville-Shadeville complex, 2 to 5 percent slopes
 Lynchburg fine sand, 0 to 2 percent slopes (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
 Lynchburg fine sandy loam
 Lynchburg fine sandy loam (Prime farmland if drained)
 Lynchburg fine sandy loam, level phase
 Lynchburg fine sandy loam, very gently sloping phase
 Lynchburg gravelly very fine sandy loam
 Lynchburg loamy fine sand
 Lynchburg loamy fine sand (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
 Lynchburg loamy fine sand, 0 to 2 percent slopes (Prime farmland if drained)
 Lynchburg loamy fine sand, 2 to 5 percent slopes (Prime farmland if drained)
 Lynchburg loamy sand
 Magnolia loamy fine sand, 0 to 2 percent slopes
 Magnolia loamy fine sand, 0 to 2 percent slopes eroded
 Magnolia loamy fine sand, 2 to 5 percent slopes
 Magnolia loamy fine sand, 2 to 5 percent slopes, eroded
 Magnolia loamy fine sand, 5 to 8 percent slopes
 Magnolia loamy fine sand, 5 to 8 percent slopes, eroded
 Malbis fine sandy loam, 0 to 2 percent slopes
 Malbis fine sandy loam, 2 to 5 percent slopes
 Malbis fine sandy loam, 5 to 8 percent slopes
 Malbis sandy loam, 0 to 2 percent slopes
 Malbis sandy loam, 2 to 5 percent slopes
 Marlboro loamy sand, 2 to 5 percent slopes

Map Unit Name

Marlboro loamy sand, 2 to 5 percent slopes, eroded
 Maxton loamy fine sand
 Maxton loamy fine sand, 2 to 5 percent slopes
 Micanopy fine sand, 2 to 5 percent slopes (Prime farmland if drained)
 Micanopy fine sand, 2 to 5 percent slopes (Prime farmland if drained)
 Micanopy loamy fine sand, 0 to 2 percent slopes (Prime farmland if drained)
 Micanopy loamy fine sand, 1 to 5 percent slopes (Prime farmland if drained)
 Micanopy loamy fine sand, 2 to 5 percent slopes
 Micanopy loamy fine sand, 2 to 5 percent slopes (Prime farmland if drained)
 Miccosukee fine sandy loam, 0 to 2 percent slopes
 Norfolk fine sandy loam, gently sloping phase
 Norfolk fine sandy loam, level phase
 Norfolk fine sandy loam, very gently sloping phase
 Norfolk loamy fine sand, 0 to 2 percent slopes
 Norfolk loamy fine sand, 2 to 5 percent slopes
 Norfolk loamy fine sand, 2 to 5 percent slopes, eroded
 Norfolk loamy fine sand, 5 to 8 percent slopes
 Norfolk loamy fine sand, 5 to 8 percent slopes, eroded
 Norfolk loamy sand, 0 to 2 percent slopes
 Norfolk loamy sand, 2 to 5 percent slopes
 Norfolk loamy sand, 2 to 5 percent slopes, eroded
 Norfolk loamy sand, 5 to 8 percent slopes
 Norfolk loamy sand, 5 to 8 percent slopes, eroded
 Norfolk loamy sand, clayey substratum, 5 to 8 percent slopes
 Notcher fine sandy loam, 0 to 2 percent slopes
 Notcher fine sandy loam, 2 to 5 percent slopes
 Notcher fine sandy loam, 5 to 8 percent slopes
 Notcher gravelly sandy loam, 0 to 2 percent slopes
 Notcher gravelly sandy loam, 2 to 5 percent slopes
 Ocala fine sand, 0 to 3 percent slopes (Prime farmland if drained)
 Orangeburg fine sandy loam, 2 to 5 percent slopes
 Orangeburg fine sandy loam, 5 to 8 percent slopes
 Orangeburg loamy fine sand, 0 to 2 percent slopes
 Orangeburg loamy fine sand, 2 to 5 percent slopes
 Orangeburg loamy fine sand, 2 to 5 percent slopes, eroded
 Orangeburg loamy fine sand, 5 to 8 percent slopes
 Orangeburg loamy fine sand, 5 to 8 percent slopes, eroded
 Orangeburg loamy sand, 0 to 2 percent slopes
 Orangeburg loamy sand, 2 to 5 percent slopes
 Orangeburg loamy sand, 5 to 8 percent slopes
 Orangeburg sandy loam, 0 to 2 percent slopes
 Orangeburg sandy loam, 1 to 5 percent slopes
 Orangeburg sandy loam, 2 to 5 percent slopes
 Orangeburg sandy loam, 5 to 8 percent slopes
 Orangeburg sandy loam, 5 to 8 percent slopes, eroded
 Perdido sandy loam, 0 to 2 percent slopes

Map Unit Name

Perdido sandy loam, 2 to 5 percent slopes
 Perdido sandy loam, 5 to 8 percent slopes
 Poarch sandy loam, 0 to 2 percent slopes
 Poarch sandy loam, 2 to 5 percent slopes
 Poarch sandy loam, 5 to 8 percent slopes
 Rains loamy fine sand (Prime farmland if drained)
 Red bay fine sandy loam, 0 to 2 percent slopes
 Red bay fine sandy loam, 2 to 5 percent slopes
 Red bay fine sandy loam, 5 to 8 percent slopes
 Red bay fine sandy loam, gently sloping phase
 Red bay fine sandy loam, level phase
 Red bay fine sandy loam, very gently sloping phase
 Red bay loamy fine sand, 0 to 2 percent slopes
 Red bay loamy fine sand, 2 to 5 percent slopes
 Red bay loamy fine sand, 2 to 5 percent slopes, eroded
 Red bay loamy fine sand, 5 to 8 percent slopes
 Red bay loamy fine sand, 5 to 8 percent slopes, eroded.
 Red bay loamy fine sand, gently sloping thick surface phase
 Red bay loamy fine sand, level thick surface phase
 Red bay loamy fine sand, very gently sloping thick surface phase
 Red bay sandy loam, 0 to 2 percent slopes
 Red bay sandy loam, 2 to 5 percent slopes
 Robertsdale sandy loam, 0 to 1 percent slopes
 Ruston coarse sand, 2 to 5 percent slopes
 Ruston fine sandy loam, gently sloping phase
 Ruston fine sandy loam, level phase
 Ruston fine sandy loam, very gently sloping phase
 Ruston loamy fine sand, 0 to 2 percent slopes
 Ruston loamy fine sand, 2 to 5 percent slopes
 Ruston loamy fine sand, 2 to 5 percent slopes, eroded
 Ruston loamy fine sand, 5 to 8 percent slopes
 Ruston loamy fine sand, 5 to 8 percent slopes, eroded
 Ruston loamy sand, 2 to 5 percent slopes
 Ruston loamy sand, 2 to 5 percent slopes, eroded
 Ruston loamy sand, 5 to 8 percent slopes
 Ruston loamy sand, 5 to 8 percent slopes, eroded
 Savannah fine sandy loam, level thick solum phase
 Savannah fine sandy loam, very gently sloping thick solum phase
 Sawyer loamy fine sand, 2 to 5 percent slopes
 Shubuta fine sandy loam, 2 to 5 percent slopes
 Shubuta loamy sand, 2 to 5 percent slopes
 Shubuta loamy sand, 2 to 5 percent slopes, eroded
 Stough fine sandy loam
 Tifton fine sandy loam, 0 to 2 percent slopes
 Tifton fine sandy loam, 2 to 5 percent slopes
 Tifton fine sandy loam, 5 to 8 percent slopes

Map Unit Name

- Tifton fine sandy loam, gently sloping phase
- Tifton fine sandy loam, level phase
- Tifton fine sandy loam, very gently sloping phase
- Tifton gravelly loamy fine sand, 2 to 5 percent slopes
- Tifton gravelly loamy fine sand, 5 to 8 percent slopes, eroded
- Tifton loamy fine sand, 0 to 2 percent slopes
- Tifton loamy fine sand, 2 to 5 percent slopes
- Tifton loamy fine sand, 2 to 5 percent slopes, eroded
- Tifton loamy fine sand, 5 to 8 percent slopes eroded
- Tifton loamy sand, 2 to 5 percent slopes
- Tifton loamy sand, 2 to 5 percent slopes, eroded
- Tifton loamy sand, 5 to 8 percent slopes
- Tifton loamy sand, 5 to 8 percent slopes, eroded
- Tifton sandy loam, 0 to 2 percent slopes
- Tifton sandy loam, 2 to 5 percent slopes
- Tifton sandy loam, 5 to 8 percent slopes
- Williston loamy fine sand, 2 to 5 percent slopes
- Yemassee fine sandy loam, 0 to 2 percent slopes, occasionally flooded (Prime farmland if drained)
- Yemassee fine sandy loam, occasionally flooded (Prime farmland if drained)
- Zuber loamy fine sand, 2 to 5 percent slopes
- Zuber loamy fine sand, 5 to 8 percent slopes
- Zuber loamy sand, 0 to 2 percent slopes
- Zuber loamy sand, 2 to 5 percent slopes
- Zuber loamy sand, 5 to 8 percent slopes