

## NATURAL RESOURCES CONSERVATION SERVICE

### CONSERVATION PRACTICE STANDARD

## FORAGE AND BIOMASS PLANTING

(Ac.)

CODE 512

### DEFINITION

Establishing adapted and/or compatible species, varieties, or cultivars of herbaceous species suitable for pasture, hay, or biomass production.

### PURPOSE

- Improve or maintain livestock nutrition and/or health.
- Provide or increase forage supply during periods of low forage production.
- Reduce soil erosion.
- Improve soil and water quality.
- Produce feedstock for biofuel or energy production

### CONDITIONS WHERE PRACTICE APPLIES

This practice applies all lands suitable to the establishment of annual, biennial or perennial species for forage or biomass production. This practice does not apply to the establishment of annually planted and harvested food, fiber, or oilseed crops.

### CRITERIA

#### **General Criteria Applicable to All Purposes**

Select plant species and their cultivars based on:

- Climatic conditions, such as annual precipitation and its distribution, growing season length, temperature extremes, *NRCS Forage Suitability Group descriptions*, and the USDA Plant Hardiness Zone.

- Soil condition and landscape position attributes such as; pH, available water holding capacity, aspect, slope, drainage class, fertility level, salinity, depth, flooding and ponding, and levels of phytotoxic elements that may be present.
- *Intended use, level of management, realistic yield estimates, maturity stage, and compatibility with other species. Verify plant adaptation to the area prior to planting.*
- Resistance to disease and insects common to the site or location.

Follow recommendations for planting rates, methods and dates obtained from the plant materials program, land grant and research institutions, extension agencies, or agency field trials.

Seeding rates will be calculated on a pure live seed (PLS) basis.

Plant at a depth appropriate for the seed size or plant material, while assuring uniform contact with soil.

Prepare the site to provide a medium that does not restrict plant emergence.

Plant when soil moisture is adequate for germination and establishment.

All seed and planting materials will meet state quality standards.

*If recommended plants or plant materials have a Pacific Island Ecosystems at Risk (PIER) score of 7 or higher, approval to use those plants must be obtained in writing from the NRCS State Rangeland Management Specialist, or NRCS Assistant Director for Technology, or their designee. Efforts to*

Conservation practice standards are reviewed periodically and updated if needed. To obtain the current version of this standard, contact your Natural Resources Conservation Service [State Office](#) or visit the [Field Office Technical Guide](#). *Italicized font represents state-specific additions to the standard, which are more specific than guidance in the national standard.*

**NRCS, PI**  
**January 2011**

*recommend the least noxious plants will be made in every case. Consult the PIER risk assessments at <http://www.hear.org/pier/index.html>.*

Apply all plant nutrients and/or soil amendments for establishment purposes according to a current soil test. Application rates, methods and dates are obtained from the plant materials program, land grant and research institutions, extension agencies, or agency field trials.

When planting legumes, use pre-inoculated seed or inoculate with the proper viable strain of Rhizobia immediately before planting.

Exclude livestock until the plants are well established. *Use the guidelines provided in 528-Prescribed Grazing specification, Tables 2 and 3, for appropriate stubble heights before grazing to indicate if plants are well-established to withstand grazing.*

#### **Additional Criteria for Improving or Maintaining Livestock Nutrition and/or Health**

Use forage species that will meet the desired level of nutrition (quantity and quality) for the kind and class of the livestock to be fed.

Forage species planted as mixtures will exhibit similar palatability to avoid selective grazing.

#### **Additional Criteria for Providing or Increasing Forage Supply During Periods of Low Forage Production**

Select plants that will help meet livestock forage demand during times that normal farm/ranch forage production are not adequate.

#### **Additional Criteria for Reducing Erosion and Improving Water Quality**

Ground cover and root mass need to be sufficient to protect the soil from wind and water erosion.

#### **Additional Criteria for Producing Feedstocks for Biofuel or Energy Production**

Select plants that provide adequate kinds and amount of plant materials needed.

## **CONSIDERATIONS**

In areas where animals congregate, consider establishing persistent species that can tolerate close grazing and trampling.

Where wildlife and pollinator concerns exist, consider plant selection by using an approved habitat evaluation procedure.

Where air quality concerns exist consider using site preparation and planting techniques that will minimize airborne particulate matter generation and transport.

Where carbon sequestration is a goal, select deep-rooted perennial species that will increase underground carbon storage.

During and upon stand establishment, planning and application of the following conservation practices should be considered as applicable; Forage and Biomass Harvest (511), *Brush Management* (314), Herbaceous Weed Control (315), Nutrient Management (590), and Prescribed Grazing (528).

## **PLANS AND SPECIFICATIONS**

Prepare plans and specifications for the establishment planting for each site or management unit according to the Criteria, Considerations, and Operations and Maintenance described in this standard. Record them on a site specific job sheet or in the narrative of a conservation plan.

The following elements will be addressed in the plan to meet the intended purpose:

- Site Preparation
- Fertilizer Application (if applicable)
- Seedbed/Planting Bed Preparation
- Methods of Seeding/Planting
- Time of Seeding/Planting
- Selection of Species
- Type of legume inoculant used (if applicable)
- Seed/Plant Source
- Seed Analysis
- Rates of Seeding/Planting

- Supplemental Water for Plant Establishment (if applicable)
- Protection of Plantings (if applicable)

## OPERATION AND MAINTENANCE

Inspect and calibrate equipment prior to use. Continually monitor during planting to ensure proper rate, distribution and depth of planting material is maintained.

Monitor new plantings for water stress. Depending on the severity of drought, water stress may require reducing weeds, early harvest of any companion crops, irrigating when possible, or replanting failed stands.

## REFERENCES

Ball, D.M., C.S. Hoveland, and G.D.Lacefield, 2007. Southern Forages, 4<sup>th</sup> Ed. International Plant Nutrition Institute, Norcross, GA.

Barnes, R.F., D.A. Miller, and C.J. Nelson. 1995. Forages, The Science of Grassland Agriculture, 5<sup>th</sup> Ed. Iowa State University Press, Ames.

Cook, B.G., Pengelly, B.C., Brown, S.D., Donnelly, J.L., Eagles, D.A., Franco, M.A., Hanson, J., Mullen, B.F., Partridge, I.J., Peters, M. and Schultze-Kraft, R. 2005. *Tropical Forages: an interactive selection tool*, [CD-ROM], CSIRO, DPI&F(Qld), CIAT and ILRI, Brisbane, Australia. Online resource at <http://www.tropicalforages.info/> accessed on 12 Nov 2010.

Fukumoto, G., Yamasaki, M. *Evaluation of Various Fertilizer Formulations on Pasture Yield*. Univ of Hawai'i, CTAHR, Nov 2000. Online resource at [http://www.ctahr.hawaii.edu/ctahr2001/InfoCenter/Forages/extensionResearch\\_projects.html](http://www.ctahr.hawaii.edu/ctahr2001/InfoCenter/Forages/extensionResearch_projects.html) accessed 12 Nov 2010.

Fukumoto, G., Lee, C. *Pangolagrass for Forage; Kikuyugrass for Forage; Signalgrass for Forage; Stargrass for Forage*. University of

Hawai'i, CTAHR, April 2003. Multiple online resources at <http://rangelands.manoa.hawaii.edu/rangesci.html> accessed 12 Nov 2010.

O' Reilly, M. V. 1992. *Better Pastures for the Tropics*. Frank Sauer & Sons P/L, Rockhampton, Queensland.

Skerman, P.J. 1977. *Tropical Forage Legumes*. Food and Agriculture Organization of the United Nations, Rome.

Skerman, P.J. and F. Riveros. 1990. *Tropical Grasses*. Food and Agriculture Organization of the United Nations, Rome.

Smith, B., P. Leung, and G. Love. 1986. *Intensive Grazing Management: Forage, Animals, Men, Profits*. The Graziers Hui, Kamuela, Hawaii.

University of Hawai'i, College of Tropical Agriculture and Human Resources. *The Forages Website*. Online resource at <http://www.ctahr.hawaii.edu/ctahr2001/InfoCenter/Forages/index.html> accessed 12 Nov 2010.

USDA, U. S. Forest Service. *Pacific Island Ecosystems at Risk (PIER)*. Online resource at <http://www.hear.org/pier/index.html> accessed 12 Nov 2010.

United States Department of Agriculture, Natural Resources Conservation Service. 1997. *National Range and Pasture handbook*. Washington, DC.

USDA, NRCS. 1981 *Erosion and Sediment Control Guide for Hawaii*. Honolulu, Hawaii.

USDA, NRCS. 2008. The PLANTS Database (<http://plants.usda.gov>, 08October 2008). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.

USDA, NRCS. 2009. Technical Note 3. *Planting and Managing Switchgrass as a Biomass Energy Crop*.