

Waste Treatment (No.) 629

DEFINITION

The mechanical, chemical or biological treatment of agricultural waste.

PURPOSE

To use mechanical, chemical, or biological treatment facilities and/processes as part of an agricultural waste management system:

- To improve ground and surface water quality by reducing the nutrient content, organic strength, and/or pathogen levels of agricultural waste.
- To improve air quality by reducing odors and gaseous emissions
- To produce value added byproducts
- To facilitate desirable waste handling, storage, or land application alternatives.

CONDITIONS WHERE PRACTICE APPLIES

This practice applies where the form and characteristics of agricultural waste make it difficult to manage so as to prevent it from becoming a nuisance or hazard or where changing the form or composition provides additional utilization alternatives, and where conventional waste management alternatives are deemed ineffective. More specifically:

- Liquids and solids need to be separated for further processing or for effective transport and subsequent utilization.
- Raw agricultural waste contains excess nutrients for land application based on crop utilization requirements or nutrient ratios need to be modified to be more consistent with crop utilization requirements.
- There is a need to reduce the potential for leaching or runoff of nutrients.
- Odors and/or gaseous emissions from livestock production facilities and waste

storage/treatment system components must be reduced.

- Value-added byproducts can be produced to offset treatment costs.
- Reduction of pathogens is required.

CRITERIA

General Criteria Applicable to All Waste Treatment Purposes.

Waste treatment facilities and processes shall be planned, designed, and installed to meet all federal, state, local, and tribal laws, rules and regulations.

Design. The system shall complete and supply to the land owner/operator a detailed design of the facility/process clearly outlining the objectives and anticipated outcomes of implementation.

The design documentation shall include a process diagram containing, at a minimum, the following information:

1. Volumetric flow rates including influent, effluent, and recycle streams.
2. Waste load projections including volume, mass, and characteristics of the waste important to the waste treatment facility or process.
3. Unit process volumes and hydraulic retention times where appropriate.
4. Air emissions projections from the system.
5. Nutrient fate projections within the system.
6. Process monitoring and control system requirements as described below in the Monitoring section of the criteria.

Independent, verifiable data demonstrating results of the use of the facility or process in other similar situations and locations shall be provided.

Where use of a waste treatment facility or process to improve one resource concern negatively impacts another, impacts and mitigation measures, if required by state or local agencies, are to be

TECHNICAL GUIDE
SECTION IV
State-Wide
Waste Treatment 629- 2

documented. The mitigation measures shall become a required component of this practice.

Plans and Specifications to document this practice shall be as described below.

Components. Waste treatment facilities and processes may consist of multiple components. Where criteria for individual components are described in existing NRCS practice standards, those practice standards and their specific criteria shall be used for planning, designing, and installation of that component.

Where components of a facility or process are not described in a current NRCS practice standard, the system provider and/or designer shall furnish a one year warranty on all construction or applied processes. In addition, the manufacturer shall provide a warranty that describes the service life of each component and what the warranty covers.

The waste treatment facility or process shall have a minimum practice life of ten years. Where components have less than a ten year service life, their planned replacement during the life of the practice shall be clearly identified in the Operation and Maintenance Plan.

Expected System Performance. The expected system performance shall be clearly documented prior to system installation. At a minimum, the expected system volumetric flow rate, expected macro-nutrient reductions or change in form, expected pathogen reductions, gaseous ammonia and hydrogen sulfide emissions reductions (or increases) shall be documented.

Operating Costs. Where components of a facility or process are not described in a current NRCS Conservation Practice Standard, the system provider shall furnish an annual estimate of operating costs for the system. Operating costs not based on actual systems data shall be clearly identified as estimates.

Monitoring. Equipment needed to properly monitor and control the waste treatment facility or process shall be installed as part of the system. Process control parameters to be monitored shall include those parameters identified in the design documentation. Parameters considered critical to proper system operation shall be identified in the Operation and Maintenance Plan. Run status of

critical equipment and unit processes shall be monitored.

Byproducts. Implementation of a waste treatment process or operation of a waste treatment facility shall not result in discharge of byproducts harmful to the environment.

All byproducts shall be handled and stored in such a manner as to prevent nuisances to neighbors or to the public at large.

Byproducts land applied to supply plant nutrients shall meet the criteria in NRCS Conservation Practice Standard 633, Waste Recycling and NRCS Conservation Practice Standard 590, Nutrient Management.

Any unmarketable or unused byproducts shall be handled and disposed of in accordance with all applicable federal, state, local and tribal laws and regulations. A plan for dealing with such byproducts shall be prepared and approved by NRCS prior to utilization of the process or installation of the waste treatment facility, and shall include a listing of any permits or permissions required for the execution of the plan.

Byproducts shall be recycled to the extent possible without causing a hazard to the environment.

Safety. Design of the process or facility shall include safety features to minimize hazards. Guards and shields shall be provided for moving parts of the equipment used in the treatment process. Waste treatment facilities shall be fenced and warning signs shall be posted where needed to prevent children and others from entering a hazardous area.

All treatment processes shall be carried out in accordance with all safety regulations. Protective clothing shall be utilized when handling potentially harmful chemicals that may be used in the process. Proper ventilation shall be provided.

CONSIDERATIONS

Location. The waste treatment facility should be located as near the source of manure or other waste as practicable and as far from neighboring dwellings or public areas as possible. Proper location should also consider slope, distance of manure and other waste transmission, vehicle

access, wind direction, proximity of streams and flood plains, and visibility.

In determining the location of the facility, consider elevation and distance from various components to take advantage of gravity flow where possible.

Manure Characteristics. Waste treatment may require specific total solids and nutrient contents of the waste stream. Pretreatment options such as dilution or settling could be used to adjust the solids content before entering the waste treatment facility or process.

Visual Screening. The visual impact of the waste treatment facility or process should be evaluated within the overall landscape context. Screening with vegetative plantings, landforms, or other measures may be implemented to alleviate a negative impact or enhance the view.

PLANS AND SPECIFICATIONS

Plans and specifications shall be prepared in accordance with the criteria of this standard and shall describe the requirements for applying the practice to achieve its intended use.

Support data documentation requirements are as follows:

- Inventory and evaluation records
 - Conservation Assistance notes or special report
- Survey notes, where applicable
 - Design survey
 - Construction layout survey
 - Construction check survey
- Design records
 - Physical data, functional requirements, and site constraints, where applicable
 - Soils/subsurface investigation report, where applicable
- Design and quantity calculations
 - Inflow and discharge pipelines, material and pipe slopes
 - Details of support systems for all components of the treatment facility
- Construction drawings/specifications with:

- Location map
- “Designed by” and “Checked by” names or initials
- Approval signature
- Job class designation
- Initials from preconstruction conference
- As-built notes
- Construction inspection records
 - Conservation Assistance notes or separate inspection records
 - Construction approval signature
- Record of any variances approved, where applicable
- Record of approvals of in-field changes affecting function and/or job class, where applicable
- Well isolation distance documentation

OPERATION AND MAINTENANCE

An Operation and Maintenance (O&M) plan shall be developed for this practice. The O&M plan shall be consistent with the purposes of the practice, its intended life, safety requirements, and the criteria for the design.