

## SECTION III – A

# QUALITY CRITERIA FOR RESOURCE MANAGEMENT SYSTEMS

### **Introduction**

This section provides information that is used when developing a **Resource Management System (RMS)** to treat or prevent problems associated with soil, water, air, plant, and animal resources (SWAPA). An RMS is a combination of conservation practices that when applied will meet or exceed minimum **Quality Criteria** for all identified resource concerns.

During the conservation planning process, the five natural resources and their associated social, economic, and cultural considerations are assessed to identify concerns affecting the use, management, and sustainability of each SWAPA resource. (*Refer to the NRCS National Planning Procedures Handbook, Parts 600.23 and 600.40, for additional guidance and tools to use in the inventory process.*) Quality Criteria establish the minimum level of treatment needed in an RMS to adequately treat the identified natural resource concerns. Resource sustainability, protection, and conservation are achieved when the Quality Criteria for SWAPA are met.

An RMS must be developed in accordance with all applicable federal, state, and local regulations and

program requirements, including appropriate consideration of ecological, economic, and social factors. An RMS is considered fully applied when all of the conservation practices that make up the system have been implemented according to the applicable Conservation Practice Standards in Section IV of the FOTG.

The tables in Section III-A establish national and state-level Quality Criteria for treatment of concerns affecting the following natural resources:

[Soil](#)

[Water](#)

[Air](#)

[Plants](#)

[Animals](#)

The tables also include recommendations for tools that can be used to assess current conditions and effects of planned conservation practices.

## Quality Criteria for Resource Management Systems

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREMENT UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>SOIL</b>					
<b>Soil Erosion - Sheet and Rill</b>	Detachment and transport of soil particles caused by rainfall splash and runoff degrade soil quality.	Sheet and rill erosion does not exceed the Soil Loss Tolerance "T."	Tons/Acre/Year - average annual tons of erosion reduced per acre for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment (pedestals, rills)</li> <li>• Erosion-bridge method; erosion meters</li> <li>• Special inventory methods (e.g., Rangeland Health Evaluation Worksheet)</li> <li>• RUSLE2</li> </ul>
<b>Soil Erosion - Wind</b>	Detachment and transport of soil particles caused by wind degrade soil quality and/or damage plants.	Wind erosion does not exceed the Soil Loss Tolerance "T" or, for plant damage, does not exceed Crop Damage Tolerances.	Tons/Acre/Year - average annual tons of erosion reduced per acre for the field or planning area/unit.	N/A	<ul style="list-style-type: none"> <li>• Visual assessment (pedestals, blow-out areas)</li> <li>• Special inventory methods (e.g., Rangeland Health Evaluation Worksheet)</li> <li>• Erosion prediction tool, i.e., Wind Erosion Equation (WEQ)</li> </ul>
<b>Soil Erosion - Ephemeral Gully</b>	Small channels caused by surface water runoff degrade soil quality and tend to increase in size. On cropland, they can be obscured by heavy tillage.	Surface water runoff is controlled sufficiently to stabilize the small channels and prevent reoccurrence of new channels.	Tons/Year - average annual tons of erosion reduced for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Volume calculation</li> </ul>
<b>Soil Erosion - Classic Gully</b>	Deep, permanent channels caused by the convergence of surface runoff degrade soil quality. They enlarge progressively by headcutting and lateral widening.	Surface water runoff is controlled sufficiently to stop progression of headcutting and widening.	Tons/Year - average annual tons of erosion reduced for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Volume calculation</li> <li>• Aerial photo trend analysis</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREMENT UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>SOIL</b>					
<b>Soil Erosion - Streambank</b>	Accelerated loss of streambank soils restricts land and water use and management.	Accelerated streambank soil loss does not exceed a level commensurate with upstream land use and normal geomorphological processes on site.	Tons/Year - average annual tons of erosion reduced for the field or planning area/unit.	Accelerated streambank soil loss does not exceed a level commensurate with upstream land use and normal geomorphological processes on site. Erosion is reduced to a rate that will not cause interference with the intended use of land or water.	<ul style="list-style-type: none"> <li>• Visual assessment, e.g., Stream Visual Assessment Protocol, Proper Functioning Condition (PFC)</li> <li>• Aerial photo trend analysis</li> <li>• Engineering Field Handbook, Chapter 16</li> </ul>
<b>Soil Erosion - Shoreline</b>	Soil is eroded along shorelines by wind and wave action, causing physical damage to vegetation, limiting land use, or creating a safety hazard.	Shoreline erosion is stabilized to a level that does not restrict the use or management of adjacent land, water or structures.	Tons/Year - average annual tons of erosion reduced for the field or planning area/unit.	Same as National	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Aerial photo trend analysis</li> <li>• Volume calculation</li> <li>• Erosion transects/pins</li> </ul>
<b>Soil Erosion – Irrigation-induced</b>	Improper irrigation water application and equipment operation are causing soil erosion that degrades soil quality.	Irrigation-induced erosion does not exceed the Soil Loss Tolerance “T.”	Tons/Acre/Year - average annual tons of erosion reduced per acre for the field or planning area/unit.	Same as National	<ul style="list-style-type: none"> <li>• SRFR (Surface Irrigation Model)</li> <li>• CPED (Center Pivot Evaluation and Design)</li> <li>• NRCS National and State Irrigation Guides</li> </ul>
<b>Soil Erosion - Mass Movement</b>	Soil slippage, landslides, or slope failure, normally on hillsides, result in large volumes of soil movement	Shallow slumps, slides, or slips are prevented or minimized so that the mass movement of soil material does not exceed naturally occurring rates.	Tons/Year - average annual tons of erosion reduced for the field or planning area/unit.	Same as National	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Aerial photo trend analysis</li> <li>• Volume calculation</li> </ul>
<b>Soil Erosion – Roads, Roadsides, and Construction Sites</b>	Soil loss occurs on areas left unprotected during or after road building and/or construction activities.	Sites are adequately protected from soil loss during and after road building and construction activities.	Tons/Year - average annual tons of erosion reduced for the field or planning area/unit.	Sites are adequately protected from soil loss during and after road building and construction activities. Prevention of off-site sedimentation is in accordance with State and local laws.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Volume Calculation</li> <li>• Water and wind erosion prediction tools (RUSLE2 and WEQ)</li> <li>• MD Sediment and Erosion Control Manual.</li> </ul>
<b>Soil Condition - Organic Matter Depletion</b>	Soil organic matter has or will diminish to a level that degrades soil quality.	Soil Conditioning Index is positive.	Soil Conditioning Index improvement - positive improvement in index for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Soil Conditioning Index</li> <li>• Soil Quality Kit</li> <li>• Soil testing and analysis</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREMENT UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>SOIL</b>					
<b>Soil Condition - Compaction</b>	Compressed soil particles and aggregates caused by mechanical compaction adversely affect plant-soil-moisture relationships.	Mechanically compacted soils are renovated sufficiently to restore plant root growth and/or water movement.	Grams/Cubic Centimeter - Average grams reduction in weight of a cubic centimeter of soil for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>Assessment of plant root systems</li> <li>Bulk density test-Soil Quality Kit</li> <li>Dial penetrometer</li> </ul>
<b>Soil Condition - Subsidence</b>	Loss of volume and depth of organic soils due to oxidation caused by above normal microbial activity resulting from excessive drainage or extended drought.	The timing and regime of soil moisture is managed to attain acceptable subsidence rates.	Inches/Acre/Year - average annual inches of subsidence reduced per acre for the field or planning area/unit.	N/A	<ul style="list-style-type: none"> <li>Visual assessment</li> <li>Inventory of volume and depth</li> <li>Soil probes and witness poles</li> </ul>
<b>Soil Condition - Contaminants - Salts and Other Chemicals</b>	Inorganic chemical elements and compounds such as salts, selenium, boron, and heavy metals restrict the desired use of the soil or exceed the soil buffering capacity	Salinity levels cause less than a 10% decrease in plant yield. Other contaminants do not exceed plant tolerances or are below toxic levels for plants or animals.	Pounds/Acre/Year - average annual pounds of contaminants reduced per acre for the field or planning area/unit.	Salinity levels cause less than a 10% decrease in plant yield. Other contaminants do not exceed plant tolerances or are below toxic levels for plants or animals. Application of all organics and chemicals is in compliance with all federal, state, and local laws.	<ul style="list-style-type: none"> <li>Soil test</li> <li>Soil Quality Kit- EC meter</li> <li>Farm*A*Syst assessment</li> </ul>
<b>Soil Condition - Contaminants - Animal Waste and Other Organics - N</b>	Nitrogen nutrient levels from applied animal waste and other organics restrict desired use of the land.	Nitrogen nutrient levels do not exceed soil storage/plant uptake capacities based on soil test recommendations and risk analysis results.	Pounds/Acre/Year - average annual pounds of nitrogen (N) reduced per acre for the field or planning area/unit.	Nitrogen nutrient application levels do not exceed soil storage/plant uptake capacities based on soil test recommendations and risk analysis results. Application of all organics is in compliance with all federal, state, and local laws.	<ul style="list-style-type: none"> <li>Soil test</li> <li>Plant tissue test</li> <li>Application records</li> <li>Yield records/history</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREMENT UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>SOIL</b>					
<b>Soil Condition - Contaminants - Animal Waste and Other Organics - P</b>	Phosphorus nutrient levels from applied animal waste and other organics restrict desired use of the land.	Phosphorus nutrient application levels do not exceed soil storage/plant uptake capacities based on soil test recommendations and risk analysis results.	Pounds/Acre/Year - average annual pounds of phosphorus (P) reduced per acre for the field or planning area/unit.	Phosphorus nutrient application levels do not exceed soil storage/plant uptake capacities based on soil test recommendations and risk analysis results. Application of all organics is in compliance with all federal, state, and local laws.	<ul style="list-style-type: none"> <li>• Soil test</li> <li>• Phosphorus Index</li> <li>• Plant tissue test</li> <li>• Application records</li> <li>• Yield records/history</li> </ul>
<b>Soil Condition - Contaminants - Animal Waste and Other Organics - K</b>	Potassium nutrient levels from applied animal waste and other organics restrict desired use of the land.	Potassium nutrient application levels do not exceed soil storage/plant uptake capacities based on soil test recommendations and risk analysis results.	Pounds/Acre/Year - average annual pounds of potassium (K) reduced per acre for the field or planning area/unit.	Potassium nutrient application levels do not exceed soil storage/plant uptake capacities based on soil test recommendations and risk analysis results. Application of all organics is in compliance with all federal, state, and local laws.	<ul style="list-style-type: none"> <li>• Soil test</li> <li>• Plant tissue test</li> <li>• Application records</li> <li>• Yield records/history</li> </ul>
<b>Soil Condition – Contaminants - Commercial Fertilizer - N</b>	Over application of nitrogen degrades plant health and vigor, or exceeds the soil capacity to retain nutrients.	Soil nutrient levels of nitrogen do not exceed crop needs based on realistic yield goals and appropriate pH levels are maintained.	Pounds/Acre/Year - average annual pounds of nitrogen (N) reduced per acre for the field or planning area/unit.	Soil nutrient levels of nitrogen do not exceed crop needs based on realistic yield goals and appropriate pH levels are maintained. Application of nutrients is in compliance with all federal, state, and local laws.	<ul style="list-style-type: none"> <li>• Soil Test</li> <li>• Soil Quality Kit-pH meter</li> </ul>
<b>Soil Condition – Contaminants - Commercial Fertilizer - P</b>	Over application of phosphorus degrades plant health and vigor, or exceeds the soil capacity to retain nutrients.	Soil nutrient levels of phosphorus do not exceed crop needs based on realistic yield goals and appropriate pH levels are maintained.	Pounds/Acre/Year - average annual pounds of phosphorus (P) reduced per acre for the field or planning area/unit.	Soil nutrient levels of phosphorus do not exceed crop needs based on realistic yield goals and appropriate pH levels are maintained. Application of nutrients is in compliance with all federal, state, and local laws.	<ul style="list-style-type: none"> <li>• Soil Test</li> <li>• Phosphorus Index</li> <li>• Soil Quality Kit-pH meter</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREMENT UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>SOIL</b>					
<b>Soil Condition – Contaminants - Commercial Fertilizer - K</b>	Over application of potassium degrades plant health and vigor, or exceeds the soil capacity to retain nutrients.	Soil nutrient levels of potassium do not exceed crop needs based on realistic yield goals and appropriate pH levels are maintained.	Pounds/Acre/Year - average annual pounds of potassium (K) reduced per acre for the field or planning area/unit.	Soil nutrient levels of potassium do not exceed crop needs based on realistic yield goals and appropriate pH levels are maintained. Application of nutrients is in compliance with all federal, state, and local laws.	<ul style="list-style-type: none"> <li>• Soil Test</li> <li>• Soil Quality Kit-pH meter</li> </ul>
<b>Soil Condition - Contaminants - Residual Pesticides</b>	Residual pesticides in the soil have an adverse effect on non-target plants and animals.	Pesticides are applied, stored, handled, and disposed of so that residues in the soil do not adversely affect non-target plants and animals.	Non Measurable.	Pesticides are applied, stored, handled, and disposed of so that residues in the soil do not adversely affect non-target plants and animals. Application of pesticides is in compliance with all federal, state, and local laws.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• WIN-PST</li> <li>• NAPRA</li> <li>• Soil test</li> <li>• Plant and animal tissue test</li> </ul>
<b>Soil Condition - Damage from Soil Deposition</b>	Sediment deposition damages or restricts land use/management or adversely affects ecological processes.	Sediment deposition is sufficiently reduced to maintain desired land use/management and ecological processes.	Acres/Year - average annual acres of sediment deposition reduced for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Volume calculation</li> <li>• Current water and wind erosion prediction tools (RUSLE2 and WEQ) coupled with sediment delivery ratios</li> <li>• Plant and animal community assessment</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>WATER</b>					
<b>Water Quantity - Excessive Seepage</b>	Subsurface water oozing to the surface restricts land use and management.	Subsurface water is managed to limit periods of saturation that are unfavorable to the present or intended land use. Management complies with wetland policies.	Acres/Year - average annual acres of seep reduced for the field or planning area/unit.	Subsurface water is managed to limit periods of saturation that are unfavorable to the present or intended land use. Management complies with wetland policies, and federal, state and local laws.	<ul style="list-style-type: none"> <li>• Visual Assessment (physical presence of water, prevalence of hydrophytic vegetation, etc.)</li> <li>• Client interview</li> <li>• Area measurements</li> </ul>
<b>Water Quantity - Excessive Runoff, Flooding, or Ponding</b>	The land becomes inundated restricting land use and management.	Excess water amounts and/or rates of flow are controlled consistent with desired present or intended land use goals and wetland policies.	Non Measurable.	Excess water amounts and/or rates of flow are controlled consistent with desired present or intended land use goals and wetland policies and federal, state and local laws.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Client interview</li> <li>• Stream Visual Assessment Protocol</li> <li>• National Engineering Handbook (EFH – chapter 2 and 3)</li> <li>• Hydrologic models, e.g. HECRAS, TR-20, TR-55</li> </ul>
<b>Water Quantity - Excessive Subsurface Water</b>	Water saturates upper soil layers restricting land use and management.	Subsurface water is managed to limit periods of saturation compatible with the present or intended land use and wetland policies.	Non Measurable.	Subsurface water is managed to limit periods of saturation compatible with the present or intended land use and wetland policies and federal, state and local laws..	<ul style="list-style-type: none"> <li>• Visual assessment of soil cores and coring holes</li> <li>• Plant quality and quantity measurements</li> <li>• National Engineering Handbook, Part 650 (EFH-Chapter 14)</li> </ul>
<b>Water Quantity - Drifted Snow</b>	Wind-blown snow deposits and accumulates around and over surface structures restricting ingress, egress and conveyance of humans and animals.	Snowdrifts are reduced or prevented to allow ingress, egress, and conveyance of humans and animals.	Non Measurable.	N/A	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Client interview</li> <li>• Depth and area measurements</li> </ul>
<b>Water Quantity - Inadequate Outlets</b>	Natural or constructed outlets too small to remove excess water in a timely manner.	Outlets are designed, installed, upgraded or maintained to adequately convey water for present or intended uses.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Client interview</li> <li>• National Engineering Handbook, part 650 (EFH – Chapters 2,3,7)</li> <li>• Hydrologic models, e.g. HECRAS, TR-20, TR-55</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>WATER</b>					
<b>Water Quantity - Inefficient Water Use on Irrigated Land</b>	Limited water supplies are not optimally utilized.	Land and water management is planned and coordinated to provide optimal use of natural and applied moisture.	Acre-Inches/Year - average annual acre-inches of water used more efficiently for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• National Engineering Handbook, Part 652, Irrigation Guide</li> <li>• Crop quality and quantity measurements</li> <li>• Farm Irrigation Rating Method (FIRM)</li> </ul>
<b>Water Quantity - Inefficient Water Use on Non-irrigated Land</b>	Natural moisture is not optimally utilized.	Management provides optimum use of natural moisture for the present or intended land use.	Acre-Inches/Year - average annual acre-inches of water used more efficiently for the field or planning area/unit.	N/A	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Plant or animal quality and quantity measurements</li> </ul>
<b>Water Quantity - Reduced Capacity of Conveyances by Sediment Deposition</b>	Sediment deposits in ditches, canals, culverts, and other water conveyances reduce the desired flow capacity.	Conveyance structures are upgraded or maintained to adequately convey water for present or intended uses.	Cubic yards - Volume of sediment in cubic yards removed to maintain water conveyances for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Client interview</li> <li>• National Engineering Handbook, Part 650 (EFH – Chapters 2,3,70)</li> <li>• Hydrologic models, e.g., HECRAS, TR-20, TR-55</li> </ul>
<b>Water Quantity - Reduced Storage of Water Bodies by Sediment Accumulation</b>	Sediment deposits in water bodies reduce the desired volume capacity.	Water bodies and contributing source areas are treated to allow sufficient water storage for present and intended uses.	Acre-Inches/Year - Average annual reduction in acre-inches in sediment deposition within water bodies for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Depth and area measurements</li> <li>• National Engineering Handbook, Part 650 (EFH – Chapters 2,3,7,11)</li> </ul>
<b>Water Quantity - Aquifer Overdraft</b>	Water withdrawals exceed recharge rates.	Land and water management are coordinated to conserve aquifer water levels.	Acre-Inches/Year - average annual reduction in acre-inches of groundwater overdraft for the field or planning area/unit.	N/A	<ul style="list-style-type: none"> <li>• Water level measurements</li> </ul>
<b>Water Quantity – Insufficient Flows in Water Courses</b>	Water flows are not consistently available in sufficient quantities to support ecological processes and land use and management.	Authorized uses and management of water are coordinated to minimize the impacts on water course flows.	Linear Feet/Year - average annual linear feet of water courses managed to provide sufficient flows.	N/A	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Water flow records</li> <li>• Gauge Station data</li> <li>• Consumptive use/allocation water rights</li> <li>• Habitat Evaluation Guides</li> <li>• National Biology Handbook</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>WATER</b>					
<b>Water Quality - Harmful Levels of Pesticides in Groundwater</b>	Residues resulting from the use of pest control chemicals degrade groundwater quality.	Pesticides are applied, stored, handled, disposed of, and managed so that groundwater uses are not adversely affected	Non Measurable.	Pesticides are applied, stored, handled, disposed of, and managed so that groundwater uses are not adversely affected. Risk Assessment (WIN-PST or other assessment tool) results in acceptable rating.	<ul style="list-style-type: none"> <li>• WIN-PST (Windows Pesticide Screening Tool – USDA/NRCS)</li> <li>• NAPRA (National Agricultural Pesticide Risk Analysis – USDA/NRCS)</li> <li>• Vadose zone and groundwater chemical sampling and assay</li> </ul>
<b>Water Quality - Excessive Nutrients and Organics in Groundwater</b>	Pollution from natural or human induced nutrients such as N, P, and organics (including animal and other wastes) degrades groundwater quality.	Nutrients and organics are stored, handled, disposed of, and applied such that groundwater uses are not adversely affected.	Non Measurable.	Nutrients and organics are stored, handled, disposed of, and applied such that groundwater uses are not adversely affected. Applicable federal, state, and local regulations are followed.	<ul style="list-style-type: none"> <li>• National Engineering Handbook, Part 651, Ag. Waste Mgt. Field Handbook</li> <li>• Nitrate Leaching Index</li> <li>• Phosphorus Leaching Index</li> <li>• Farm*A*Syst</li> <li>• Vadose zone and groundwater chemical/particle sampling and assay</li> </ul>
<b>Water Quality - Excessive Salinity in Groundwater</b>	Pollution from salts such as Ca, Mg, Na, K, HCO <sub>3</sub> , CO <sub>3</sub> , Cl, and SO <sub>4</sub> degrades groundwater quality.	Salts are stored, handled, disposed of, applied, and managed such that groundwater uses are not adversely affected.	Tons/Acre/Year - average annual tons of all salts kept from groundwater per acre for the field or planning area/unit.	Same as National.	<ul style="list-style-type: none"> <li>• Vadose zone and groundwater salinity sampling (total dissolved solids [TDS] or electrical conductivity) and assay</li> <li>• National Engineering Handbook, Part 652, Irrigation Guide</li> <li>• Soil salinity sampling and assay</li> <li>• Well Testing</li> </ul>
<b>Water Quality - Harmful Levels of Heavy Metals in Groundwater</b>	Natural or human induced metal pollutants present in toxic amounts degrade groundwater quality.	Materials containing heavy metals are stored, handled, disposed of, applied, and managed such that groundwater uses are not adversely affected.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Vadose zone and groundwater chemical sampling and assay</li> <li>• Well Testing</li> <li>• Soil Test</li> </ul>
<b>Water Quality - Harmful Levels of Pathogens in Groundwater</b>	Kinds and numbers of viruses, protozoa, and bacteria are present at a level that degrades groundwater quality.	Materials that harbor pathogens are stored, handled, disposed of, applied, and managed such that groundwater uses are not adversely affected.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Vadose zone and groundwater chemical sampling and assay</li> <li>• Well Testing</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>WATER</b>					
<b>Water Quality - Harmful Levels of Petroleum in Groundwater</b>	Fuel, oil, gasoline and other hydrocarbons present in toxic amounts degrade groundwater quality.	Petroleum products are used, stored, handled, disposed of, and managed such that groundwater uses are not adversely affected.	Non Measurable.	Petroleum products are used, stored, handled, disposed of, and managed such that groundwater uses are not adversely affected. All applicable federal, state, and county laws are followed.	<ul style="list-style-type: none"> <li>• Vadose zone and groundwater chemical sampling and assay</li> <li>• Well Testing</li> </ul>
<b>Water Quality - Harmful Levels of Pesticides in Surface Water</b>	Pest control chemicals present in toxic amounts degrade surface water quality.	Pesticides are applied, stored, handled, disposed of, and managed such that surface water uses are not adversely affected	Non Measurable.	Pesticides are applied, stored, handled, disposed of, and managed such that surface water uses are not adversely affected. Risk Assessment (WIN-PST or other assessment tool) results in acceptable rating.	<ul style="list-style-type: none"> <li>• WIN-PST (Windows Pesticide Screening Tool – USDA/NRCS)</li> <li>• NAPRA (National Agricultural Pesticide Risk Analysis – USDA/NRCS)</li> <li>• Surface water chemical sampling assay</li> </ul>
<b>Water Quality - Excessive Nutrients and Organics in Surface Water</b>	Pollution from natural or human induced nutrients such as N, P, and organics (Including animal and other wastes) degrades surface water quality.	Nutrients and organics are stored, handled, disposed of, and managed such that surface water uses are not adversely affected.	Non Measurable.	Nutrients and organics are stored, handled, disposed of, and managed such that surface water uses are not adversely affected. Nutrient Management Plan is followed that meets the requirements of federal, state, and local laws.	<ul style="list-style-type: none"> <li>• SVAP (Stream Visual Assessment Protocol – USDA/NRCS)</li> <li>• P index</li> <li>• National Engineering Handbook, Part 651, Ag. Waste Mgt. Field Handbook</li> <li>• Surface water chemical/particle sampling and assay</li> <li>• Soil Test</li> </ul>
<b>Water Quality - Excessive Suspended Sediment and Turbidity in Surface Water</b>	Pollution from mineral or organic particles degrades surface water quality.	Movement of mineral and organic particles is managed such that surface water uses are not adversely affected.	Tons/Acre/Year - average annual tons of sediment/materials per acre kept from entering surface water for the field or planning area/unit.	Movement of mineral and organic particles is managed such that surface water uses are not adversely affected. Water meets federal, state, and local standards for the intended use.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Client interview</li> <li>• SVAP (Stream Visual Assessment Protocol – USDA/NRCS)</li> <li>• Water Quality Indicators Guide – Surface Waters, Field Sheets 1A and 1B (Terrene Institute ©1996)</li> <li>• Surface water chemical/particle sampling and assay</li> </ul>
<b>Water Quality - Excessive Salinity in Surface Water</b>	Pollution from salts such as Ca, Mg, Na, K, HCO <sub>3</sub> , HCO <sub>3</sub> , CO <sub>3</sub> , Cl, and SO <sub>4</sub> degrades surface water quality.	Salts are stored, handled, disposed of, applied, and managed such that surface water uses are not adversely affected.	Tons/Acre/Year - average annual tons of all salts kept from surface water per acre for the field or planning area/unit.	N/A	<ul style="list-style-type: none"> <li>• SVAP (Stream Visual Assessment Protocol – USDA/NRCS) – Salinity</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>WATER</b>					
<b>Water Quality - Harmful Levels of Heavy Metals in Surface Water</b>	Natural or human induced metal pollutants are present in toxic amounts that degrade surface water quality.	Materials containing heavy metals are stored, handled, disposed of, applied, and managed such that surface water uses are not adversely affected.	Non Measurable.	Materials containing heavy metals are stored, handled, disposed of, applied, and managed such that surface water uses are not adversely affected. Effluents, sludge, and other wastes are properly treated and applied.	<ul style="list-style-type: none"> <li>• Surface water chemical sampling and assay</li> <li>• Soil testing</li> </ul>
<b>Water Quality - Harmful Temperatures of Surface Water</b>	Undesired thermal conditions degrade surface water quality.	Use and management of land and water are coordinated to minimize impacts on surface water temperatures.	Non Measurable.	Use and management of land and water are coordinated to minimize impacts on surface water temperatures. Water temperature is suitable for intended uses, and meets or exceeds standards established by federal, state and local laws. Refer to the Code of Maryland Regulations (COMAR 26.08.02) for temperature standards by stream use classification.	<ul style="list-style-type: none"> <li>• SVAP (Stream Visual Assessment Protocol – USDA/NRCS) – canopy cover</li> <li>• HSI model for target species (Habitat Suitability Index – USF&amp;WS)</li> <li>• Surface water temperature sampling and assay</li> <li>• Local, state, or federal water quality studies.</li> </ul>
<b>Water Quality - Harmful Levels of Pathogens in Surface Water</b>	Kinds and numbers of viruses, protozoa, and bacteria are present at a level that degrades surface water quality.	Materials that harbor pathogens are stored, handled, disposed of, applied, and managed such that surface water uses are not adversely affected.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Surface water pathogen sampling and assay</li> </ul>
<b>Water Quality - Harmful Levels of Petroleum in Surface Water</b>	Fuel, oil, gasoline and other hydrocarbons present in toxic amounts degrade surface water quality.	Petroleum products are used, stored, handled, and disposed of such that groundwater uses are not adversely affected.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Surface water chemical sampling and assay</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>AIR</b>					
<b>Air Quality - Particulate matter less than 10 micrometers in diameter (PM 10)</b>	Particulate matter less than 10 micrometers in diameter are suspended in the air causing potential health hazards to humans and animals.	Land use and management operations comply with PM 10 requirements of the State or Federal Implementation Plan and all applicable Federal, Tribal, State, and Local regulations	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Specific guidelines contained in State or Federal Implementation Plan; or other approved NRCS tool.</li> <li>• Air quality analysis</li> <li>• Local air quality indexes.</li> </ul>
<b>Air Quality - Particulate matter less than 2.5 micrometers in diameter (PM 2.5)</b>	Particulate matter less than 2.5 micrometers in diameter are suspended in the air causing potential health hazards to humans and animals.	Land use and management operations comply with PM 2.5 requirements of the State or Federal Implementation Plan and all applicable Federal, Tribal, State, and Local regulations.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Specific guidelines contained in State or Federal Implementation Plan; or other approved NRCS tools</li> <li>• Local air quality indexes.</li> </ul>
<b>Air Quality - Excessive Ozone</b>	High concentrations of ozone (O <sub>3</sub> ) are adversely affecting human health, reducing plant yields, and leading to the creation of smog.	Land use and management operations comply with requirements of the State or Federal Implementation Plan and all applicable Federal, Tribal, State, and Local regulations.	Non Measurable.	Same as National	<ul style="list-style-type: none"> <li>• Specific guidelines contained in State or Federal Implementation Plan; or other approved NRCS tools</li> <li>• Local air quality indexes.</li> </ul>
<b>Air Quality - Excessive Greenhouse Gas – CO<sub>2</sub> (carbon dioxide)</b>	Increased CO <sub>2</sub> concentrations are adversely affecting ecosystem processes.	Land use and management operations comply with requirements of the State or Federal Implementation Plan and all applicable Federal, Tribal, State, and Local regulations.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Model simulations (Century, EPIC, CQUESTER); sampling for soil carbon or International Panel on Climate Change methodology; or other NRCS approved tools</li> </ul>
<b>Air Quality - Excessive Greenhouse Gas – N<sub>2</sub>O (nitrous oxide)</b>	Increased N <sub>2</sub> O concentrations are adversely affecting ecosystem processes.	Land use and management operations comply with requirements of the State or Federal Implementation Plan and all applicable Federal, Tribal, State, and Local regulations.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Model simulations (NLEAP or DayCENT), or IPCC methodology; or other NRCS approved tools</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>AIR</b>					
<b>Air Quality - Excessive Greenhouse Gas – CH4 (methane)</b>	Increased CH4 concentrations are adversely affecting ecosystem processes. .	Land use and management operations comply with requirements of the State or Federal Implementation Plan and all applicable Federal, Tribal, State, and Local regulations.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• IPCC methodology; or other NRCS approved tools</li> </ul>
<b>Air Quality - Ammonia (NH3)</b>	Animal waste and inorganic commercial fertilizers emit ammonia that contributes to odor, is a PM2.5 precursor, and contributes to acid rain.	Land use and management operations comply with requirements of all applicable Federal, Tribal, State, and Local regulations.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Approved NRCS technical guidance and tools</li> </ul>
<b>Air Quality - Chemical Drift</b>	Materials applied for pest control drift downwind and contaminate/injure non-targeted fields, crops, soils, water, animals and humans.	Land use and management operations comply with all applicable Federal, Tribal, State, and Local regulations, and applicable label directions.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Approved NRCS technical guidance and tools</li> </ul>
<b>Air Quality - Objectionable Odors</b>	Land use and management operations produce offensive smells.	Odor-producing facilities and activities are planned and sited to mitigate potential nuisance impacts and meets all applicable Tribal, State, and Local regulations.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Olfactory assessment</li> <li>• Agricultural Waste Management Field Handbook (AWMFH)</li> <li>• NRCS approved tools</li> <li>• Complaints from neighbors</li> <li>• Managing Livestock Odor, NRCS Mid-Atlantic IRT Technical Note #8.</li> </ul>
<b>Air Quality - Reduced Visibility</b>	Sight distance is impaired due to airborne particles causing unsafe conditions and impeded viewing of natural vistas especially in Class I viewing areas (primarily national parks and monuments).	Land use and management operations comply with all applicable Federal, Tribal, State, and Local regulations including state and local smoke and/or burn management plans.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Regional air partnership recommendations and/or state guidance for smoke management</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>AIR</b>					
<b>Air Quality - Undesirable Air Movement</b>	Wind velocities (too little or too much) reduce animal or plant productivity, impact human comfort and increase energy consumption.	Devices and practices are sited and planned to mitigate excess or deficient air movement.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Anemometers</li> <li>• Approved NRCS technical guidance and tools</li> </ul>
<b>Air Quality - Adverse Air Temperature</b>	Air temperatures (too cold or too hot) reduce animal or plant productivity, impact human comfort and increase energy consumption.	Devices and practices are planned and sited to mitigate temperature extremes.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Chill factor indices; heat indices</li> <li>• Air temperature assessment</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREMENT UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>PLANTS</b>					
<b>Plants not adapted or suited</b>	Plants are not adapted and/or suited to site conditions or client objectives.	<p>Selected plants are adapted to the soil and climatic conditions or the site is modified to make it suitable for the desired plants. Plants are sustainable, do not negatively impact other resources, and meet client objectives. For specific land uses, additional criteria apply:</p> <p><b>Cropland:</b> A healthy stand with vigorous growth. Yields 75% of client expectations.</p> <p><b>Rangeland:</b> Plants on or planned for the site are listed in applicable Ecological Site Descriptions (ESD)</p> <p><b>Pastureland:</b> Plants on or planned for the site have a site adaptation score greater than 3 using Pasture Condition Scoring (PCS) and are listed in applicable Forage Suitability Groups (FSG) reports.</p> <p><b>Hayland:</b> Plants on or planned for the site are listed in applicable Forage Suitability Groups (FSG) reports.</p> <p><b>Forestland/Agroforest:</b> Plants on or planned for the site are listed in Ecological Site Descriptions (ESD)</p>	Non Measurable.	Rangeland: N/A. Otherwise, same as National.	<ul style="list-style-type: none"> <li>• On-site investigation and records</li> <li>• Forage Suitability Groups (FSG)</li> <li>• Pasture Condition Scoring (PCS)</li> <li>• Client interview</li> <li>• PLANTS database</li> <li>• VEGSPEC</li> <li>• Seeding and Planting Guide</li> <li>• Plant hardiness zone map</li> <li>• Soil pH, drainage class, sodium adsorption ratio (SAR) and electrical conductivity (EC) suitability ranges.</li> <li>• Soil interpretations – Section IV</li> <li>• Local agronomy guides</li> <li>• University Extension Service information</li> <li>• Soil survey manuscripts</li> <li>• Ecological Site Descriptions (ESD)</li> <li>• Conservation Tree and Shrub Groups (CTSG)</li> <li>• Silvics of North America Trees</li> <li>• NRCS Discipline Manuals/handbooks</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREMENT UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>PLANTS</b>					
<b>Plant – Condition – Productivity, Health and Vigor</b>	Plants do not produce the yields, quality, and soil cover to meet client objectives.	<p>Selected plants on or planned for the site are sufficiently productive to meet or exceed client needs. For specific land uses, additional criteria apply:</p> <p><b>Cropland:</b> A healthy stand with vigorous growth produces at least 75% of site potential.</p> <p><b>Rangeland:</b> The plant community has a similarity index of at least 60% or an upward trend for similarity indices less than 60%.</p> <p><b>Pastureland:</b> Forage yields are at least 75% of high management estimates cited in FSG reports.</p> <p><b>Hayland:</b> Forage yields at least 75% of high mgt. estimates cited in Forage Suitability Groups (FSG) reports</p> <p><b>Forestland/Agroforest:</b> Forests consist of healthy stands with vigorous growth having a stand density within 25% of optimum stocking on a stems/acre basis. Plants chosen for agroforest applications are consistent with Conservation Tree and Shrub Groups (CTSG) listings and height performance.</p>	Non Measurable.	Rangeland: N/A. Otherwise, same as National.	<ul style="list-style-type: none"> <li>• Local agronomy guides</li> <li>• Client interview</li> <li>• Plant tissue and harvest analysis</li> <li>• Crop scouting</li> <li>• NRCS discipline manuals/handbooks</li> <li>• National Range and Pasture Handbook</li> <li>• Ecological Site Descriptions</li> <li>• Rangeland Similarity Index Worksheet</li> <li>• Rising plate meter</li> <li>• Forage Suitability Groups (FSG)</li> <li>• Electronic probe calibrated for the forage mixture, or a clip and weigh sampling procedure.</li> <li>• Plot sampling of understory vegetation</li> <li>• Soil survey reports</li> <li>• Soil Testing</li> <li>• Crop/soil yield comparison in the vicinity</li> <li>• Pasture Condition Scoring</li> <li>• Keys for disease and insect symptoms</li> <li>• Keys for nutrient deficiencies, toxicities, and other conditions</li> <li>• Rangeland Health Assessment</li> <li>• Stocking rate of desired species</li> <li>• Plot sampling of understory vegetation</li> <li>• Stocking measurement for the tree stands</li> <li>• Conservation Tree and Shrub Groups (CTSG)</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREMENT UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>PLANTS</b>					
<b>Plant Condition - Threatened or Endangered Plant Species</b>	Plant populations and /or habitat quantity and quality have reached a level that one or more plant species are in danger of or threatened with extinction.	Threatened and endangered plant species and/or habitats they occupy are managed to avoid actions that would reduce their current population, health, or sustainability.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Client interviews</li> <li>• Inventory site</li> <li>• General Manual, 190, Part 410</li> <li>• US Fish and Wildlife Service county endangered species lists</li> <li>• Federal and state endangered species rules and regulations</li> <li>• Consultation with appropriate federal, state, and local agencies/groups</li> <li>• PLANTS Website</li> </ul>
<b>Plant Condition - Noxious and Invasive Plants</b>	The site has noxious or invasive plants present.	The site is managed to control noxious and invasive plants and to minimize their spread.	Non Measurable.	The site is managed to control noxious and invasive plants and to minimize their spread in accordance with all Federal, state, and local laws.	<ul style="list-style-type: none"> <li>• Client interviews</li> <li>• Inventory site</li> <li>• Consult weed management associations</li> <li>• Consultation with appropriate federal, state, and local agencies/groups</li> <li>• State or local noxious weed list</li> <li>• PLANTS Website</li> </ul>
<b>Plant Condition - Forage Quality and Palatability</b>	Plants do not have adequate nutritive value or palatability for the intended use.	Forage plants are managed to produce the desired nutritive value and palatability for the intended use.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• NIRS Forage Quality Analysis (NUTBAL)</li> <li>• Plant tissue analysis</li> </ul>
<b>Plant Condition – Wildfire Hazard</b>	The kinds and amounts of fuel loadings (plant biomass) pose risks to human safety, structures, and resources should wildfire occur.	Fuel loadings are reduced and/or isolated to meet client needs in minimizing the risk and incidence of wildfire.	Acres/Year - average annual acres protected from wildfire for the field of planning area/unit.	N/A	<ul style="list-style-type: none"> <li>• Visual assessment protocols</li> <li>• Site and flammable biomass inventories</li> <li>• Aerial photo analysis</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>ANIMALS</b>					
<b>Fish and Wildlife - Inadequate Food</b>	Quantity and quality of food is unavailable to meet the life history requirements of the species or guild of species of concern	Food availability meets the life history requirements of the species or guild of species of concern.	Non Measurable based on habitat evaluation guide.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Inventory of food species</li> <li>• Aerial photo analysis</li> <li>• State Adapted Wildlife Habitat Evaluation Guide</li> <li>• National Biology Handbook</li> </ul>
<b>Fish and Wildlife – Inadequate Cover/Shelter</b>	Cover/shelter for the species of concern is unavailable or inadequate. For aquatic species, this includes lack of hiding, thermal, and/or refuge cover	The ecosystem or habitat types support the necessary plant species in the kinds, amounts, and physical structure; and the connectivity of fish and wildlife cover is adequate to support, over time, the species of concern.	Non Measurable based on habitat evaluation guide.	The ecosystem or habitat types support the necessary plant species in the kinds, amounts, and physical structure; and the connectivity of fish and wildlife cover is adequate to support, over time, the species of concern. Upland habitat has a quality rating of 0.5 or more.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Inventory of cover/shelter</li> <li>• Aerial photo analysis</li> <li>• Maryland NRCS Wildlife Habitat Evaluation Worksheets</li> <li>• National Biology Handbook</li> </ul>
<b>Fish and Wildlife – Inadequate Water</b>	The quantity and quality of water is unacceptable for the species of concern	The quantity and quality of water meets the life history requirements of the species of concern.	Non Measurable based on habitat evaluation guide.	The quantity and quality of water meets the life history requirements of the species of concern. Water is supplied in accordance with all applicable federal, state, and local regulations.	<ul style="list-style-type: none"> <li>• Surface water dissolved oxygen sampling and assay</li> <li>• Stream Visual Assessment Protocol</li> <li>• Habitat Suitability Index - model for target species</li> <li>• Inventory of water supplies</li> <li>• Aerial photo analysis</li> <li>• State Adapted Wildlife Habitat Evaluation Guide</li> <li>• National Biology Handbook</li> </ul>
<b>Fish and Wildlife – Inadequate Space</b>	Lack of area and fragmentation of areas disrupt life history requirements of the species of concern	Adequate area and connectivity of areas meet life history requirements of the species of concern. (Examples: staging areas for rest and feeding, lekking areas for breeding, migratory movement corridors)	Non Measurable based on habitat evaluation guide.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Stream Visual Assessment Protocol</li> <li>• Inventory of space/areas</li> <li>• Aerial photo analysis</li> <li>• State Adapted Wildlife Habitat Evaluation Guide</li> <li>• National Biology Handbook</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>ANIMALS</b>					
<b>Fish and Wildlife - Plant Community Fragmentation</b>	Natural plant communities have insufficient structure, extent, and connectivity to provide ecological functions and/or achieve management objectives.	Fish and wildlife habitat functions of connected plant communities are maintained sufficiently to support the species or guild of species of concern.	Non Measurable based on habitat evaluation guide.	Fish and wildlife habitat functions of connected plant communities are maintained sufficiently to support the species or guild of species of concern. Upland habitat has a quality rating of 0.5 or more.	<ul style="list-style-type: none"> <li>Stream Visual Assessment Protocol</li> <li>Aquatic and terrestrial habitat evaluation procedures</li> <li>Maryland NRCS Wildlife Habitat Evaluation Worksheets</li> </ul>
<b>Fish and Wildlife - Imbalance Among and Within Populations</b>	Populations are not in proportion to available quantities and qualities of food (plants, predator/prey), cover/shelter, water, and space and other life history requirements.	Land and water use and management are consistent with direct population management activities conducted by fish and wildlife agencies.	Non Measurable based on habitat evaluation guide.	Same as National.	<ul style="list-style-type: none"> <li>Fish and wildlife agency guidance and protocols</li> </ul>
<b>Fish and Wildlife - Threatened and Endangered Species</b>	Fish and wildlife populations and/or habitat quantity and quality have reached a level that one or more species are in danger of or threatened with extinction.	Threatened and endangered fish and wildlife species and/or habitats they occupy are managed to avoid actions that would reduce their current population, health, or sustainability.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>Client interviews</li> <li>Inventory of presence/absence of T&amp;E species</li> <li>General Manual, 190, Part 410</li> <li>US Fish and Wildlife Service county endangered species lists</li> <li>Fish and wildlife recovery plans</li> <li>Federal and state endangered species rules and regulations</li> <li>Consultation with appropriate federal, state, and local agencies/groups</li> <li>Fish and wildlife agency web sites</li> </ul>

NATIONAL AND STATE RESOURCE CONCERNS AND QUALITY CRITERIA					
NATURAL RESOURCE CONCERN	DESCRIPTION OF CONCERN	NATIONAL QUALITY CRITERIA	MEASUREABLE UNITS	STATE QUALITY CRITERIA	ASSESSMENT TOOLS FOR QUALITY CRITERIA EVALUATION
<b>ANIMALS</b>					
<b>Domestic Animals – Inadequate Quantities and Quality of Feed and Forage</b>	Total feed and forage is insufficient to meet the nutritional and production needs of the kinds and classes of livestock	Feed and forage including supplemental nutritional requirements are provided to meet production goals for the kinds and classes of livestock. Native grazers are factored into the total feed and forage balance computations.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Measured inventory</li> <li>• National Range and Pasture Handbook</li> <li>• Grazing Lands Application (GLA) software</li> <li>• Nutritional Balance Program (NUTBAL)</li> <li>• NIRS/Nutritional Balance Profile Program (NUTBAL Pro)</li> <li>• Forage quality laboratory analysis</li> <li>• Other State adapted forage/livestock management software and job sheets</li> </ul>
<b>Domestic Animals – Inadequate Shelter</b>	Livestock are not protected sufficiently to meet the production goals for the kinds and classes of livestock	Artificial and/or natural shelter is provided to meet production goals for the kinds and classes of livestock.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Inventory of facilities and their capacities</li> <li>• Aerial photo analysis</li> <li>• National Range and Pasture Handbook</li> </ul>
<b>Domestic Animals – Inadequate Stock Water</b>	The quantity, quality and distribution of drinking water is insufficient to meet the production goals for the kinds and classes of livestock	Sufficient water of acceptable quality is provided and adequately distributed to meet production goals for the kinds and classes of livestock. To reduce potential for water contamination, watering facilities are constructed or modified to minimize mortality to indigenous wildlife.	Non Measurable.	Same as National	<ul style="list-style-type: none"> <li>• Visual assessment</li> <li>• Inventory of distribution needs</li> <li>• Aerial photo analysis</li> <li>• National Range and Pasture Handbook</li> <li>• Recommended vs. actual stocking rates for available area.</li> </ul>
<b>Domestic Animals - Stress and Mortality</b>	Animals exhibit illness or death from disease, parasites, insects, poisonous plants, or other factors	Land and water use and management are consistent with activities conducted to alleviate stress and mortality factors.	Non Measurable.	Same as National.	<ul style="list-style-type: none"> <li>• Animal health/mortality alerts</li> <li>• State and local biosecurity protocols</li> <li>• State and local standards for animal disposal</li> <li>• Recommended vs. actual stocking rates for available area.</li> </ul>