

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

FEED MANAGEMENT

(No. of Systems and AUs Affected)

CODE 592

DEFINITION

Managing the quantity of available nutrients fed to livestock and poultry for their intended purpose.

PURPOSE

- Supply the quantity of available nutrients required by livestock and poultry for maintenance, production, performance, and reproduction; while reducing the quantity of nutrients, especially nitrogen and phosphorus, excreted in manure by minimizing the over-feeding of these and other nutrients.
- Improve net farm income by feeding nutrients more efficiently.

CONDITIONS WHERE PRACTICE APPLIES

Confined livestock and poultry operations with a whole farm nutrient imbalance, with more nutrients imported to the farm than are exported and/or utilized by cropping programs.

Confined livestock and poultry operations that land apply manure and have fields with significant build up of nutrients such as phosphorus (P).

Confined livestock and poultry operations that land apply manure and do not have a land base large enough to allow nutrients to be applied at rates recommended by soil tests and utilized by crops in the rotation.

Confined livestock and poultry operations who are seeking to enhance the efficiency of nutrients.

CRITERIA

General Criteria Applicable to All Purposes

The diets for species of animals shall be developed in accordance with recommendations from one of the following:

- Standards outlined in the most current recommendations of the National Research Council (NRC) at their website: <http://www.nationalacademies.org/nrc/>
- Recommendations for feed management from Oklahoma State University.
- Standards developed by the professional nutritionists of livestock and poultry production companies, feed companies, and/or feed suppliers.

Feed management strategies shall include a laboratory analysis to determine the nutrient content of the formulated diet, or to determine the feed ingredients used to formulate the diet.

Feed analyses shall be conducted by laboratories, whose tests are accepted by Oklahoma State University, when an Oklahoma livestock and poultry operation will implement a feeding strategy. Data from analyzed feed ingredients and/or appropriate historic feed analysis information for the operation will be used for adjustments of ration formulation.

Diets and feed management strategies shall be developed by professional animal scientists, independent professional nutritionists or other comparably qualified individuals. When required by state policy or regulation, animal nutritionists shall be certified through any certification program recognized within the State of Oklahoma.

Conservation practice standards are reviewed periodically, and updated as needed. To obtain the current version of this standard, contact the Natural Resources Conservation Service.

**NRCS, OK
August 2005**

Diets shall be formulated to provide the quantity and correct relative ratios of available nutrients required by the animal species to meet the goals for which the plan is being developed.

Adjustments to nutrient levels shall be provided to meet the livestock or poultry animal's specific genetic potential, environmental demands, and/or requirements.

In Oklahoma, to determine the effectiveness of any of the feed management strategies listed below, a current manure waste analysis prior to implementation will be required. After the feed management strategy is implemented another manure analysis will be necessary to determine the effectiveness of the feed management strategy.

One or more of the following feed management practices and/or diet manipulation technologies shall be used to reduce Nitrogen (N), Phosphorus (P) and other excreted nutrients while maintaining the health, well-being and productivity of the animal.

- Formulating diets more specific to animal requirements.
- Reducing protein and supplementing with amino acids (non-ruminants).
- Manipulating the crude protein and energy (carbohydrate and fat) content of the diet to enhance the availability of amino acids (ruminants).
- Using highly digestible feeds in the diet.
- Using phytase and reducing the supplemental phosphorus content of the diet (non-ruminants)
- Reducing the phosphorus content of the diet of ruminants when it is being overfed.
- Using selected enzymes or other products to enhance feed digestibility or feed use efficiency.
- Using growth promoters as allowed by federal and Oklahoma laws.
- Implementing phase feeding.
- Implementing split-sex feeding.

**NRCS, OK
August 2005**

- Using other feed management or diet manipulation technologies that have demonstrated the ability to reduce the nutrient content of manure.

CONSIDERATIONS

Consider nutrient requirements for production based upon stage of growth, intended purpose of the animal and the type of production (e.g., meat, milk, eggs) involved.

Use management practices described in the following **NRCS Nutrient Management (NM) Technical Notes associated with feed and animal management:**

- [NM Tech Note 1 \(Nutrient Content of Manure\)](#)
- [NM Technical Note 2 \(Beef Cattle\)](#)
- [NM Technical Note 3 \(Swine\)](#)
- [NM Technical Note 4 \(Poultry\)](#)
- [NM Technical Note 5 \(Dairy\)](#)

Additional information on feed and animal management is located on the following website for the **Federation of Animal Science Societies:** <http://www.fass.org/Factsheet.htm>

Analyzing the drinking water consumed by the animals to determine its nutrient content, and adjust the diet to account for this source of nutrients.

Different feed ingredients (e.g. by-products) and their potential impacts on the nutrient content of excreted manure.

The potential impact of feed management on the volume of manure excreted and on manure storage requirements.

The impact of feed management practices, animal management practices, and diet manipulation on manure odors, pathogens, animal health and well-being.

Using concentrates and forages grown on the farm to minimize the quantity of nutrients imported to the farm, and to maximize the recycling of nutrients on the farm.

Analyzing excreted manure or manure from storage facilities to determine manure nutrient content and to estimate the impact of the feeding strategy.

PLANS AND SPECIFICATIONS

Plans and specifications for feed management shall be in keeping with the requirements of this standard. They shall describe the specific feed management practices and/or technologies that are planned for the operation.

The following components shall be included in the feed management plan:

- The type of technologies and/or feeding practices that will be used on the operation.
- Feed analyses and ration formulation information prior to and after implementation of feed management on the operation.
- The estimated, or measured, nutrient content of the manure prior to the implementation of feed management on the operation.
- The estimated impact that feed management will have on manure nutrient content.
- Guidance for how often the feed management plan shall be reviewed and potentially revised.
- The quantities and sources of nitrogen and phosphorus that will be fed.
- Identification of the qualified feed management specialist or nutritionist who developed the plan.

OPERATION AND MAINTENANCE

The producer/client is responsible for the operation and maintenance of the feed

management plan. Operation and maintenance activities address the following:

- Periodic plan review to determine if adjustments or modifications are needed.
- Routine feed analysis to document the rates at which nitrogen and phosphorus were actually fed. When actual rates fed differ from or exceed the planned rates, records will indicate the reasons for the differences.
- Maintaining records to document plan implementation. As applicable, records include:
 - ◆ Records of feed analysis and ration formulation, including the record of ration formulation used prior to implementing the feeding strategy.
 - ◆ Records of the initial estimate of the impact the feeding strategy was expected to have on reducing manure nutrient content.
 - ◆ Records of any manure analysis that was done after the feeding strategy was implemented to determine manure nutrient content.
 - ◆ Dates of review and person performing the review, and any recommendations that resulted from the review.

Records of plan implementation shall be maintained for five years, or for a period longer than five years if required by other Federal, Oklahoma, or local ordinances, program, or contract requirements.