

PL-566 Watershed Operations (SWO) Cost List

| Practice Code | Practice Name | Component (Component Code) | Units | Cost Per Unit | Cost Share Type | Cost Share Rate |
|---------------|-------------------------------|--|-------|---------------|-----------------|-----------------|
| 342 | CRITICAL AREA PLANTING | | | | | |
| | | Bermudagrass Mulch Sod (GBGMS) | SY | \$1.00 | AC | 65% |
| | | Bermudagrass Solid Sod (GBGSS) | SY | \$4.90 | AC | 65% |
| | | Bermudagrass Sprigging - CA (GBGSA) | AC | \$90.00 | AC | 65% |
| | | Erosion Control Blanket (ECB) | SY | \$1.25 | AC | 65% |
| | | Guymon or Wrangler Bermudagrass CA (GGBGA) | AC | \$109.00 | AC | 65% |
| | | Native Grass Mixture CA (GNMA) | AC | \$68.00 | AC | 65% |
| | | Old World Bluestem CA (GOWBA) | AC | \$75.00 | AC | 65% |
| | | Shaping and Filling Gullies (GFS) | AC | \$550.00 | AC | 65% |
| | | Trees &/or Shrubs-barerooted (TSB) | EACH | \$1.00 | AC | 65% |
| | | Vegetation <1 acre (VEG) | ITEM | \$175.00 | AC | 65% |
| | | Weeping Lovegrass CA (GLGA) | AC | \$52.50 | AC | 65% |
| | | Western Wheatgrass CA (GWWGA) | AC | \$103.00 | AC | 65% |
| 350 | SEDIMENT BASIN | | | | | |
| | | Anti-vortex Baffle (AVB) | SF | \$4.40 | AC | 65% |
| | | Barrel &/or Riser-Aluminized<=12ga (BRA12) | DIFT | \$2.15 | AC | 65% |
| | | Barrel &/or Riser-Aluminized>=14ga (BRA14) | DIFT | \$1.88 | AC | 65% |
| | | Barrel &/or Riser-Plastic (BRP) | DIFT | \$0.86 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated<=12ga (BRC12) | DIFT | \$2.67 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated>=14ga (BRC14) | DIFT | \$2.37 | AC | 65% |
| | | Barrel &/or Riser-Steel (BRS) | DIFT | \$1.82 | AC | 65% |
| | | Blanket Material (BM) | CY | \$22.50 | AC | 65% |
| | | Concrete--Concrete/Steel in structural items(CON1) | CY | \$175.00 | AC | 65% |
| | | Concrete - Reinforced and Formed (CONT) | CY | \$325.00 | AC | 65% |
| | | Excavation &/or Embankment (EM) | CY | \$1.20 | AC | 65% |
| | | Gypsum for dispersive soils (GYP2) | TON | \$60.00 | AC | 65% |
| | | Principal Splway Drainage Diaphragm Filter (PSDDF) | CY | \$36.00 | AC | 65% |
| | | Riprap and Filter (RRF) | CY | \$30.00 | AC | 65% |
| | | Trash Guard - dimensions sized (TGD) | PF | \$10.00 | AC | 65% |
| 362 | DIVERSION | | | | | |
| | | Diversion Terrace - Ridge and/or Channel (RC) | CY | \$1.00 | AC | 65% |

PL-566 Watershed Operations (SWO) Cost List

| Practice Code | Practice Name | Component (Component Code) | Units | Cost Per Unit | Cost Share Type | Cost Share Rate |
|---------------|--------------------------------------|--|-------|---------------|-----------------|-----------------|
| 378 | POND | | | | | |
| | | Anti-vortex Baffle (AVB) | SF | \$4.40 | AC | 65% |
| | | Barrel &/or Riser-Aluminized<=12ga (BRA12) | DIFT | \$2.15 | AC | 65% |
| | | Barrel &/or Riser-Aluminized>=14ga (BRA14) | DIFT | \$1.88 | AC | 65% |
| | | Barrel &/or Riser-CSP<=12ga (BR12) | DIFT | \$1.95 | AC | 65% |
| | | Barrel &/or Riser-CSP>=14ga (BR14) | DIFT | \$1.68 | AC | 65% |
| | | Barrel &/or Riser-Plastic (BRP) | DIFT | \$0.86 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated<=12ga (BRC12) | DIFT | \$2.67 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated>=14ga (BRC14) | DIFT | \$2.37 | AC | 65% |
| | | Barrel &/or Riser-Steel (BRS) | DIFT | \$1.82 | AC | 65% |
| | | Clay Liner (CL) | CY | \$4.00 | AC | 65% |
| | | Concrete--Concrete/Steel in structural items(CON1) | CY | \$175.00 | AC | 65% |
| | | Excavation &/or Embankment (EM) | CY | \$1.20 | AC | 65% |
| | | Geotextile (GEOT) | SY | \$1.20 | AC | 65% |
| | | Gypsum for dispersive soils (GYP2) | TON | \$60.00 | AC | 65% |
| | | Principal Splway Drainage Diaphragm Filter (PSDDF) | CY | \$36.00 | AC | 65% |
| | | Riprap and Filter (RRF) | CY | \$30.00 | AC | 65% |
| | | Trash Guard - dimensions sized (TGD) | PF | \$10.00 | AC | 65% |
| 382 | FENCE | | | | | |
| | | Fence--Critical and Small Area (FENCA) | LF | \$1.49 | AC | 65% |
| | | Fence--Four Wire Permanent (FEN4) | LF | \$1.00 | AC | 65% |
| 410 | GRADE STABILIZATION STRUCTURE | | | | | |
| | | Anti-vortex Baffle (AVB) | SF | \$4.40 | AC | 65% |
| | | Barrel &/or Riser-Aluminized<=12ga (BRA12) | DIFT | \$2.15 | AC | 65% |
| | | Barrel &/or Riser-Aluminized>=14ga (BRA14) | DIFT | \$1.88 | AC | 65% |
| | | Barrel &/or Riser-CSP<=12ga (BR12) | DIFT | \$1.95 | AC | 65% |
| | | Barrel &/or Riser-CSP>=14ga (BR14) | DIFT | \$1.68 | AC | 65% |
| | | Barrel &/or Riser-Plastic (BRP) | DIFT | \$0.86 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated<=12ga (BRC12) | DIFT | \$2.67 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated>=14ga (BRC14) | DIFT | \$2.37 | AC | 65% |
| | | Barrel &/or Riser-Steel (BRS) | DIFT | \$1.82 | AC | 65% |
| | | Blanket Material (BM) | CY | \$22.50 | AC | 65% |
| | | Clay Liner (CL) | CY | \$4.00 | AC | 65% |
| | | Concrete--Concrete/Steel in structural items(CON1) | CY | \$175.00 | AC | 65% |
| | | Concrete--Formless Concrete Chute (CONFC) | CY | \$379.00 | AC | 65% |
| | | Excavation &/or Embankment (EM) | CY | \$1.20 | AC | 65% |
| | | Geotextile (GEOT) | SY | \$1.20 | AC | 65% |
| | | Gypsum for dispersive soils (GYP2) | TON | \$60.00 | AC | 65% |
| | | Principal Splway Drainage Diaphragm Filter (PSDDF) | CY | \$36.00 | AC | 65% |
| | | Riprap and Filter (RRF) | CY | \$30.00 | AC | 65% |
| | | Toe Wall Structure Galvanized Steel (TWSS) | SF | \$21.00 | AC | 65% |
| | | Trash Guard - dimensions sized (TGD) | PF | \$10.00 | AC | 65% |

PL-566 Watershed Operations (SWO) Cost List

| Practice Code | Practice Name | Component (Component Code) | Units | Cost Per Unit | Cost Share Type | Cost Share Rate |
|---------------|--|--|-------|---------------|-----------------|-----------------|
| 412 | GRASSED WATERWAY | | | | | |
| | | Waterways-Construction/Shaping (SHAP) | AC | \$600.00 | AC | 65% |
| 468 | LINED WATERWAY OR OUTLET | | | | | |
| | | Blanket Material (BM) | CY | \$22.50 | AC | 65% |
| | | Concrete--Lined Outlet (CON3) | CY | \$335.00 | AC | 65% |
| | | Riprap and Filter (RRF) | CY | \$30.00 | AC | 65% |
| | | Rock Gabions/Rock Mattresses (GM) | CY | \$215.00 | AC | 65% |
| 580 | STREAMBANK AND SHORELINE PROTECTION | | | | | |
| | | Bermudagrass Sprigging - CA (GBGSA) | AC | \$90.00 | AC | 65% |
| | | Common Reedgrass (GCR) | RHIZO | \$0.49 | AC | 65% |
| | | Erosion Control Blanket (ECB) | SY | \$1.25 | AC | 65% |
| | | Guymon or Wrangler Bermudagrass CA (GGBGA) | AC | \$109.00 | AC | 65% |
| | | Riprap and Filter (RRF) | CY | \$30.00 | AC | 65% |
| | | Switchgrass CA (GSGA) | AC | \$63.00 | AC | 65% |
| | | Trees &/or Shrubs-barerooted (TSB) | EACH | \$1.00 | AC | 65% |
| | | Willow Posts (WP) | EACH | \$6.00 | AC | 65% |
| 587 | STRUCTURE FOR WATER CONTROL | | | | | |
| | | Anti-vortex Baffle (AVB) | SF | \$4.40 | AC | 65% |
| | | Barrel &/or Riser-Aluminized<=12ga (BRA12) | DIFT | \$2.15 | AC | 65% |
| | | Barrel &/or Riser-Aluminized>=14ga (BRA14) | DIFT | \$1.88 | AC | 65% |
| | | Barrel &/or Riser-Plastic (BRP) | DIFT | \$0.86 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated<=12ga (BRC12) | DIFT | \$2.67 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated>=14ga (BRC14) | DIFT | \$2.37 | AC | 65% |
| | | Barrel &/or Riser-Steel (BRS) | DIFT | \$1.82 | AC | 65% |
| | | Blanket Material (BM) | CY | \$22.50 | AC | 65% |
| | | Concrete--Concrete/Steel in structural items(CON1) | CY | \$175.00 | AC | 65% |
| | | Concrete - Reinforced and Formed (CONT) | CY | \$325.00 | AC | 65% |
| | | Excavation &/or Embankment (EM) | CY | \$1.20 | AC | 65% |
| | | Geotextile (GEOT) | SY | \$1.20 | AC | 65% |
| | | Gypsum for dispersive soils (GYP2) | TON | \$60.00 | AC | 65% |
| | | Principal Splway Drainage Diaphragm Filter (PSDDF) | CY | \$36.00 | AC | 65% |
| | | Riprap and Filter (RRF) | CY | \$30.00 | AC | 65% |
| | | Trash Guard - dimensions sized (TGD) | PF | \$10.00 | AC | 65% |
| 590 | NUTRIENT MANAGEMENT | | | | | |
| | | Fertilizer CA (FTCA) | AC | \$60.00 | AC | 65% |

PL-566 Watershed Operations (SWO) Cost List

| Practice Code | Practice Name | Component (Component Code) | Units | Cost Per Unit | Cost Share Type | Cost Share Rate |
|---------------|---|--|-------|---------------|-----------------|-----------------|
| 620 | UNDERGROUND OUTLET | | | | | |
| | | Barrel &/or Riser-Aluminized<=12ga (BRA12) | DIFT | \$2.15 | AC | 65% |
| | | Barrel &/or Riser-Aluminized>=14ga (BRA14) | DIFT | \$1.88 | AC | 65% |
| | | Barrel &/or Riser-CSP<=12ga (BR12) | DIFT | \$1.95 | AC | 65% |
| | | Barrel &/or Riser-CSP>=14ga (BR14) | DIFT | \$1.68 | AC | 65% |
| | | Barrel &/or Riser-Plastic (BRP) | DIFT | \$0.86 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated<=12ga (BRC12) | DIFT | \$2.67 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated>=14ga (BRC14) | DIFT | \$2.37 | AC | 65% |
| | | Barrel &/or Riser-Steel (BRS) | DIFT | \$1.82 | AC | 65% |
| | | Concrete--Concrete/Steel in structural items(CON1) | CY | \$175.00 | AC | 65% |
| | | Trash Guard - dimensions sized (TGD) | PF | \$10.00 | AC | 65% |
| 638 | WATER AND SEDIMENT CONTROL BASIN | | | | | |
| | | Anti-vortex Baffle (AVB) | SF | \$4.40 | AC | 65% |
| | | Barrel &/or Riser-Aluminized<=12ga (BRA12) | DIFT | \$2.15 | AC | 65% |
| | | Barrel &/or Riser-Aluminized>=14ga (BRA14) | DIFT | \$1.88 | AC | 65% |
| | | Barrel &/or Riser-Plastic (BRP) | DIFT | \$0.86 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated<=12ga (BRC12) | DIFT | \$2.67 | AC | 65% |
| | | Barrel &/or Riser-Polymer coated>=14ga (BRC14) | DIFT | \$2.37 | AC | 65% |
| | | Barrel &/or Riser-Steel (BRS) | DIFT | \$1.82 | AC | 65% |
| | | Concrete--Concrete/Steel in structural items(CON1) | CY | \$175.00 | AC | 65% |
| | | Excavation &/or Embankment (EM) | CY | \$1.20 | AC | 65% |