

Recreation Table 1  
Bennett County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Lohmiller-----	85	Very limited Flooding Restricted permeability	1.00 0.05	Somewhat limited Flooding Restricted permeability	0.40 0.05	Very limited Flooding Restricted permeability	1.00 0.05
AlB: Altvan-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
AnB: Anselmo-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
AtE: Anselmo-----	45	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Tassel-----	30	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Slope Depth to bedrock	1.00 1.00
Bk: Bankard-----	85	Very limited Flooding Too sandy	1.00 0.96	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy	0.96
Bo: Orthents, Hummocky--	90	Not rated		Not rated		Not rated	
CnF: Canyon-----	60	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty Gravel content	1.00 1.00 0.50 0.18
Rock Outcrop, Sandstone-----	20	Not rated		Not rated		Not rated	
CoF: Canyon-----	50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50

Recreation Table 1  
Bennett County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Oglala-----	30	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50	Gravel content Very limited Slope Dusty	0.18 1.00 0.50
Cr: Canyon-----	60	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty Gravel content	1.00 1.00 0.50 0.18
Rock Outcrop, Sandy-	25	Not rated		Not rated		Not rated	
CyD2: Canyon-----	60	Very limited Depth to bedrock Dusty	1.00 0.50	Very limited Depth to bedrock Dusty	1.00 0.50	Very limited Depth to bedrock Slope Dusty Gravel content	1.00 1.00 0.50 0.18
Rosebud-----	30	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty Depth to bedrock	1.00 0.50 0.42
DkA: Dawes-----	60	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Keith-----	30	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
DrB: Dawes-----	65	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Richfield-----	30	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
DsB: Dunday-----	90	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.12

Recreation Table 1  
Bennett County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Vetal-----	3	Not limited		Not limited		Not limited	
DtA: Dunday-----	60	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95
Anselmo-----	30	Not limited		Not limited		Somewhat limited Slope	0.12
DtC: Dunday-----	65	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
Anselmo-----	25	Not limited		Not limited		Somewhat limited Slope	0.88
Du: Dunday-----	50	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95
Elsmere-----	45	Somewhat limited Too sandy Depth to saturated zone	0.95 0.07	Somewhat limited Too sandy Depth to saturated zone	0.95 0.03	Somewhat limited Too sandy Depth to saturated zone	0.95 0.07
DvB: Dunday-----	50	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.12
Valentine-----	35	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy Slope	1.00 0.50
EhF: Epping-----	55	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Dusty Restricted permeability	1.00 1.00 0.50 0.39
Kadoka-----	30	Somewhat limited Slope Dusty Restricted permeability	0.63 0.50 0.05	Somewhat limited Slope Dusty Restricted permeability	0.63 0.50 0.05	Very limited Slope Dusty Depth to bedrock	1.00 0.50 0.42

Recreation Table 1  
Bennett County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.05
Ga: Gannett-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
GoA: Mobridge-----	90	Not limited		Not limited		Not limited	
GoB: Mobridge-----	90	Not limited		Not limited		Somewhat limited Slope	0.88
Gr: Nihill-----	85	Very limited Slope Dusty Gravel content	1.00 0.50 0.33	Very limited Slope Dusty Gravel content	1.00 0.50 0.33	Very limited Slope Gravel content Dusty Content of large stones	1.00 1.00 0.50 0.01
HaA: Haverson-----	90	Very limited Flooding Dusty	1.00 0.50	Somewhat limited Dusty	0.50	Somewhat limited Flooding Dusty	0.60 0.50
HtB: Holt-----	45	Not limited		Not limited		Somewhat limited Depth to bedrock Slope	0.42 0.12
Tuthill-----	45	Not limited		Not limited		Somewhat limited Slope	0.12
HtC: Holt-----	45	Not limited		Not limited		Very limited Slope Depth to bedrock	1.00 0.42
Tuthill-----	45	Not limited		Not limited		Very limited Slope	1.00
Hv: Hoven-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00

Recreation Table 1  
Bennett County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KaB: Kadoka-----	90	Sodium content	1.00	Sodium content	1.00	Sodium content	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Slope Dusty  Depth to bedrock Restricted permeability	0.50 0.50  0.42 0.05
KeA: Keith-----	90	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
KeB: Keith-----	85	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
KhD: Keith-----	65	Somewhat limited Dusty Slope	0.50 0.16	Somewhat limited Dusty Slope	0.50 0.16	Very limited Slope Dusty	1.00 0.50
Colby-----	20	Somewhat limited Dusty Slope	0.50 0.37	Somewhat limited Dusty Slope	0.50 0.37	Very limited Slope Dusty	1.00 0.50
KrA: Keith-----	50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Rosebud-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
KrB: Keith-----	55	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
Rosebud-----	35	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty Depth to bedrock	0.50 0.50 0.42
KuC: Keith-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope	1.00

Recreation Table 1  
Bennett County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ulysses-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Dusty Very limited Slope Dusty	0.50 1.00 0.50
La: Lamo-----	85	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Flooding Depth to saturated zone	0.40 0.19	Very limited Flooding Depth to saturated zone	1.00 0.39
Lo: Loup-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ma: Aquolls-----	90	Not rated		Not rated		Not rated	
Me: Minatare-----	80	Very limited Sodium content Flooding Depth to saturated zone	1.00 1.00 0.39	Very limited Sodium content Depth to saturated zone	1.00 0.19	Very limited Sodium content Flooding Depth to saturated zone	1.00 0.60 0.39
Mm: Mosher-----	65	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability Slope	1.00 0.45 0.12
Minatare-----	30	Very limited Sodium content Depth to saturated zone	1.00 0.39	Very limited Sodium content Depth to saturated zone	1.00 0.19	Very limited Sodium content Depth to saturated zone	1.00 0.39
OcE: Oglala-----	50	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50	Very limited Slope Dusty	1.00 0.50
Canyon-----	30	Very limited		Very limited		Very limited	

Recreation Table 1  
Bennett County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Slope	0.63	Slope	0.63	Depth to bedrock	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
						Gravel content	0.18
OrA: Oglala-----	65	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
OrB: Oglala-----	50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.88 0.50
RkA: Richfield-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
Keith-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
RkB: Richfield-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
Keith-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty	0.50 0.50
TaF: Tassel-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
Anselmo-----	25	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
TnB: Anselmo-----	45	Not limited		Not limited		Somewhat limited Slope	0.50
Tuthill-----	45	Not limited		Not limited		Somewhat limited Slope	0.12
TnC: Tuthill-----	40	Not limited		Not limited		Very limited Slope	1.00
Anselmo-----	40	Not limited		Not limited		Very limited	

Recreation Table 1  
Bennett County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
VaC: Valentine-----	90	Very limited Too sandy Slope	1.00 0.37	Very limited Too sandy Slope	1.00 0.37	Slope Very limited Too sandy Slope	1.00 1.00 1.00
VaD: Valentine-----	85	Very limited Slope Too sandy	1.00 1.00	Very limited Too sandy Slope	1.00 1.00	Very limited Slope Too sandy	1.00 1.00
VeD: Valentine-----	60	Very limited Too sandy Slope	1.00 1.00	Very limited Too sandy Slope	1.00 1.00	Very limited Slope Too sandy	1.00 1.00
Tassel-----	25	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00
VgA: Mobridge-----	45	Not limited		Not limited		Not limited	
Vetal-----	45	Not limited		Not limited		Not limited	
VhD: Vetal-----	60	Not limited		Not limited		Very limited Slope	1.00
Holt-----	25	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope Depth to bedrock	1.00 0.42
w: Water (less Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
ww: Water (greater Than 40 Acres)-----	100	Not rated		Not rated		Not rated	