

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Allivar-----	85	Not limited		Not limited		Somewhat limited Droughty	0.49
Ar: Arlo-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
AvB: Arvilla-----	85	Not limited		Not limited		Somewhat limited Droughty	0.19
Ba: Badger-----	85	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Very limited Flooding Depth to saturated zone	1.00 0.75
BbA: Barnes-----	85	Not limited		Not limited		Not limited	
BbB: Barnes-----	80	Not limited		Not limited		Not limited	
BcB: Barnes-----	60	Not limited		Not limited		Not limited	
Buse-----	30	Not limited		Not limited		Not limited	
BeA: Brandt-----	85	Not limited		Not limited		Not limited	
BeB: Brandt-----	85	Not limited		Not limited		Not limited	
Bf: Brookings-----	85	Not limited		Not limited		Not limited	
BgC: Buse-----	55	Not limited		Not limited		Not limited	
Barnes-----	30	Not limited		Not limited		Not limited	
BgD: Buse-----	50	Not limited		Not limited		Very limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Barnes-----	35	Not limited		Not limited		Slope	1.00
BhC: Buse-----	55	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Slope	0.63
Barnes-----	35	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Not limited	
BhE: Buse-----	65	Very limited Slope Too Stony	1.00 0.53	Somewhat limited Too Stony	0.53	Very limited Slope	1.00
Barnes-----	20	Somewhat limited Too Stony Slope	0.53 0.08	Somewhat limited Too Stony	0.53	Very limited Slope	1.00
BkE: Buse-----	60	Very limited Slope	1.00	Somewhat limited Slope	0.08	Very limited Slope	1.00
Lamoure-----	20	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
BoE: Buse-----	60	Very limited Slope	1.00	Somewhat limited Slope	0.08	Very limited Slope	1.00
Langhei-----	25	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
BpD: Buse-----	50	Not limited		Not limited		Somewhat limited Slope	0.63
Poinsett-----	40	Not limited		Not limited		Somewhat limited Slope	0.63
BrD: Buse-----	55	Somewhat limited Content of large stones	0.98	Somewhat limited Content of large stones	0.98	Very limited Slope	1.00

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too Stony	0.53	Too Stony	0.53	Content of large stones	1.00
		Slope	0.08				
Poinsett-----	35	Not limited		Not limited		Somewhat limited Slope	0.63
BsC: Buse-----	55	Not limited		Not limited		Not limited	
Singsaas-----	30	Not limited		Not limited		Not limited	
BxE: Buse-----	55	Very limited Slope	1.00	Not limited		Very limited Slope	1.00
Sioux-----	30	Very limited Slope	1.00	Not limited		Very limited Slope Droughty Gravel content	1.00 0.69 0.25
Ca: Castlewood-----	90	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 0.60
Ch: Chaska-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.19
Cm: Clamo-----	90	Very limited Too clayey Depth to saturated zone	1.00 1.00	Very limited Too clayey Depth to saturated zone	1.00 1.00	Very limited Too clayey Depth to saturated zone Flooding	1.00 1.00 0.60
Co: Cubden-----	60	Not limited		Not limited		Not limited	
Badger-----	30	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Very limited Flooding	1.00

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	0.75
Ct: Cubden-----	50	Not limited		Not limited		Not limited	
Tonka-----	40	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
DaB: Darnen-----	85	Not limited		Not limited		Not limited	
DcA: Davis-----	90	Not limited		Not limited		Not limited	
DcB: Davis-----	90	Not limited		Not limited		Not limited	
Dm: Dimo-----	90	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.03
Dn: Divide-----	80	Not limited		Not limited		Somewhat limited Flooding	0.60
DoB: Doland-----	85	Not limited		Not limited		Not limited	
DsA: Doland-----	55	Not limited		Not limited		Not limited	
Svea-----	25	Not limited		Not limited		Not limited	
EaB: Egan-----	65	Not limited		Not limited		Not limited	
Ethan-----	25	Not limited		Not limited		Not limited	
EeB: Egan-----	35	Not limited		Not limited		Not limited	
Wentworth-----	30	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Trent-----	20	Not limited		Not limited		Not limited	
EgA: Egeland-----	50	Not limited		Not limited		Not limited	
Embden-----	45	Not limited		Not limited		Not limited	
EgB: Egeland-----	60	Not limited		Not limited		Not limited	
Embden-----	30	Not limited		Not limited		Not limited	
EnA: Enet-----	90	Not limited		Not limited		Not limited	
EsA: Estelline-----	90	Not limited		Not limited		Not limited	
EsB: Estelline-----	85	Not limited		Not limited		Not limited	
EtB: Estelline-----	60	Not limited		Not limited		Not limited	
Sioux-----	30	Not limited		Not limited		Somewhat limited Droughty Gravel content	0.69 0.25
EvD: Ethan-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Clarno-----	35	Not limited		Not limited		Somewhat limited Slope	0.63
EwC: Ethan-----	50	Not limited		Not limited		Not limited	
Egan-----	45	Not limited		Not limited		Not limited	
Fa: Fairdale-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Fb: Fordtown-----	85	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fc:							
Fordtown-----	55	Not limited		Not limited		Not limited	
Spottswood-----	30	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.03
FdA:							
Fordville-----	90	Not limited		Not limited		Not limited	
FrB:							
Fordville-----	60	Not limited		Not limited		Not limited	
Renshaw-----	30	Not limited		Not limited		Not limited	
Gs:							
Goldsmith-----	90	Not limited		Not limited		Not limited	
Hb:							
Hamerly-----	55	Not limited		Not limited		Not limited	
Badger-----	30	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Very limited Flooding Depth to saturated zone	1.00 0.75
Hc:							
Hamerly-----	40	Not limited		Not limited		Not limited	
Cavour-----	30	Not limited		Not limited		Very limited Sodium content	1.00
Badger-----	20	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Very limited Flooding Depth to saturated zone	1.00 0.75
HeA:							
Hetland-----	90	Not limited		Not limited		Not limited	
HeB:							
Hetland-----	90	Not limited		Not limited		Not limited	
KrA:							
Kranzburg-----	55	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Brookings-----	30	Not limited		Not limited		Not limited	
KrB: Kranzburg-----	65	Not limited		Not limited		Not limited	
Brookings-----	25	Not limited		Not limited		Not limited	
La: La Prairie-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
Lc: La Prairie-----	85	Not limited		Not limited		Not limited	
Ld: Ladelle-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
Le: Lamo-----	90	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
Lk: Lamoure-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Lm: Lamoure-----	65	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Rauville-----	25	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
LnB: Lanona-----	60	Not limited		Not limited		Not limited	
Swenoda-----	25	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lo: Lowe-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Lr: Lowe-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ludden-----	35	Very limited Too clayey Flooding	1.00 0.40	Very limited Too clayey Flooding	1.00 0.40	Very limited Flooding Too clayey	1.00 1.00
Ls: Ludden-----	85	Very limited Too clayey Flooding	1.00 0.40	Very limited Too clayey Flooding	1.00 0.40	Very limited Flooding Too clayey	1.00 1.00
Lu: Ludden-----	45	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 0.40	Very limited Flooding Depth to saturated zone Too clayey Salinity	1.00 1.00 1.00 0.50
Ludden-----	40	Very limited Too clayey Flooding	1.00 0.40	Very limited Too clayey Flooding	1.00 0.40	Very limited Flooding Too clayey	1.00 1.00
M-W: Miscellaneous Water Areas-----	100	Not rated		Not rated		Not rated	
MaB: Maddock-----	55	Not limited		Not limited		Not limited	
Egeland-----	35	Not limited		Not limited		Not limited	
MaC: Maddock-----	65	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Egeland-----	25	Not limited		Not limited		Not limited	
MeA: Maddock-----	50	Not limited		Not limited		Not limited	
Embden-----	40	Not limited		Not limited		Not limited	
Mr: Marysland-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Mt: Mcintosh-----	55	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
Badger-----	30	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Very limited Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	0.75
Mu: Mcintosh-----	60	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
Lamoure-----	25	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
Mw: Minnewaukan-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Too sandy	0.89	Too sandy	0.89	Flooding	0.60
						Droughty	0.38
Mz: Moritz-----	50	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.03

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lamoure-----	35	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Od: Oldham-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Og: Orthents, Gravelly--	95	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope Droughty Gravel content	1.00 0.94 0.25
Or: Orthents, Loamy-----	95	Not limited		Not limited		Not limited	
Pa: Parnell-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
PbB: Poinsett-----	35	Not limited		Not limited		Not limited	
Buse-----	25	Not limited		Not limited		Not limited	
Waubay-----	20	Not limited		Not limited		Not limited	
PbC: Poinsett-----	35	Not limited		Not limited		Not limited	
Buse-----	30	Not limited		Not limited		Not limited	
Waubay-----	20	Not limited		Not limited		Not limited	
PwA: Poinsett-----	55	Not limited		Not limited		Not limited	
Waubay-----	30	Not limited		Not limited		Not limited	
PwB: Poinsett-----	60	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Waubay-----	25	Not limited		Not limited		Not limited	
Ra: Rauville-----	80	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Rp: Rauville-----	90	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
RSB: Renshaw-----	60	Not limited		Not limited		Not limited	
Sioux-----	30	Not limited		Not limited		Somewhat limited Droughty Gravel content	0.69 0.25
RS C: Renshaw-----	50	Not limited		Not limited		Not limited	
Sioux-----	40	Not limited		Not limited		Somewhat limited Droughty Gravel content	0.69 0.25
Rw: Renwash-----	90	Not limited		Not limited		Not limited	
SbB: Singsaas-----	60	Not limited		Not limited		Not limited	
Buse-----	30	Not limited		Not limited		Not limited	
ScA: Singsaas-----	60	Not limited		Not limited		Not limited	
Waubay-----	30	Not limited		Not limited		Not limited	
ScB: Singsaas-----	60	Not limited		Not limited		Not limited	
Waubay-----	25	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShD: Sioux-----	45	Not limited		Not limited		Somewhat limited Droughty Slope Gravel content	0.69 0.63 0.25
Renshaw-----	35	Not limited		Not limited		Somewhat limited Slope	0.63
ShE: Sioux-----	55	Very limited Slope	1.00	Somewhat limited Slope	0.08	Very limited Slope Droughty Gravel content	1.00 0.69 0.25
Renshaw-----	35	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
So: Southam-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Salinity	1.00 1.00 0.13
Sp: Spottswood-----	85	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.03
SrA: Strayhoss-----	85	Not limited		Not limited		Not limited	
SrB: Strayhoss-----	85	Not limited		Not limited		Not limited	
StB: Strayhoss-----	60	Not limited		Not limited		Not limited	
Maddock-----	30	Not limited		Not limited		Not limited	
SvA: Svea-----	90	Not limited		Not limited		Not limited	
SwA: Swenoda-----	55	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lanona-----	35	Not limited		Not limited		Not limited	
To:							
Tonka-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
Tr:							
Trent-----	90	Not limited		Not limited		Not limited	
VaA:							
Venagro-----	60	Not limited		Not limited		Not limited	
Svea-----	20	Not limited		Not limited		Not limited	
VaB:							
Venagro-----	65	Not limited		Not limited		Not limited	
Svea-----	20	Not limited		Not limited		Not limited	
VbA:							
Vienna-----	60	Not limited		Not limited		Not limited	
Brookings-----	30	Not limited		Not limited		Not limited	
VbB:							
Vienna-----	65	Not limited		Not limited		Not limited	
Brookings-----	20	Not limited		Not limited		Not limited	
VnB:							
Vienna-----	65	Not limited		Not limited		Not limited	
Buse-----	25	Not limited		Not limited		Not limited	
VnC:							
Vienna-----	55	Not limited		Not limited		Not limited	
Buse-----	30	Not limited		Not limited		Not limited	
W:							
Water-----	100	Not rated		Not rated		Not rated	
Wa:							
Wakonda-----	70	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Chancellor-----	20	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Wb: Waubay-----	90	Not limited		Not limited		Not limited	
WeA: Wentworth-----	65	Not limited		Not limited		Not limited	
Trent-----	25	Not limited		Not limited		Not limited	
Wo: Worthing-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00