

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BdA: Bend-----	50	Not limited		Not limited		Not limited	
Edwin-----	40	Not limited		Not limited		Very limited Sodium content	1.00
BkE: Betts-----	55	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Java-----	35	Not limited		Not limited		Very limited Slope	1.00
BkF: Betts-----	55	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope	1.00
Java-----	35	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope	1.00
Bn: Bon-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
BuA: Bullcreek-----	95	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Too clayey Sodium content	1.00 1.00
CcA: Capa-----	55	Not limited		Not limited		Very limited Sodium content	1.00
Carter-----	35	Not limited		Not limited		Not limited	
ClA: Capa-----	55	Not limited		Not limited		Very limited Sodium content	1.00
Slickspots, Dry-----	30	Not rated		Not rated		Not rated	
CpA: Carter-----	50	Not limited		Not limited		Not limited	
Promise-----	40	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Too clayey	1.00

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrA: Cavo-----	55	Not limited		Not limited		Very limited Sodium content	1.00
Jerauld-----	35	Not limited		Not limited		Very limited Sodium content	1.00
Cs: Cavo-----	55	Not limited		Not limited		Very limited Sodium content	1.00
Stickney-----	35	Not limited		Not limited		Not limited	
Df: Degrey-----	55	Not limited		Not limited		Very limited Sodium content	1.00
Walke-----	35	Not limited		Not limited		Very limited Sodium content	1.00
DnB: Delmont-----	60	Not limited		Not limited		Somewhat limited Droughty	0.01
Oahe-----	30	Not limited		Not limited		Not limited	
Du: Durrstein-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Sodium content	1.00
						Depth to saturated zone	1.00
						Salinity	1.00
						Flooding	0.60
Egas-----	35	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Salinity	1.00
						Depth to saturated zone Too clayey Flooding	1.00 1.00 0.60
EpC: Eakin-----	65	Not limited		Not limited		Not limited	
Peno-----	25	Not limited		Not limited		Somewhat limited	

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Content of large stones	0.01
ErA: Eakin-----	65	Not limited		Not limited		Not limited	
Raber-----	25	Not limited		Not limited		Not limited	
ErB: Eakin-----	55	Not limited		Not limited		Not limited	
Raber-----	35	Not limited		Not limited		Not limited	
GfF: Gettys-----	50	Very limited Slope	1.00	Somewhat limited Slope	0.08	Very limited Slope	1.00
Sansarc-----	40	Very limited Slope Too clayey	1.00 0.50	Somewhat limited Too clayey Slope	0.50 0.08	Very limited Too clayey Depth to bedrock Slope Droughty	1.00 1.00 1.00 1.00
GmB: Glenham-----	60	Not limited		Not limited		Not limited	
Java-----	30	Not limited		Not limited		Not limited	
GnA: Glenham-----	40	Not limited		Not limited		Not limited	
Java-----	30	Not limited		Not limited		Not limited	
Cavo-----	20	Not limited		Not limited		Very limited Sodium content	1.00
GrA: Glenham-----	55	Not limited		Not limited		Not limited	
Prosper-----	35	Not limited		Not limited		Not limited	
GrB: Glenham-----	60	Not limited		Not limited		Not limited	
Prosper-----	30	Not limited		Not limited		Not limited	
GsA: Glenham-----	40	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Prosper-----	25	Not limited		Not limited		Not limited	
Hoven-----	20	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Sodium content Ponding	1.00 1.00 1.00
GtB: Glenham-----	40	Not limited		Not limited		Not limited	
Prosper-----	25	Not limited		Not limited		Not limited	
Java-----	20	Not limited		Not limited		Not limited	
GuA: Glenham-----	35	Not limited		Not limited		Not limited	
Stickney-----	30	Not limited		Not limited		Not limited	
Hoven-----	25	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Sodium content Ponding	1.00 1.00 1.00
HaA: Henkin-----	55	Not limited		Not limited		Not limited	
Blendon-----	35	Not limited		Not limited		Not limited	
HdA: Highmore-----	50	Not limited		Not limited		Not limited	
Degrey-----	40	Not limited		Not limited		Very limited Sodium content	1.00
HdB: Highmore-----	55	Not limited		Not limited		Not limited	
Degrey-----	35	Not limited		Not limited		Very limited Sodium content	1.00
HeA: Highmore-----	65	Not limited		Not limited		Not limited	
Eakin-----	25	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HeB: Highmore-----	55	Not limited		Not limited		Not limited	
Eakin-----	35	Not limited		Not limited		Not limited	
Ho: Hoven-----	95	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Sodium content Ponding	1.00 1.00 1.00 1.00
HuB: Hurley-----	85	Not limited		Not limited		Very limited Sodium content Droughty Depth to bedrock	1.00 0.54 0.42
JaC: Java-----	40	Somewhat limited Content of large stones	0.02	Somewhat limited Content of large stones	0.02	Very limited Content of large stones	1.00
Glenham-----	30	Not limited		Not limited		Not limited	
Prosper-----	20	Not limited		Not limited		Not limited	
JbD: Java-----	60	Not limited		Not limited		Somewhat limited Slope	0.37
Betts-----	30	Not limited		Not limited		Somewhat limited Slope	0.37
JcD: Java-----	55	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Betts-----	35	Somewhat limited Slope	0.02	Not limited		Very limited Slope Content of large stones	1.00 0.84
JgB: Java-----	50	Not limited		Not limited		Not limited	
Glenham-----	40	Not limited		Not limited		Not limited	

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
JgC:							
Java-----	55	Not limited		Not limited		Not limited	
Glenham-----	35	Not limited		Not limited		Not limited	
JhC:							
Java-----	40	Not limited		Not limited		Not limited	
Glenham-----	30	Not limited		Not limited		Not limited	
Prosper-----	20	Not limited		Not limited		Not limited	
JsA:							
Jerauld-----	70	Not limited		Not limited		Very limited Sodium content	1.00
Slickspots, Dry-----	20	Not rated		Not rated		Not rated	
Ko:							
Kolls-----	95	Very limited Too clayey Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Too clayey Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Too clayey Depth to saturated zone Ponding	1.00 1.00 1.00
Lc:							
Lawet-----	95	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
M-W:							
Miscellaneous Water-----	100	Not rated		Not rated		Not rated	
Ma:							
Macken-----	95	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
Mb:							
Macken-----	95	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OaA: Oahe-----	90	Not limited		Not limited		Not limited	
OdA: Oahe-----	65	Not limited		Not limited		Not limited	
Delmont-----	25	Not limited		Not limited		Somewhat limited Droughty	0.01
OkB: Oko-----	90	Not limited		Not limited		Somewhat limited Content of large stones	0.01
OkC: Oko-----	90	Not limited		Not limited		Somewhat limited Content of large stones	0.01
OkD: Oko-----	90	Not limited		Not limited		Very limited Slope Content of large stones	1.00 0.01
OnA: Onita-----	90	Not limited		Not limited		Not limited	
Os: Onita-----	50	Not limited		Not limited		Not limited	
Hoven-----	40	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Sodium content Ponding	1.00 1.00 1.00
OtB: Opal-----	90	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Too clayey Droughty Depth to bedrock	1.00 0.44 0.42
OtC: Opal-----	90	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Too clayey Droughty Depth to bedrock	1.00 0.44 0.42

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OuD: Opal-----	50	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Too clayey Slope Droughty Depth to bedrock	1.00 1.00 0.44 0.42
Sansarc-----	40	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Too clayey Depth to bedrock Droughty Slope	1.00 1.00 1.00 1.00
Ow: Orthents, Gravelly--	95	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope Droughty Gravel content	1.00 0.91 0.25
OxD: Orton-----	50	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
Talmo-----	40	Somewhat limited Slope	0.08	Not limited		Very limited Slope Droughty	1.00 0.51
PgD: Peno-----	60	Somewhat limited Slope	0.08	Not limited		Very limited Slope Content of large stones	1.00 0.01
Gettys-----	30	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
Pk: Plankinton-----	95	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
PrA: Promise-----	95	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Too clayey	1.00
PrB: Promise-----	95	Somewhat limited		Somewhat limited		Very limited	

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too clayey	0.50	Too clayey	0.50	Too clayey	1.00
Ps: Prosper-----	95	Not limited		Not limited		Not limited	
RaA: Raber-----	90	Not limited		Not limited		Not limited	
RaB: Raber-----	90	Not limited		Not limited		Not limited	
RcA: Raber-----	50	Not limited		Not limited		Not limited	
Cavo-----	40	Not limited		Not limited		Very limited Sodium content	1.00
RcB: Raber-----	55	Not limited		Not limited		Not limited	
Cavo-----	35	Not limited		Not limited		Very limited Sodium content	1.00
RpB: Raber-----	60	Not limited		Not limited		Not limited	
Peno-----	30	Not limited		Not limited		Somewhat limited Content of large stones	0.01
RpC: Raber-----	55	Not limited		Not limited		Not limited	
Peno-----	35	Not limited		Not limited		Somewhat limited Content of large stones	0.01
RrA: Ree-----	95	Not limited		Not limited		Not limited	
RsF: Rock Outcrop, Soft--	70	Not rated		Not rated		Not rated	
Sansarc-----	25	Very limited		Somewhat limited		Very limited	

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SbF: Sansarc-----	65	Slope	1.00	Too clayey	0.50	Too clayey	1.00
		Too clayey	0.50	Slope	0.08	Depth to bedrock	1.00
Opal-----	25	Very limited		Somewhat limited		Very limited	
		Slope	1.00	Too clayey	0.50	Too clayey	1.00
StA: Stickney-----	55	Too clayey	0.50	Slope	0.08	Depth to bedrock	1.00
						Slope	1.00
Java-----	35	Somewhat limited		Somewhat limited		Droughty	1.00
		Slope	0.50	Too clayey	0.50	Depth to bedrock	0.42
SvA: Stickney-----	35	Too clayey	0.50				
Java-----	30	Not limited		Not limited		Not limited	
Hoven-----	20	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
TaE: Talmo-----	90	Ponding	1.00	Ponding	1.00	Sodium content	1.00
						Ponding	1.00
TbA: Talmo-----	90	Somewhat limited		Not limited		Very limited	
		Slope	0.08			Slope	1.00
TcF: Talmo-----	65					Droughty	0.51
TbA: Talmo-----	90	Not limited		Not limited		Somewhat limited	
						Droughty	0.84
TcF: Talmo-----	65	Very limited		Somewhat limited		Very limited	
		Slope	1.00	Too Stony	0.53	Content of large stones	1.00
		Too Stony	0.53	Content of large stones	0.14	Slope	1.00

Section II
Soil and Site Information

Recreation Table 2
Hyde County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Content of large stones	0.14			Droughty	0.70
Java-----	25	Very limited Slope	1.00	Not limited		Very limited Slope	1.00
TdD: Talmo-----	60	Not limited		Not limited		Somewhat limited Slope Droughty	0.63 0.51
Delmont-----	30	Not limited		Not limited		Somewhat limited Slope Droughty	0.04 0.01
Te: Tetonka-----	95	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
W: Water-----	100	Not rated		Not rated		Not rated	
Wd: Wendte-----	90	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Too clayey Flooding	1.00 0.60