

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ab: Albaton-----	90	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Too clayey Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00
		Too clayey Ponding	1.00 1.00	Restricted permeability Flooding	0.94 0.40	Ponding Restricted permeability	1.00 1.00 0.94
Bb: Bigbend-----	95	Very limited Flooding	1.00	Not limited		Not limited	
Bf: Bigbend-----	95	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Bg: Bigbend-----	95	Very limited Flooding	1.00	Not limited		Not limited	
Bh: Bigbend-----	95	Very limited Flooding	1.00	Not limited		Not limited	
Bi: Bigbend-----	50	Very limited Flooding	1.00	Not limited		Not limited	
Inavale-----	40	Very limited Flooding Too sandy	1.00 0.96	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy	0.96
Bu: Bullcreek-----	90	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability Slope	1.00 0.50 0.45 0.12
Bx: Bullcreek-----	60	Very limited Sodium content Too clayey	1.00 0.50	Very limited Sodium content Too clayey	1.00 0.50	Very limited Sodium content Too clayey	1.00 0.50

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Slickspots, Dry-----	30	Restricted permeability Not rated	0.45	Restricted permeability Not rated	0.45	Restricted permeability Not rated	0.45
CpA: Capa-----	90	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability Slope	1.00 0.45 0.12
Hb: Herdcamp-----	60	Very limited Depth to saturated zone Flooding Too clayey Restricted permeability	1.00 1.00 1.00 0.94	Very limited Depth to saturated zone Too clayey Restricted permeability Flooding	1.00 1.00 0.94 0.40	Very limited Depth to saturated zone Flooding Too clayey Restricted permeability	1.00 1.00 1.00 0.94
Bullcreek-----	35	Very limited Flooding Sodium content Too clayey Restricted permeability	1.00 1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45
Hg: Hilmoe-----	95	Very limited Flooding Restricted permeability	1.00 0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39
Hm: Hilmoe-----	90	Very limited Flooding Too clayey Restricted permeability	1.00 0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39
Hn: Hilmoe-----	50	Very limited		Somewhat limited		Somewhat limited	

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Inavale-----	40	Flooding	1.00	Too clayey Restricted permeability	0.50 0.39	Flooding	0.60
		Too clayey	0.50			Too clayey	0.50
		Restricted permeability	0.39			Restricted permeability	0.39
Ho: Hoven-----	95	Very limited	1.00	Somewhat limited Too sandy	0.96	Somewhat limited	0.96
		Flooding	0.96			Too sandy	0.60
In: Inavale-----	90	Too sandy	1.00	Very limited Depth to saturated zone Restricted permeability Sodium content Ponding	1.00 1.00 1.00 1.00	Very limited	1.00
		Flooding	1.00			Depth to saturated zone	1.00
		Too sandy	1.00			Restricted permeability	1.00
			1.00			Sodium content	1.00
KeA: Kirley-----	95	Ponding	1.00	Somewhat limited Too sandy	0.96	Ponding	1.00
			0.96			Too sandy	0.96
KeB: Kirley-----	95	Very limited	1.00	Somewhat limited Restricted permeability	0.05	Somewhat limited	0.05
		Depth to saturated zone	1.00			Restricted permeability	0.05
KeC: Kirley-----	90	Restricted permeability	1.00	Somewhat limited Restricted permeability	0.05	Somewhat limited	0.05
		Sodium content	1.00			Restricted permeability	0.05
KeD: Kirley-----	90	Ponding	1.00	Somewhat limited Slope Restricted permeability	0.63 0.05	Very limited	1.00
			0.05			Slope	0.63
						Restricted permeability	0.05

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KmB: Kirley-----	60	Somewhat limited	0.05	Somewhat limited	0.05	Somewhat limited	0.50
		Restricted permeability		Restricted permeability		Slope	
Mosher-----	30	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Sodium content Restricted permeability		Sodium content Restricted permeability		Sodium content Restricted permeability	
KnB: Kirley-----	55	Somewhat limited	0.05	Somewhat limited	0.05	Somewhat limited	0.50
		Restricted permeability		Restricted permeability		Slope	
Vivian-----	35	Somewhat limited	0.41	Somewhat limited	0.41	Very limited	1.00
		Gravel content		Gravel content		Gravel content Slope	
KnC: Kirley-----	50	Somewhat limited	0.05	Somewhat limited	0.05	Very limited	1.00
		Restricted permeability		Restricted permeability		Slope	
Vivian-----	40	Somewhat limited	0.41	Somewhat limited	0.41	Very limited	1.00
		Gravel content		Gravel content		Slope Gravel content	
KnD: Kirley-----	55	Somewhat limited	0.63	Somewhat limited	0.63	Very limited	1.00
		Slope Restricted permeability		Slope Restricted permeability		Slope	
Vivian-----	30	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Slope Gravel content		Slope Gravel content		Slope Gravel content	
Ko: Kolls-----	95	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Too clayey Restricted permeability		Too clayey Restricted permeability		Too clayey Restricted permeability	

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Kp: Kolls-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Too clayey	1.00	Depth to saturated zone	1.00
LaB: Lakoma-----	95	Too clayey	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Somewhat limited		Somewhat limited		Somewhat limited	
LaC: Lakoma-----	85	Too clayey	0.50	Too clayey	0.50	Slope	0.88
		Restricted permeability	0.39	Restricted permeability	0.39	Too clayey	0.50
		Depth to bedrock		Depth to bedrock		Depth to bedrock	0.42
		Restricted permeability		Restricted permeability		Restricted permeability	0.39
LaD: Lakoma-----	80	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.63	Slope	0.63	Slope	1.00
		Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Restricted permeability	0.39	Restricted permeability	0.39	Depth to bedrock	0.42
LkC: Lakoma-----	65	Restricted permeability		Restricted permeability		Restricted permeability	0.39
		Somewhat limited		Somewhat limited		Very limited	
		Too clayey	0.50	Too clayey	0.50	Slope	1.00
		Restricted permeability	0.39	Restricted permeability	0.39	Too clayey	0.50
		Depth to bedrock		Depth to bedrock		Depth to bedrock	0.42
		Restricted permeability		Restricted permeability		Restricted permeability	0.39

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Kirley-----	30	Somewhat limited Restricted permeability	0.05	Somewhat limited Restricted permeability	0.05	Somewhat limited Slope Restricted permeability	0.88 0.05
LvE: Lakoma-----	55	Somewhat limited Slope Too clayey Restricted permeability	0.63 0.50 0.39	Somewhat limited Slope Too clayey Restricted permeability	0.63 0.50 0.39	Very limited Slope Too clayey Depth to bedrock Restricted permeability	1.00 0.50 0.42 0.39
Vivian-----	25	Very limited Slope Gravel content	1.00 0.41	Very limited Slope Gravel content	1.00 0.41	Very limited Slope Gravel content	1.00 1.00
MLA: Millboro-----	95	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39
MLB: Millboro-----	95	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Slope Restricted permeability	0.88 0.39
MLC: Millboro-----	90	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Very limited Slope Restricted permeability	1.00 0.39
Mo: Mosher-----	90	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45
Mp: Mosher-----	65	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Capa-----	25	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45
Nb: Nimbro-----	95	Very limited Flooding	1.00	Not limited		Not limited	
Nc: Nimbro-----	95	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
OaF: Okaton-----	90	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39
ObE: Okaton-----	50	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39
Lakoma-----	40	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.39	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.39	Very limited Slope Too clayey Depth to bedrock Restricted permeability	1.00 0.50 0.42 0.39
OkE: Okaton-----	45	Very limited Depth to bedrock Slope Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Depth to bedrock Slope Too clayey Restricted permeability	1.00 1.00 0.50 0.39	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.39
Bullcreek-----	20	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wendte-----	20	Very limited		Somewhat limited Too clayey Restricted permeability	0.50 0.39	Slope	0.12
		Flooding	1.00			Somewhat limited	0.60
		Too clayey	0.50			Flooding	0.60
OlB: Opal-----	95	Restricted permeability	0.39	Somewhat limited Restricted permeability	0.45	Too clayey	0.50
		Somewhat limited Restricted permeability	0.45			Restricted permeability	0.39
						Somewhat limited	0.88
OlC: Opal-----	95	Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Slope	0.45
		Somewhat limited Restricted permeability	0.45			Depth to bedrock	0.42
						Very limited	1.00
OlD: Opal-----	85	Somewhat limited	0.45	Somewhat limited Restricted permeability Slope	0.45 0.37	Slope	0.45
		Restricted permeability	0.37			Very limited	1.00
		Slope	0.37			Restricted permeability Depth to bedrock	0.42
OpA: Opal-----	95	Somewhat limited	0.50	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited	0.50
		Too clayey	0.45			Too clayey	0.50
		Restricted permeability	0.45			Restricted permeability	0.45
OpB: Opal-----	95	Somewhat limited	0.50	Somewhat limited Too clayey Restricted permeability	0.50 0.45	Somewhat limited	0.88
		Too clayey	0.45			Slope	0.50
		Restricted permeability	0.45			Too clayey	0.50
OpC: Opal-----	95	Somewhat limited		Somewhat limited		Restricted permeability Depth to bedrock	0.45
						Very limited	0.42

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OpD: Opal-----	85	Too clayey	0.50	Too clayey	0.50	Slope	1.00
		Restricted permeability	0.45	Restricted permeability	0.45	Too clayey	0.50
						Restricted permeability	0.45
Ot: Orthents, Gravelly--	95	Somewhat limited		Somewhat limited		Depth to bedrock	0.42
		Too clayey	0.50	Too clayey	0.50	Very limited	
		Restricted permeability	0.45	Restricted permeability	0.45	Slope	1.00
PrA: Promise-----	90	Slope	0.37	Slope	0.37	Too clayey	0.50
						Restricted permeability	0.45
						Depth to bedrock	0.42
PrB: Promise-----	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Gravel content	1.00
PrC: Promise-----	90	Gravel content	0.41	Gravel content	0.41	Slope	1.00
						Gravel content	1.00
						Slope	1.00
PsA: Promise-----	50	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Too clayey	0.50	Slope	0.88
		Restricted permeability	0.39	Restricted permeability	0.39	Too clayey	0.50
						Restricted permeability	0.39

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bullcreek-----	35	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45
PtA: Promise-----	45	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39
Bullcreek-----	35	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45
Kolls-----	15	Very limited Too clayey Restricted permeability Depth to saturated zone Ponding	1.00 1.00 1.00 1.00	Very limited Too clayey Restricted permeability Depth to saturated zone Ponding	1.00 1.00 1.00 1.00	Very limited Too clayey Restricted permeability Depth to saturated zone Ponding	1.00 1.00 1.00 1.00
Pu: Promise-----	60	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39
Capa-----	30	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45
ReA: Ree-----	95	Not limited		Not limited		Not limited	
ReB: Ree-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
ReC: Ree-----	90	Not limited		Not limited		Very limited Slope	1.00
SaE: Sansarc-----	90	Very limited		Very limited		Very limited	

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SoE: Sansarc-----	55	Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
Opal-----	35	Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
SrE: Sansarc-----	55	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
Rock Outcrop, Soft--	35	Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
SvE: Sansarc-----	60	Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
		Very limited		Very limited		Very limited	
Vivian-----	30	Slope	1.00	Slope	1.00	Slope	1.00
		Gravel content	0.41	Gravel content	0.41	Gravel content	1.00
W: Water-----	100	Not rated		Not rated		Not rated	

Recreation Table 1
Jones County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wc: Wendte-----	90	Very limited Flooding Too clayey Restricted permeability	1.00 0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39
Wd: Wendte-----	90	Very limited Flooding Too clayey Restricted permeability	1.00 0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Flooding Too clayey Restricted permeability	0.60 0.50 0.39
Wt: Witten-----	95	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39