

Section II
Soil and Site Information

Prime Farmland
Kingsbury County, South Dakota

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name.)

| Map symbol | Soil name |
|------------|--|
| Ba | Badger silty clay loam (Prime farmland if drained) |
| BcB | Barnes-buse loams, 2 to 6 percent slopes |
| BdA | Beadle loam, 0 to 2 percent slopes (Prime farmland if irrigated) |
| BdB | Beadle loam, 2 to 6 percent slopes (Prime farmland if irrigated) |
| Bn | Bon loam |
| BrB | Brandt silty clay loam, 2 to 6 percent slopes |
| CbA | Clarno-bonilla loams, 0 to 2 percent slopes (Prime farmland if irrigated) |
| CbB | Clarno-bonilla loams, 1 to 6 percent slopes (Prime farmland if irrigated) |
| CeB | Clarno-ethan-bonilla loams, 1 to 6 percent slopes (Prime farmland if irrigated) |
| Ct | Crossplain-tetonka complex (Prime farmland if drained) |
| Cu | Cubden silty clay loam |
| Cv | Cubden-badger silty clay loams (Prime farmland if drained) |
| Cw | Cubden-tonka silty clay loams (Prime farmland if drained) |
| Dc | Davison-crossplain complex (Prime farmland if drained) |
| DeA | Delmont loam, 0 to 2 percent slopes (Prime farmland if irrigated) |
| Dv | Divide loam |
| EgA | Egeland-embden complex, 0 to 2 percent slopes |
| EgB | Egeland-embden complex, 2 to 6 percent slopes |
| HbB | Henkin-blendon fine sandy loams, 2 to 6 percent slopes (Prime farmland if irrigated) |
| HeA | Hetland silty clay loam, 0 to 2 percent slopes |
| HeB | Hetland silty clay loam, 2 to 6 percent slopes |
| HpA | Houdek-prosper loams, 0 to 2 percent slopes (Prime farmland if irrigated) |
| HpB | Houdek-prosper loams, 1 to 6 percent slopes (Prime farmland if irrigated) |
| Ht | Houdek-stickney-tetonka complex (Prime farmland if drained) |
| Lm | Lamoure silty clay loam (Prime farmland if drained) |
| Lo | Lowe loam (Prime farmland if drained) |
| Ma | Marysland loam (Prime farmland if drained) |
| PoB | Poinsett-buse-waubay complex, 1 to 6 percent slopes |
| PrB | Poinsett-rusklyn-waubay silty clay loams, 1 to 6 percent slopes |
| PwA | Poinsett-waubay silty clay loams, 0 to 2 percent slopes |
| PwB | Poinsett-waubay silty clay loams, 1 to 6 percent slopes |
| RfA | Renshaw-fordville loams, 0 to 2 percent slopes (Prime farmland if irrigated) |
| RfB | Renshaw-fordville loams, 2 to 6 percent slopes (Prime farmland if irrigated) |
| SnA | Sinai silty clay, 0 to 2 percent slopes |
| Te | Tetonka silt loam (Prime farmland if drained) |
| To | Tonka silty clay loam (Prime farmland if drained) |
| VbA | Vienna-brookings complex, 0 to 2 percent slopes |
| VbB | Vienna-brookings complex, 1 to 6 percent slopes |
| Wa | Waubay silty clay loam |
| Wb | Waubay-badger silty clay loams (Prime farmland if drained) |