

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AlA: Altvan-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Very limited Cutbanks cave	1.00	Not limited	
AlB: Altvan-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Very limited Cutbanks cave	1.00	Not limited	
AnB: Arvada-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Too clayey Cutbanks cave	0.28 0.10	Very limited Sodium content	1.00
ArB: Arvada-----	55	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Too clayey Cutbanks cave	0.28 0.10	Very limited Sodium content	1.00
Slickspots, Dry----	30	Not rated		Not rated		Not rated	
AsB: Assinniboine-----	85	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Ba: Bankard-----	85	Very limited Flooding	1.00	Very limited Cutbanks cave Flooding	1.00 0.80	Very limited Flooding Droughty	1.00 0.05
BLD: Blackpipe-----	80	Very limited Low strength Shrink-swell	1.00 0.50	Somewhat limited Depth to soft bedrock Cutbanks cave Too clayey	0.42 0.10 0.03	Somewhat limited Depth to bedrock	0.42

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BsD: Blackpipe-----	50	Very limited Low strength	1.00	Somewhat limited Depth to soft bedrock	0.42	Somewhat limited Depth to bedrock	0.42
		Shrink-swell	0.50	Cutbanks cave Too clayey	0.10 0.03		
Shingle-----	30	Very limited Depth to soft bedrock	1.00	Very limited Depth to soft bedrock	1.00	Very limited Depth to bedrock	1.00
		Low strength	1.00	Slope	0.37	Droughty	0.94
		Shrink-swell	0.50	Cutbanks cave	0.10	Slope	0.37
		Slope	0.37				
CaE: Cabbart-----	85	Very limited Slope	1.00	Very limited Depth to soft bedrock	1.00	Very limited Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Slope	1.00	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	0.79
CbD: Canyon-----	50	Somewhat limited Depth to soft bedrock	1.00	Very limited Depth to soft bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Droughty	1.00
				Cutbanks cave	0.10	Slope	0.37
Bridget-----	30	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength	0.22				
CdE: Canyon-----	50	Very limited Slope	1.00	Very limited Depth to soft bedrock	1.00	Very limited Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Slope	1.00	Slope	1.00
				Cutbanks cave	0.10	Droughty	1.00

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Butche-----	25	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 0.09	Very limited Depth to hard bedrock Slope Cutbanks cave Content of large stones	1.00 1.00 0.10 0.09	Very limited Depth to bedrock Slope Droughty Content of large stones	1.00 1.00 1.00 0.11
CtE: Citadel-----	70	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
DaD: Delridge-----	85	Very limited Low strength Shrink-swell Frost action Slope	1.00 0.50 0.50 0.37	Somewhat limited Depth to soft bedrock Slope Cutbanks cave	0.42 0.37 0.10	Somewhat limited Depth to bedrock Slope	0.42 0.37
EaD: Enning-----	50	Very limited Depth to soft bedrock Low strength Slope	1.00 1.00 0.84	Very limited Depth to soft bedrock Slope Cutbanks cave	1.00 0.84 0.10	Very limited Depth to bedrock Carbonate content Droughty Slope	1.00 1.00 0.95 0.84
Manvel-----	40	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
EbE: Enning-----	65	Very limited Slope Depth to soft bedrock Low strength	1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Cutbanks cave	1.00 1.00 0.10	Very limited Depth to bedrock Slope Carbonate content Droughty	1.00 1.00 1.00 0.95

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop, Soft--	25	Not rated		Not rated		Not rated	
Ga: Glenberg-----	90	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Not limited	
GbD: Grummit-----	90	Very limited Depth to soft bedrock Low strength Shrink-swell Slope	1.00 1.00 0.50 0.37	Very limited Depth to soft bedrock Too clayey Slope Cutbanks cave	1.00 0.72 0.37 0.10	Very limited Depth to bedrock Droughty Too clayey Slope	1.00 1.00 1.00 0.37
GcE: Grummit-----	50	Very limited Slope Depth to soft bedrock Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to soft bedrock Slope Too clayey Cutbanks cave	1.00 1.00 0.72 0.10	Very limited Depth to bedrock Slope Droughty Too clayey	1.00 1.00 1.00 1.00
Rock Outcrop, Acid--	30	Not rated		Not rated		Not rated	
HbB: Hisle-----	60	Very limited Shrink-swell Low strength	1.00 1.00	Somewhat limited Too clayey Depth to soft bedrock Cutbanks cave	0.88 0.42 0.10	Very limited Sodium content Droughty Depth to bedrock	1.00 0.58 0.42
Slickspots, Dry-----	30	Not rated		Not rated		Not rated	

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ho: Hoven-----	90	Very limited Depth to saturated zone Low strength Shrink-swell Ponding Frost action	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Ponding Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Depth to saturated zone Sodium content Ponding	1.00 1.00 1.00
KaA: Keith-----	90	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
KaB: Keith-----	90	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
KbA: Kyle-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Droughty	1.00 0.01
KbB: Kyle-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Droughty	1.00 0.01
KcB: Kyle-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Droughty	1.00 0.01
LaD: Lakoa-----	50	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Maitland-----	30	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LbE: Lismas-----	80	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Too clayey	1.00	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	1.00
LcD: Lismas-----	50	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Depth to soft bedrock	1.00	Too clayey	1.00	Depth to bedrock	1.00
		Low strength	1.00	Slope	0.37	Droughty	1.00
		Slope	0.37	Cutbanks cave	0.10	Slope	0.37
Winler-----	30	Very limited Shrink-swell	1.00	Very limited Too clayey	1.00	Very limited Too clayey	1.00
		Low strength	1.00	Cutbanks cave	1.00	Droughty	1.00
		Slope	0.37	Depth to soft bedrock	0.42	Depth to bedrock	0.42
				Slope	0.37	Slope	0.37
Le: Lohmiller-----	85	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	1.00	Too clayey	0.03		
		Flooding	0.40				
Lh: Glenberg-----	40	Very limited Flooding	1.00	Very limited Cutbanks cave	1.00	Somewhat limited Flooding	0.60
				Flooding	0.60		
Lohmiller-----	40	Very limited Flooding	1.00	Somewhat limited Flooding	0.60	Somewhat limited Flooding	0.60
		Shrink-swell	0.50	Cutbanks cave	0.10		
		Low strength	0.22				

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ma: Macken-----	90	Very limited Depth to saturated zone Low strength Shrink-swell Ponding Frost action	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Ponding Too clayey Cutbanks cave	1.00 1.00 0.28 0.10	Very limited Depth to saturated zone Too clayey Ponding	1.00 1.00 1.00
MbB: Manvel-----	85	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
McB: Marshbrook-----	50	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.60 0.10	Very limited Depth to saturated zone Flooding	1.00 0.60
Cordeston-----	40	Somewhat limited Shrink-swell Flooding	0.50 0.40	Somewhat limited Cutbanks cave	0.10	Not limited	
MdD: Midway-----	50	Very limited Depth to soft bedrock Low strength Shrink-swell Slope	1.00 1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Cutbanks cave Too clayey	1.00 1.00 0.10 0.03	Very limited Depth to bedrock Slope Droughty	1.00 1.00 0.98
Blackpipe-----	30	Very limited Low strength Slope Shrink-swell	1.00 0.63 0.50	Somewhat limited Slope Depth to soft bedrock Cutbanks cave Too clayey	0.63 0.42 0.10 0.03	Somewhat limited Slope Depth to bedrock	0.63 0.42
NaD: Nevee-----	60	Somewhat limited Low strength Slope	0.78 0.63	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Spearfish-----	25	Somewhat limited Depth to soft bedrock Slope	1.00 0.37	Very limited Depth to soft bedrock Slope Cutbanks cave	1.00 0.37 0.10	Very limited Depth to bedrock Droughty Slope	1.00 0.97 0.37
NbE: Nihill-----	75	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Gravel content Droughty Content of large stones	1.00 0.33 0.11 0.01
NcA: Nunn-----	90	Very limited Low strength Shrink-swell Frost action	1.00 1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
NcB: Nunn-----	90	Very limited Low strength Shrink-swell Frost action	1.00 1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
NcC: Nunn-----	85	Very limited Low strength Shrink-swell Frost action	1.00 1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
OaA: Onita-----	85	Very limited Frost action Shrink-swell Low strength	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Cutbanks cave Too clayey	0.24 0.10 0.03	Not limited	
PaE: Paunsaugunt-----	45	Very limited Depth to hard bedrock Slope Frost action	1.00 1.00 0.50	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 1.00 0.10	Very limited Depth to bedrock Slope Droughty Gravel content	1.00 1.00 1.00 0.75

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop, Sandy-	30	Not rated		Not rated		Not rated	
PbB: Pierre-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Droughty Depth to bedrock	1.00 0.44 0.42
PbC: Pierre-----	85	Very limited Shrink-swell Low strength Slope	1.00 1.00 0.63	Very limited Cutbanks cave Too clayey Slope Depth to soft bedrock	1.00 0.88 0.63 0.42	Very limited Too clayey Slope Droughty Depth to bedrock	1.00 0.63 0.44 0.42
SaE: Samsil-----	75	Very limited Shrink-swell Slope Depth to soft bedrock Low strength	1.00 1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Too clayey Cutbanks cave	1.00 1.00 0.97 0.10	Very limited Too clayey Depth to bedrock Slope Droughty	1.00 1.00 1.00 1.00
SbD: Samsil-----	45	Very limited Shrink-swell Depth to soft bedrock Low strength Slope	1.00 1.00 1.00 0.37	Very limited Depth to soft bedrock Too clayey Slope Cutbanks cave	1.00 0.97 0.37 0.10	Very limited Too clayey Depth to bedrock Droughty Slope	1.00 1.00 1.00 0.37
Pierre-----	30	Very limited Shrink-swell Low strength Slope	1.00 1.00 0.37	Very limited Cutbanks cave Too clayey Depth to soft bedrock Slope	1.00 0.88 0.42 0.37	Very limited Too clayey Droughty Depth to bedrock Slope	1.00 0.44 0.42 0.37

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ScE: Samsil-----	50	Very limited Shrink-swell	1.00	Very limited Depth to soft bedrock	1.00	Very limited Too clayey	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to soft bedrock	1.00	Too clayey	0.97	Slope	1.00
		Low strength	1.00	Cutbanks cave	0.10	Droughty	1.00
Rock Outcrop, Soft--	30	Not rated		Not rated		Not rated	
SdA: Satanta-----	90	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
SdB: Satanta-----	85	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
SdC: Satanta-----	80	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
SeA: Satanta-----	55	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Beckton-----	30	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.15	Very limited Sodium content	1.00
		Shrink-swell	1.00	Cutbanks cave	0.10	Salinity	0.01
				Too clayey	0.03		
ShA: Savo-----	85	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	1.00	Too clayey	0.03		

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SkB: Blackpipe-----	40	Very limited Low strength Shrink-swell	1.00 0.50	Somewhat limited Depth to soft bedrock Cutbanks cave Too clayey	0.42 0.10 0.03	Somewhat limited Depth to bedrock	0.42
Savo-----	40	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
SlE: Spearfish-----	55	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Depth to soft bedrock Slope Cutbanks cave	1.00 1.00 0.10	Very limited Depth to bedrock Slope Droughty	1.00 1.00 0.97
Rock Outcrop, Sandstone-----	20	Not rated		Not rated		Not rated	
So: St. Onge-----	80	Very limited Flooding Low strength Shrink-swell Frost action	1.00 0.78 0.50 0.50	Somewhat limited Flooding Cutbanks cave	0.60 0.10	Somewhat limited Flooding	0.60
St: Stetter-----	80	Very limited Flooding Low strength Shrink-swell	1.00 1.00 1.00	Somewhat limited Too clayey Flooding Cutbanks cave	0.72 0.60 0.10	Very limited Too clayey Flooding	1.00 0.60
SwB: Swanboy-----	80	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Droughty	1.00 0.06
SyB: Swanboy-----	55	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Droughty	1.00 0.06

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Slickspots, Dry-----	35	Not rated		Not rated		Not rated	
TaA: Tilford-----	85	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
TaB: Tilford-----	80	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
VaE: Vanocker-----	40	Very limited Slope Shrink-swell Frost action Content of large stones	1.00 0.50 0.50 0.26	Very limited Slope Content of large stones Cutbanks cave	1.00 0.26 0.10	Very limited Slope Content of large stones Gravel content Droughty	1.00 0.20 0.09 0.01
Citadel-----	35	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
w: Water (less Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
Wa: Winetti-----	80	Somewhat limited Frost action Flooding	0.50 0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty Gravel content	0.72 0.32
WbC: Winler-----	80	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave Depth to soft bedrock	1.00 1.00 0.42	Very limited Too clayey Droughty Depth to bedrock	1.00 1.00 0.42

Section II
Soil and Site Information

Building Site Development
Meade County, South Dakota,
Southern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WcB: Winler-----	55	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave Depth to soft bedrock	1.00 1.00 0.42	Very limited Too clayey Droughty Depth to bedrock	1.00 1.00 0.42
Swanboy-----	35	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey Droughty	1.00 0.06
ww: Water (greater Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
ZaD: Zigweid-----	50	Very limited Low strength Shrink-swell Slope	1.00 0.50 0.37	Somewhat limited Slope Cutbanks cave	0.37 0.10	Somewhat limited Slope	0.37
Nihill-----	25	Somewhat limited Frost action Slope	0.50 0.37	Very limited Cutbanks cave Slope	1.00 0.37	Somewhat limited Slope Gravel content Droughty Content of large stones	0.37 0.33 0.11 0.01