

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AbB: Abor-----	85	Very limited Restricted permeability Depth to bedrock Depth to permafrost Depth to cemented pan	1.00 1.00 1.00 1.00	Very limited Depth to soft bedrock Depth to permafrost Depth to hard bedrock Depth to cemented pan Slope	1.00 1.00 1.00 1.00 1.00 0.32
AbC: Abor-----	85	Very limited Restricted permeability Depth to bedrock Depth to permafrost Depth to cemented pan	1.00 1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Depth to permafrost Depth to hard bedrock Depth to cemented pan	1.00 1.00 1.00 1.00 1.00 1.00
AlB: Absher-----	60	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Slope	1.00 1.00 1.00 1.00 1.00 0.32
Slickspots, Dry-----	25	Not rated		Not rated	

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AsB: Assinniboine-----	85	Very limited		Very limited	
		Depth to permafrost	1.00	Seepage	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
				Depth to hard bedrock	1.00
				Depth to soft bedrock	1.00
				Depth to cemented pan	1.00
AsC: Assinniboine-----	85	Very limited		Very limited	
		Depth to permafrost	1.00	Seepage	1.00
		Depth to cemented pan	1.00	Slope	1.00
				Depth to permafrost	1.00
				Depth to hard bedrock	1.00
				Depth to soft bedrock	1.00
AtC: Assinniboine-----	55	Very limited		Very limited	
		Depth to permafrost	1.00	Seepage	1.00
		Depth to cemented pan	1.00	Slope	1.00
				Depth to permafrost	1.00
				Depth to hard bedrock	1.00
				Depth to soft bedrock	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Twilight-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Seepage	1.00
				Depth to permafrost	1.00
				Depth to hard bedrock	1.00
Ba: Bankard-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to soft bedrock	1.00
Bb: Bankard-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to soft bedrock	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
B1E: Blackhall-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
Rock Outcrop, Sandstone-----	25	Not rated		Not rated	
BmE: Blackhall-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
Twilight-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Seepage	1.00
		Slope	0.63	Depth to permafrost	1.00
				Depth to hard bedrock	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BoE: Bullock-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
				Slope	0.32
Lardell-----	30	Very limited Restricted permeability	1.00	Very limited Depth to permafrost	1.00
		Depth to saturated zone	1.00	Depth to hard bedrock	1.00
		Depth to permafrost	1.00	Depth to soft bedrock	1.00
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
				Depth to saturated zone	1.00
Blackhall-----	15	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
BpB: Bullock-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
				Seepage	0.18

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Parchin-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
				Seepage	0.50
BsB: Bullock-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
				Seepage	0.18
Slickspots, Dry-----	25	Not rated		Not rated	
CaD: Cabbart-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CvB: Cabbart Variant-----	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to soft bedrock	1.00
				Depth to cemented pan	1.00
				Slope	0.32
DeC: Delridge-----	55	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Restricted permeability	0.50	Depth to hard bedrock	1.00
Slope	0.37	Depth to cemented pan	1.00		
Cabbart-----	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Slope	0.37	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EaA: Eapa-----	90	Very limited Depth to permafrost Depth to cemented pan Restricted permeability	1.00 1.00 0.50	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Seepage	1.00 1.00 1.00 1.00 0.50
EaB: Eapa-----	90	Very limited Depth to permafrost Depth to cemented pan Restricted permeability	1.00 1.00 0.50	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Seepage	1.00 1.00 1.00 1.00 0.50
EaC: Eapa-----	90	Very limited Depth to permafrost Depth to cemented pan Restricted permeability	1.00 1.00 0.50	Very limited Slope Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00 1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EdB: Eapa-----	60	Very limited		Very limited	
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Depth to soft bedrock	1.00
				Depth to cemented pan	1.00
				Seepage	0.50
Delridge-----	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Depth to cemented pan	1.00
				Seepage	0.50
EdC: Eapa-----	60	Very limited		Very limited	
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Restricted permeability	0.50	Depth to hard bedrock	1.00
				Depth to soft bedrock	1.00
				Depth to cemented pan	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Delridge-----	25	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Restricted permeability	0.50	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
EgB: Eapa-----	60	Very limited Depth to permafrost	1.00	Very limited Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Depth to soft bedrock	1.00
				Depth to cemented pan	1.00
				Seepage	0.50
Grail-----	20	Very limited Restricted permeability	1.00	Very limited Depth to permafrost	1.00
		Depth to permafrost	1.00	Depth to hard bedrock	1.00
		Depth to cemented pan	1.00	Depth to soft bedrock	1.00
				Depth to cemented pan	1.00
				Slope	0.32

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EgC: Eapa-----	60	Very limited		Very limited	
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Restricted permeability	0.50	Depth to hard bedrock	1.00
Grail-----	20	Depth to soft bedrock	1.00	Depth to soft bedrock	1.00
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
GaA: Gerdrum-----	85	Depth to cemented pan	1.00	Depth to hard bedrock	1.00
		Very limited		Depth to soft bedrock	1.00
		Restricted permeability	1.00	Depth to cemented pan	1.00
		Depth to permafrost	1.00	Very limited	

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Gc: Glenberg-----	85	Very limited Depth to permafrost Depth to cemented pan Flooding	1.00 1.00 0.40	Very limited Seepage Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00 1.00
Gr: Grail-----	90	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00
Hb: Havre-----	85	Very limited Depth to permafrost Depth to cemented pan Restricted permeability Flooding	1.00 1.00 0.50 0.40	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Seepage	1.00 1.00 1.00 1.00 0.50

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Hc: Havre-----	90	Very limited Flooding Depth to permafrost Depth to cemented pan Restricted permeability	1.00 1.00 1.00 0.50	Very limited Flooding Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00 1.00 1.00
He: Heil-----	100	Very limited Restricted permeability Depth to saturated zone Depth to permafrost Ponding Depth to cemented pan	1.00 1.00 1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Ponding Depth to cemented pan	1.00 1.00 1.00 1.00 1.00
HfB: Hisle-----	60	Very limited Restricted permeability Depth to bedrock Depth to permafrost Depth to cemented pan	1.00 1.00 1.00 1.00	Very limited Depth to soft bedrock Depth to permafrost Depth to hard bedrock Depth to cemented pan	1.00 1.00 1.00 1.00
Slickspots, Dry-----	25	Not rated		Not rated	

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KyA: Kyle-----	90	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00
KyB: Kyle-----	90	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Slope	1.00 1.00 1.00 1.00 0.32
La: Lardell-----	90	Very limited Restricted permeability Depth to saturated zone Depth to permafrost Depth to cemented pan Flooding	1.00 1.00 1.00 1.00 0.40	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Depth to saturated zone	1.00 1.00 1.00 1.00 1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LaB: Lawther-----	85	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Slope	1.00 1.00 1.00 1.00 0.68
LbE: Lismas-----	85	Very limited Depth to bedrock Slope Depth to permafrost Depth to cemented pan	1.00 1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Depth to permafrost Depth to hard bedrock Depth to cemented pan	1.00 1.00 1.00 1.00 1.00
LcA: Loburn-----	60	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00
Gerdrum-----	25	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ld: Lohmiller-----	90	Very limited Restricted permeability Depth to permafrost Depth to cemented pan Flooding	1.00 1.00 1.00 0.40	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Flooding	1.00 1.00 1.00 1.00 0.40
Lg: Lohmiller-----	90	Very limited Flooding Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00 1.00	Very limited Flooding Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00 1.00
NaD: Nihill-----	50	Very limited Slope Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Slope Seepage Depth to permafrost Depth to hard bedrock Depth to soft bedrock	1.00 1.00 1.00 1.00 1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Attewan-----	30	Very limited Filtering capacity Depth to permafrost Depth to cemented pan Restricted permeability	1.00 1.00 1.00 0.50	Very limited Seepage Slope Depth to permafrost Depth to hard bedrock Depth to soft bedrock	1.00 1.00 1.00 1.00 1.00
NuA: Nunn-----	85	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00
NuB: Nunn-----	85	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Slope	1.00 1.00 1.00 1.00 0.32
PbB: Parchin-----	60	Very limited Depth to bedrock Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to soft bedrock Depth to permafrost Depth to hard bedrock Depth to cemented pan Seepage	1.00 1.00 1.00 1.00 0.50

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Bullock-----	25	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
				Slope	0.32
PeB: Pierre-----	90	Very limited Restricted permeability	1.00	Very limited Depth to soft bedrock	1.00
		Depth to bedrock	1.00	Depth to permafrost	1.00
		Depth to permafrost	1.00	Depth to hard bedrock	1.00
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
				Slope	0.32
PeC: Pierre-----	90	Very limited Restricted permeability	1.00	Very limited Depth to soft bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
		Slope	0.63	Depth to cemented pan	1.00
PlE: Pierre-----	60	Very limited Restricted permeability	1.00	Very limited Depth to soft bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Slope	1.00	Depth to permafrost	1.00
		Depth to permafrost	1.00	Depth to hard bedrock	1.00
		Depth to cemented pan	1.00	Depth to cemented pan	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lismas-----	25	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
PsC: Pierre-----	55	Very limited Restricted permeability	1.00	Very limited Depth to soft bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Depth to cemented pan	1.00
Samsil-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Slope	0.37	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
RoE: Rock Outcrop, Sandy-	45	Not rated		Not rated	

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Cabbart-----	25	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
Bullock-----	20	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
SaD: Samsil-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
SbE: Samsil-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop, Soft--	40	Not rated		Not rated	
SdA: Satanta-----	90	Very limited Depth to permafrost Depth to cemented pan Restricted permeability	1.00 1.00 0.50	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Seepage	1.00 1.00 1.00 1.00 0.50
SdB: Satanta-----	90	Very limited Depth to permafrost Depth to cemented pan Restricted permeability	1.00 1.00 0.50	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan Seepage	1.00 1.00 1.00 1.00 0.50
St: Stetter-----	90	Very limited Flooding Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00 1.00	Very limited Flooding Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00 1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SwA: Swanboy-----	85	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00
SyA: Swanboy-----	55	Very limited Restricted permeability Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to permafrost Depth to hard bedrock Depth to soft bedrock Depth to cemented pan	1.00 1.00 1.00 1.00
Slickspots, Dry-----	30	Not rated		Not rated	
TdB: Tanna-----	55	Very limited Depth to bedrock Depth to permafrost Depth to cemented pan	1.00 1.00 1.00	Very limited Depth to soft bedrock Depth to permafrost Depth to hard bedrock Depth to cemented pan Slope	1.00 1.00 1.00 1.00 0.32

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Delridge-----	25	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Depth to cemented pan	1.00
				Seepage	0.50
TdC: Tanna-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
				Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
Delridge-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Restricted permeability	0.50	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
TsB: Tanna-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
				Slope	0.32
Savo-----	25	Very limited Restricted permeability	1.00	Very limited Depth to permafrost	1.00
		Depth to permafrost	1.00	Depth to hard bedrock	1.00
		Depth to cemented pan	1.00	Depth to soft bedrock	1.00
				Depth to cemented pan	1.00
				Seepage	0.32
TsC: Tanna-----	55	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
				Depth to hard bedrock	1.00
				Depth to cemented pan	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Savo-----	25	Very limited	1.00	Very limited	1.00
		Restricted permeability		Slope	
		Depth to permafrost		Depth to permafrost	
		Depth to cemented pan		Depth to hard bedrock	
TwC: Twilight-----	40	Very limited	1.00	Very limited	1.00
		Depth to bedrock		Depth to soft bedrock	
		Depth to permafrost		Slope	
		Depth to cemented pan		Seepage	
				Depth to permafrost	
				Depth to hard bedrock	
Marmarth-----	25	Very limited	1.00	Very limited	1.00
		Depth to bedrock		Depth to soft bedrock	
		Depth to permafrost		Slope	
		Depth to cemented pan		Depth to permafrost	
		Restricted permeability		0.50	
		Depth to cemented pan	1.00		

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Parchin-----	20	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Depth to permafrost	1.00
		Depth to cemented pan	1.00	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
				Slope	0.68
w: Water (less Than 40 Acres)-----	100	Not rated		Not rated	
WhC: Winler-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
				Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
WLC: Winler-----	60	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Slope	0.37	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00

Section II
Soil and Site Information

Sanitary Facilities Table 1
Meade County, South Dakota,
Northern Part

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lismas-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
		Slope	0.37	Depth to hard bedrock	1.00
				Depth to cemented pan	1.00
ww: Water (greater Than 40 Acres)-----	100	Not rated		Not rated	
YaC: Yawdim-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to permafrost	1.00	Slope	1.00
		Depth to cemented pan	1.00	Depth to permafrost	1.00
				Depth to hard bedrock	1.00
				Depth to cemented pan	1.00

