

Section II
Soil and Site Information

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AaB: Bullock-----	60	Very limited Sodium content Restricted permeability Dusty	1.00 1.00 0.50	Very limited Sodium content Restricted permeability Dusty	1.00 1.00 0.50	Very limited Sodium content Restricted permeability Dusty Depth to bedrock Slope	1.00 1.00 0.50 0.42 0.12
Parchin-----	30	Very limited Sodium content Restricted permeability Dusty	1.00 0.94 0.50	Very limited Sodium content Restricted permeability Dusty	1.00 0.94 0.50	Very limited Sodium content Restricted permeability Dusty Depth to bedrock Slope	1.00 0.94 0.50 0.42 0.12
AbC: Bullock-----	55	Very limited Sodium content Restricted permeability Dusty	1.00 1.00 0.50	Very limited Sodium content Restricted permeability Dusty	1.00 1.00 0.50	Very limited Sodium content Restricted permeability Dusty Depth to bedrock Slope	1.00 1.00 0.50 0.42 0.12
Slickspots, Dry----	30	Not rated		Not rated		Not rated	
Ac: Bullock-----	50	Very limited Sodium content Restricted permeability Dusty	1.00 1.00 0.50	Very limited Sodium content Restricted permeability Dusty	1.00 1.00 0.50	Very limited Sodium content Restricted permeability Dusty	1.00 1.00 0.50
Trembles-----	20	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Slickspots, Dry----	15	Not rated		Not rated		Not rated	

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdD: Amor-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope Depth to bedrock	1.00 0.42
Cabba-----	25	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.63 0.05	Very limited Depth to bedrock Slope Restricted permeability	1.00 0.63 0.05	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.05
Ar: Arnegard-----	90	Not limited		Not limited		Not limited	
Ba: Badland-----	80	Not rated		Not rated		Not rated	
Bb: Banks-----	95	Very limited Flooding Too sandy	1.00 0.37	Somewhat limited Too sandy	0.37	Somewhat limited Flooding Too sandy	0.60 0.37
BcA: Belfield-----	55	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
Grail-----	35	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15
BdB: Belfield-----	55	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
Marmarth-----	30	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Slope Dusty Depth to bedrock Restricted permeability	0.50 0.50 0.42 0.05

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BeC: Belfield-----	55	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
Morton-----	30	Not limited		Not limited		Very limited Slope Depth to bedrock	1.00 0.42
BfA: Belfield-----	65	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
Rhoades-----	20	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94
BhE: Blackhall-----	40	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00
Cabbart-----	40	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50	Very limited Slope Depth to bedrock Dusty	1.00 1.00 0.50
CaE: Cabba-----	55	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.05	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.05	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.05
Lantry-----	30	Very limited Slope Restricted permeability	1.00 0.05	Very limited Slope Restricted permeability	1.00 0.05	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.42 0.05
CbD: Cabba-----	65	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Trembles-----	30	Restricted permeability	0.05	Restricted permeability	0.05	Restricted permeability	0.05
		Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
CcD: Cabba-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	0.96	Slope	0.96	Slope	1.00
		Restricted permeability	0.05	Restricted permeability	0.05	Content of large stones	0.99
		Content of large stones	0.01	Content of large stones	0.01	Restricted permeability	0.05
Wayden-----	40	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Restricted permeability	0.39	Restricted permeability	0.39	Content of large stones	1.00
		Content of large stones	0.05	Content of large stones	0.05	Slope	1.00
		Slope	0.04	Slope	0.04	Restricted permeability	0.39
CdE: Cohagen-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too sandy	0.82	Too sandy	0.82	Too sandy	0.82
Vebar-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.60	Restricted permeability	0.60	Restricted permeability Depth to bedrock	0.42
DaB: Daglum-----	60	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability Slope	0.50
Felor-----	35	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94
							0.50
Db: Dimmick-----	50	Very limited		Very limited		Very limited	

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Heil-----	40	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too clayey	1.00	Too clayey	1.00	Too clayey	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
FaA: Farnuf-----	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
FaB: Farnuf-----	90	Not limited		Not limited		Not limited	
FbA: Farnuf-----	65	Not limited		Not limited		Not limited	
Daglum-----	25	Very limited		Very limited		Very limited	
FcB: Felor-----	60	Sodium content	1.00	Sodium content	1.00	Sodium content	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
Yegen-----	30	Somewhat limited		Somewhat limited		Somewhat limited	
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
FcC: Felor-----	55	Slope		Slope		Slope	
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
Yegen-----	35	Not limited		Not limited		Not limited	
Fd: Dogiecreek-----	75	Very limited		Very limited		Very limited	

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ga: Grail-----	90	Salinity	1.00	Salinity	1.00	Salinity	1.00
		Flooding	1.00	Depth to saturated zone	0.75	Flooding	1.00
		Depth to saturated zone	0.98	Flooding	0.40	Depth to saturated zone	0.98
LaA: Lawther-----	90	Somewhat limited		Somewhat limited		Somewhat limited	
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
LaB: Lawther-----	90	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey Restricted permeability	0.50 0.39	Too clayey Restricted permeability	0.50 0.39	Too clayey Restricted permeability	0.50 0.39
LaC: Lawther-----	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey Restricted permeability	0.50 0.39	Too clayey Restricted permeability	0.50 0.39	Slope Too clayey	0.50 0.50
						Restricted permeability	0.39
LbB: Lefor-----	90	Not limited		Not limited		Somewhat limited	
						Slope Depth to bedrock	0.50 0.42
MaB: Manning-----	90	Not limited		Not limited		Somewhat limited	
MbB: Marmarth-----	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Dusty Restricted permeability	0.50 0.05	Dusty Restricted permeability	0.50 0.05	Slope Dusty	0.50 0.50
						Depth to bedrock	0.42

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.05
McA: Morton-----	85	Not limited		Not limited		Not limited	
McB: Morton-----	85	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.42
McC: Morton-----	85	Not limited		Not limited		Very limited Slope Depth to bedrock	1.00 0.42
MdC: Morton-----	55	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.42
Lantry-----	25	Somewhat limited Restricted permeability	0.05	Somewhat limited Restricted permeability	0.05	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.42 0.05
MdD: Morton-----	40	Not limited		Not limited		Very limited Slope Depth to bedrock	1.00 0.42
Lantry-----	35	Somewhat limited Slope Restricted permeability	0.63 0.05	Somewhat limited Slope Restricted permeability	0.63 0.05	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.42 0.05
MeD: Morton-----	65	Not limited		Not limited		Very limited Slope Depth to bedrock	1.00 0.42
Rhoades-----	20	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Slope Sodium content	1.00 1.00

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.37	Slope	0.37	Restricted permeability	0.94
Pa: Parshall-----	85	Not limited		Not limited		Somewhat limited Slope	0.12
Pb: Orthents, Hummocky--	45	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy Slope	1.00 1.00
Hanly-----	40	Somewhat limited Too sandy	0.42	Somewhat limited Too sandy	0.42	Somewhat limited Too sandy Slope	0.42 0.12
RaA: Reeder-----	90	Not limited		Not limited		Not limited	
RaC: Reeder-----	85	Not limited		Not limited		Very limited Slope Depth to bedrock	1.00 0.42
RbB: Reeder-----	60	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.42
Amor-----	25	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.42
RcC: Reeder-----	55	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.42
Lantry-----	30	Somewhat limited Restricted permeability	0.05	Somewhat limited Restricted permeability	0.05	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.42 0.05
RdB: Reeder-----	60	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.50 0.42

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rhoades-----	30	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability Slope	1.00 0.94 0.50
ReB: Regent-----	65	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope Depth to bedrock	0.94 0.50 0.42
Daglum-----	25	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability Slope	1.00 0.94 0.50
RfB: Regent-----	65	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope Depth to bedrock	0.94 0.50 0.42
Savage-----	25	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability Slope	0.60 0.50
RhD: Regent-----	60	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.94 0.42
Wayden-----	35	Very limited Depth to bedrock Restricted permeability Slope	1.00 0.39 0.37	Very limited Depth to bedrock Restricted permeability Slope	1.00 0.39 0.37	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.39
RkD: Rhoades-----	50	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Slope	1.00

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cabba-----	25	Restricted permeability	0.94	Restricted permeability	0.94	Sodium content	1.00
						Restricted permeability	0.94
		Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Restricted permeability	0.05	Restricted permeability	0.05	Restricted permeability	0.05
RmC: Rhoades-----	40	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
						Slope	0.88
Daglum-----	30	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
						Slope	0.12
Slickspots, Dry-----	15	Not rated		Not rated		Not rated	
RnD: Rhoades-----	50	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Slope	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Sodium content	1.00
						Restricted permeability	0.94
Rock Outcrop, Sandstone-----	35	Not rated		Not rated		Not rated	
RoE: Rock Outcrop, Sandstone-----	50	Not rated		Not rated		Not rated	

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cabba-----	40	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.05	Very limited Depth to bedrock Slope Restricted permeability	1.00 1.00 0.05	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.05
SaA: Savage-----	85	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60
SbA: Savage-----	65	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60
Daglum-----	25	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94
Sc: Shambo-----	90	Not limited		Not limited		Not limited	
Sd: Shambo-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
SeA: Stady-----	90	Not limited		Not limited		Not limited	
Sh: Lohler-----	65	Very limited Flooding Too clayey Restricted permeability	1.00 0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Flooding Too clayey Restricted permeability	0.60 0.50 0.39
Trembles-----	25	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Ta: Trembles-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Tb: Trembles-----	90	Very limited		Not limited		Somewhat limited	

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TcD: Twilight-----	40	Flooding	1.00			Flooding	0.60
		Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope Depth to bedrock	1.00 0.42
Marmarth-----	25	Somewhat limited Dusty Restricted permeability	0.50 0.05	Somewhat limited Dusty Restricted permeability	0.50 0.05	Very limited Slope Dusty Depth to bedrock Restricted permeability	1.00 0.50 0.42 0.05
Parchin-----	25	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability Slope Depth to bedrock	1.00 0.94 0.50 0.42
VaC: Vebar-----	65	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability Slope Depth to bedrock	0.60 0.50 0.42
Cohagen-----	30	Very limited Depth to bedrock Too sandy	1.00 0.82	Very limited Depth to bedrock Too sandy	1.00 0.82	Very limited Depth to bedrock Slope Too sandy	1.00 1.00 0.82
VaD: Vebar-----	55	Somewhat limited Slope Restricted permeability	0.63 0.60	Somewhat limited Slope Restricted permeability	0.63 0.60	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.60 0.42
Cohagen-----	35	Very limited Slope Depth to bedrock Too sandy	1.00 1.00 0.50	Very limited Slope Depth to bedrock Too sandy	1.00 1.00 0.50	Very limited Slope Depth to bedrock Too sandy	1.00 1.00 0.50
VbB: Vebar-----	65	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60

Recreation Table 1
Perkins County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Tally-----	25	Not limited		Not limited		Depth to bedrock Slope	0.42
						Somewhat limited Slope	0.12
w: Water (less Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
WaD: Wabek-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
WbA: Wabek-----	90	Very limited Gravel content Too sandy	1.00 0.70	Very limited Gravel content Too sandy	1.00 0.70	Very limited Gravel content Too sandy	1.00 0.70
WcA: Watrous-----	85	Somewhat limited Restricted permeability	0.99	Somewhat limited Restricted permeability	0.99	Somewhat limited Restricted permeability	0.99
YaB: Yegen-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
YaC: Yegen-----	90	Not limited		Not limited		Very limited Slope	1.00
Za: Zeona-----	90	Somewhat limited Too sandy	0.37	Somewhat limited Too sandy	0.37	Very limited Slope Too sandy	1.00 0.37