

Recreation Table 1
 Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AaB2: Anselmo-----	90	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
AbB: Anselmo-----	90	Not limited		Not limited		Somewhat limited Slope	0.88
AbC: Anselmo-----	90	Not limited		Not limited		Very limited Slope	1.00
AbD: Anselmo-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
AhC: Anselmo-----	50	Not limited		Not limited		Somewhat limited Slope	0.88
Holt-----	40	Not limited		Not limited		Very limited Slope Depth to bedrock	1.00 0.42
AtD: Anselmo-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Longpine-----	20	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.06
AvA: Anselmo-----	55	Not limited		Not limited		Not limited	
Vetal-----	30	Not limited		Not limited		Not limited	
Ba: Bigbend-----	50	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Inavale-----	30	Very limited Flooding Too sandy	1.00 0.96	Somewhat limited Too sandy Flooding	0.96 0.40	Very limited Flooding Too sandy	1.00 0.96
Munjor-----	15	Very limited Flooding	1.00	Not limited		Not limited	

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BmC: Boro-----	45	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.39
Millboro-----	30	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.39
BnC: Boyd-----	85	Somewhat limited Too clayey Restricted permeability	0.50 0.44	Somewhat limited Too clayey Restricted permeability	0.50 0.44	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.44 0.42
BoD: Boyd-----	60	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.44	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.44	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.44 0.42
Okaton-----	25	Very limited Depth to bedrock Slope Too clayey Restricted permeability	1.00 1.00 0.50 0.44	Very limited Depth to bedrock Slope Too clayey Restricted permeability	1.00 1.00 0.50 0.44	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44
Bp: Bridgeport-----	65	Very limited Flooding	1.00	Not limited		Not limited	
Bt: Bridgeport-----	65	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
CaB: Canning-----	85	Not limited		Not limited		Somewhat limited	

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
CbD: Canning-----	50	Not limited		Not limited		Very limited Slope	1.00
Murdo-----	30	Somewhat limited Dusty Slope	0.50 0.37	Somewhat limited Dusty Slope	0.50 0.37	Very limited Slope Dusty	1.00 0.50
Cc: Carter-----	80	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45	Somewhat limited Restricted permeability	0.45
Cd: Cass-----	85	Very limited Flooding	1.00	Not limited		Not limited	
ChA: Chappell-----	80	Not limited		Not limited		Not limited	
CnC: Chappell-----	55	Not limited		Not limited		Very limited Slope	1.00
Dix-----	25	Not limited		Not limited		Very limited Slope	1.00
DaA: Dix-----	90	Not limited		Not limited		Not limited	
DbD: Dix-----	85	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
DgB: Doger-----	88	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy Slope	0.96 0.12
DmA: Doger-----	50	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy	0.96
Elsmere-----	40	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.03	Somewhat limited Depth to saturated zone	0.07

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DnC2: Dunday-----	90	Depth to saturated zone	0.07				
		Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
Doger-----	3	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy Slope	0.96 0.88
DuC: Dunday-----	50	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
		Doger-----	40	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy Slope	0.96 0.88
Em: Elsmere-----	85	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.03	Somewhat limited Depth to saturated zone	0.07
		Depth to saturated zone	0.07				
EpE: Epping-----	80	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
		Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
Er: Erd-----	90	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Too clayey	1.00
		Too clayey	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00	Salinity	0.13	Salinity	0.13
		Salinity	0.13				
Es: Erd-----	60	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Too clayey	1.00
		Too clayey	1.00	Restricted permeability	1.00	Restricted permeability	1.00

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Capa-----	25	Restricted permeability	1.00	Salinity	0.13	Salinity	0.13
		Salinity	0.13				
Gp: Orthents, Gravelly--	98	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
Ha: Bigbend-----	90	Very limited Flooding	1.00	Not limited		Not limited	
HbA: Holt-----	60	Not limited		Not limited		Not limited	
Anselmo-----	30	Not limited		Not limited		Not limited	
HgA: Huggins-----	85	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50
HkB: Huggins-----	45	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope	1.00
Kadoka-----	40	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Depth to bedrock	0.84
						Dusty	0.50
						Very limited Slope	1.00
Hr: Hurley-----	85	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Dusty	0.50
						Restricted permeability	0.45
						Depth to bedrock	0.42
Ia: Inavale-----	90	Very limited Flooding	1.00	Somewhat limited Too sandy	0.96	Somewhat limited Too sandy	0.96
Ic: Inavale-----	65	Very limited		Somewhat limited		Very limited	

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KaA: Kadoka-----	85	Flooding	1.00	Too sandy	0.96	Flooding	1.00
		Too sandy	0.96	Flooding	0.40	Too sandy	0.96
KbD: Kadoka-----	60	Somewhat limited		Somewhat limited		Somewhat limited	
		Dusty	0.50	Dusty	0.50	Dusty	0.50
Epping-----	25	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.63	Slope	0.63	Slope	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
		Depth to bedrock		Depth to bedrock		Depth to bedrock	0.42
Ke: Keya-----	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Dusty	0.50	Dusty	0.50	Depth to bedrock	1.00
		Restricted permeability	0.39	Restricted permeability	0.39	Dusty	0.50
Ko: Kolls-----	90	Slope	0.04	Slope	0.04	Restricted permeability	0.39
		Not limited		Not limited		Not limited	
		Very limited		Very limited		Very limited	
		Too clayey	1.00	Too clayey	1.00	Too clayey	1.00
LkC: Lakoma-----	50	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Somewhat limited		Somewhat limited		Very limited	
Millboro-----	30	Too clayey	0.50	Too clayey	0.50	Slope	1.00
		Restricted permeability	0.39	Restricted permeability	0.39	Too clayey	0.50
						Restricted permeability	0.39
						Depth to bedrock	0.42

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LoD: Lakoma-----	60	Somewhat limited Slope Too clayey Restricted permeability	0.63 0.50 0.44	Somewhat limited Slope Too clayey Restricted permeability	0.63 0.50 0.44	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.44 0.42
Okaton-----	25	Very limited Depth to bedrock Slope Too clayey Restricted permeability	1.00 0.63 0.50 0.44	Very limited Depth to bedrock Slope Too clayey Restricted permeability	1.00 0.63 0.50 0.44	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44
LwA: Lowry-----	90	Not limited		Not limited		Not limited	
MaA: Manter-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.06
MaB: Manter-----	80	Not limited		Not limited		Somewhat limited Slope Gravel content	0.88 0.06
MfE: Manter-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content	1.00 0.06
Anselmo-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Mh: Aquolls-----	96	Very limited Depth to saturated zone Ponding Too clayey Restricted permeability	1.00 1.00 1.00 0.94	Very limited Ponding Depth to saturated zone Too clayey Restricted permeability	1.00 1.00 1.00 0.94	Very limited Depth to saturated zone Ponding Too clayey Restricted permeability	1.00 1.00 1.00 0.94
MOA: Millboro-----	85	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MoB: Millboro-----	80	Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
		Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Somewhat limited Slope	0.88
		Restricted permeability	0.39	Restricted permeability	0.39	Too clayey	0.50
MoC: Millboro-----	80	Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
		Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Slope	1.00
		Restricted permeability	0.39	Restricted permeability	0.39	Too clayey	0.50
Mr: Mosher-----	90	Very limited Flooding	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Sodium content	1.00	Restricted permeability	0.45	Restricted permeability	0.45
		Restricted permeability	0.45				
Ms: Mosher-----	60	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
Jerauld-----	30	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
Mu: Munjor-----	90	Very limited Flooding	1.00	Not limited		Not limited	
OaF: Okaton-----	70	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Restricted permeability	0.44	Restricted permeability	0.44	Restricted permeability	0.44

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ObE: Okaton-----	55	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44
Lakoma-----	35	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.44	Very limited Slope Too clayey Restricted permeability	1.00 0.50 0.44	Very limited Slope Too clayey Restricted permeability Depth to bedrock	1.00 0.50 0.44 0.42
OcF: Okaton-----	60	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44	Very limited Slope Depth to bedrock Too clayey Restricted permeability	1.00 1.00 0.50 0.44
Rock Outcrop, Soft--	30	Not rated		Not rated		Not rated	
On: Mosher-----	90	Very limited Flooding Sodium content Restricted permeability	1.00 1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45
Oo: Onita-----	60	Not limited		Not limited		Not limited	
Mosher-----	30	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45	Very limited Sodium content Restricted permeability	1.00 0.45
OpC: Opal-----	90	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Very limited Slope	1.00

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OsE: Opal-----	55	Restricted permeability	0.45	Restricted permeability	0.45	Too clayey	0.50
						Restricted permeability	0.45
						Depth to bedrock	0.42
Sansarc-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
						Depth to bedrock	0.42
Ow: Orwet-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
PrA: Promise-----	85	Somewhat limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.98
		Depth to saturated zone	0.98				
PrB: Promise-----	90	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Somewhat limited Slope	0.88
		Restricted permeability	0.39	Restricted permeability	0.39	Too clayey	0.50
PrC: Promise-----	85	Somewhat limited Too clayey	0.50	Somewhat limited Too clayey	0.50	Restricted permeability	0.39
		Restricted permeability	0.39	Restricted permeability	0.39	Very limited Slope	1.00
						Too clayey	0.50
						Restricted permeability	0.39

Recreation Table 1
 Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PSA: Wendte-----	80	Very limited Flooding Too clayey Restricted permeability	1.00 0.50 0.39	Somewhat limited Too clayey Flooding Restricted permeability	0.50 0.40 0.39	Very limited Flooding Too clayey Restricted permeability	1.00 0.50 0.39
PTA: Hilmoe-----	90	Very limited Flooding Too clayey Restricted permeability	1.00 0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39
Q: Orthents, Gravelly--	98	Very limited Slope Gravel content	1.00 0.25	Very limited Slope Gravel content	1.00 0.25	Very limited Gravel content Slope	1.00 1.00
RaA: Ree-----	85	Not limited		Not limited		Not limited	
RaB: Ree-----	85	Not limited		Not limited		Somewhat limited Slope	0.88
RaC: Ree-----	84	Not limited		Not limited		Very limited Slope	1.00
RaD: Ree-----	80	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
ReA: Reliance-----	85	Not limited		Not limited		Not limited	
ReB: Reliance-----	80	Not limited		Not limited		Somewhat limited Slope	0.88
ReC: Reliance-----	90	Not limited		Not limited		Very limited Slope	1.00
ReC2: Reliance-----	90	Not limited		Not limited		Very limited Slope	1.00

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RfA: Ronson-----	85	Not limited		Not limited		Somewhat limited Depth to bedrock Slope	0.42 0.12
RoB: Ronson-----	45	Not limited		Not limited		Somewhat limited Depth to bedrock Slope	0.42 0.12
Longpine-----	35	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock Slope Gravel content	1.00 0.12 0.06
RSB: Rosebud-----	85	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Somewhat limited Slope Dusty Depth to bedrock	0.88 0.50 0.42
RuC: Rosebud-----	60	Somewhat limited Dusty	0.50	Somewhat limited Dusty	0.50	Very limited Slope Dusty Depth to bedrock	1.00 0.50 0.42
Canyon-----	25	Very limited Depth to bedrock Dusty	1.00 0.50	Very limited Depth to bedrock Dusty	1.00 0.50	Very limited Slope Depth to bedrock Dusty Gravel content	1.00 1.00 0.50 0.18
RuD: Rosebud-----	55	Somewhat limited Slope Dusty	0.63 0.50	Somewhat limited Slope Dusty	0.63 0.50	Very limited Slope Dusty Depth to bedrock	1.00 0.50 0.42
Canyon-----	35	Very limited Depth to bedrock Slope Dusty	1.00 0.63 0.50	Very limited Depth to bedrock Slope Dusty	1.00 0.63 0.50	Very limited Slope Depth to bedrock Dusty Gravel content	1.00 1.00 0.50 0.18
SaE: Sansarc-----	65	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 0.50	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 0.50	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 0.50

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Opal-----	25	Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
ScF: Sansarc-----	60	Restricted permeability	0.45	Restricted permeability	0.45	Restricted permeability	0.45
		Depth to bedrock	0.42	Depth to bedrock	0.42	Depth to bedrock	0.42
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
Rock Outcrop, Soft--	30	Too clayey	0.50	Too clayey	0.50	Too clayey	0.50
		Restricted permeability	0.39	Restricted permeability	0.39	Restricted permeability	0.39
		Not rated		Not rated		Not rated	
		Not rated		Not rated		Not rated	
ShE: Schamber-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
		Gravel content	0.38	Gravel content	0.38	Gravel content	0.38
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Murdo-----	35	Dusty	0.50	Dusty	0.50	Dusty	0.50
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
So: Scott-----	90	Dusty	0.50	Dusty	0.50	Dusty	0.50
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
SsB: Shena-----	82	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Dusty	0.50	Dusty	0.50	Dusty	0.50
		Restricted permeability	0.44	Restricted permeability	0.44	Restricted permeability	0.44
		Slope	0.88	Slope	0.88	Slope	0.88

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sw: Bullcreek-----	90	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Too clayey Restricted permeability	1.00 0.50 0.45	Restricted permeability	0.44
TaE: Longpine-----	80	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.06
TrF: Longpine-----	50	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.06
Rock Outcrop, Hard--	25	Not rated		Not rated		Not rated	
VaD: Valentine-----	90	Very limited Too sandy Slope	1.00 0.37	Very limited Too sandy Slope	1.00 0.37	Very limited Slope Too sandy	1.00 1.00
VdC: Valentine-----	50	Very limited Too sandy	1.00	Very limited Too sandy	1.00	Very limited Too sandy Slope	1.00 1.00
Dunday-----	40	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
VnD: Valentine-----	60	Very limited Too sandy Slope	1.00 0.37	Very limited Too sandy Slope	1.00 0.37	Very limited Slope Too sandy	1.00 1.00
Longpine-----	20	Very limited		Very limited		Very limited	

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to bedrock Slope	1.00 0.37	Depth to bedrock Slope	1.00 0.37	Slope Depth to bedrock Gravel content	1.00 1.00 0.06
Vt: Vetal-----	85	Not limited		Not limited		Not limited	
w: Water (less Than 40 Acres)-----	100	Not rated		Not rated		Not rated	
Wa: Wanblee-----	50	Somewhat limited Dusty Restricted permeability	0.50 0.45	Somewhat limited Dusty Restricted permeability	0.50 0.45	Somewhat limited Dusty Restricted permeability	0.50 0.45
Wortman-----	35	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45
Wb: Wann-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
WeE: Westover-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
WfA: Wewela-----	90	Somewhat limited Too sandy Restricted permeability	0.92 0.39	Somewhat limited Too sandy Restricted permeability	0.92 0.39	Somewhat limited Too sandy Depth to bedrock Restricted permeability Slope	0.92 0.42 0.39 0.12
WgA: Wewela-----	85	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39	Somewhat limited Restricted permeability	0.39
WgB: Wewela-----	85	Somewhat limited		Somewhat limited		Somewhat limited	

Recreation Table 1
Tripp County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wh: Whitelake-----	90	Restricted permeability	0.39	Restricted permeability	0.39	Slope	0.88
		Very limited Sodium content Restricted permeability	1.00 0.39	Very limited Sodium content Restricted permeability	1.00 0.39	Depth to bedrock Restricted permeability	0.42 0.39
Wk: Whitelake-----	50	Very limited Sodium content Restricted permeability	1.00 0.39	Very limited Sodium content Restricted permeability	1.00 0.39	Very limited Sodium content Restricted permeability	1.00 0.39
		Very limited Sodium content Restricted permeability	1.00 0.39	Very limited Sodium content Restricted permeability	1.00 0.39	Very limited Sodium content Restricted permeability	1.00 0.39
Lute-----	30	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94	Very limited Sodium content Restricted permeability	1.00 0.94
		Depth to saturated zone Salinity	0.39 0.01	Depth to saturated zone Salinity	0.19 0.01	Depth to saturated zone Salinity	0.39 0.01
Wn: Witten-----	85	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39	Somewhat limited Too clayey Restricted permeability	0.50 0.39
		Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45
Wo: Wortman-----	85	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45
		Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45	Very limited Sodium content Dusty Restricted permeability	1.00 0.50 0.45