

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

SILVOPASTURE ESTABLISHMENT

(Ac.)

CODE 381

DEFINITION

An agroforestry application establishing a combination of trees or shrubs and compatible forages on the same acreage.

PURPOSE

- Provide forage for livestock and the production of wood products.
- Increase carbon sequestration.
- Improve water quality.
- Reduce erosion.
- Enhance wildlife habitat.
- Reduce fire hazard.
- Provide shade for livestock

CONDITIONS WHERE PRACTICE APPLIES

Situations where silvopasture establishment applies includes:

- 1) pasture where trees or shrubs can be added;
- 2) forest where forages can be added;
- 3) Land on which neither the desired trees nor forages exist in sufficient quantity to meet the land user's objectives.

This practice may be applied on any area that is suitable for the desired plants.

CRITERIA

General Criteria Applicable to All Purposes

Tree species must be adapted to the site, be compatible with planned livestock management, and have potential.

Forage species must be adapted to the site and compatible with the planned management of the site.

Where trees will be added to existing pasture, site preparation should be based on existing vegetation and soil conditions. Trees will be planted at the recommended tree density to allow acceptable forage production and wood products.

For existing forests remove a sufficient number of trees and/or prune existing trees to allow adequate light penetration for forage establishment.

Only viable, high quality, and adapted planting stock or seed will be used.

The planting shall be done at a time and manner to insure survival and growth of selected species.

Tree/shrub spacing needs to exceed width of equipment to be used in management.

Forestry practices will adhere to Texas Forest Best Management Practices.

Additional Criteria to Provide Forage for Livestock and the Production of Forest.

The forage species must be identified as suitable for the targeted livestock.

Livestock grazing shall be deferred until the average height of the tree's terminal bud exceeds the browsing height of the livestock or of sufficient size to resist breakage or until suitable use exclusion measures for the protection of the woody plants are established. A forage crop (hay, silage, etc.) may be harvested during this period.

Additional Criteria to Increase Carbon Sequestration

For optimal carbon sequestration, select plants that have higher rates of sequestration and are adapted to the site to assure strong health and vigor.

Plant and manage the appropriate stocking rate for the site to maximize biomass production.

Additional Criteria to Improve Water Quality

Favor trees, shrubs and forages that have growth characteristics conducive to high nutrient uptake.

Additional Criteria to Reduce Erosion

Place linear woody plantings on or near the contour when water erosion is a concern.

CONSIDERATIONS

Failure to maintain adequate forage for livestock may result in excessive tree damage and/or loss.

Location and distribution of facilities for water, minerals, or supplemental feed should be such that livestock are not encouraged to over-utilize areas of silvopasture.

Rows should be oriented in an east-west orientation where feasible and practical to allow maximum sunlight onto grass strips.

If grazing does not maintain reduced fuel loads, prescribed burning should be considered providing the woody plants are fire-adapted and will not be damaged.

Wildlife should be considered when selecting tree or shrub species. Establish forage species and understory shrubs that will provide forage, browse, seed, cover, or nesting habitat for the wildlife species of concern.

Species diversity, including use of native species, should be considered.

PLANS AND SPECIFICATIONS

Specifications for applying this practice shall be prepared for each site and recorded using approved specification sheets, job sheets, technical notes, and narrative statements in the conservation plan, or other acceptable documentation.

OPERATION AND MAINTENANCE

The following actions shall be carried out to insure that this practice functions as intended throughout its expected life. These actions include normal repetitive activities in the application and use of the practice (operation), and repair and upkeep of the practice (maintenance):

- Forage and forest management will follow Prescribed Grazing 528 and Forest Stand Improvement 666 Standards.
- Replanting will be required when plant survival is inadequate to meet practice and client objectives.
- Competing vegetation will be controlled until the trees are established.
- Periodic applications of nutrients may be needed for establishment and to maintain plant vigor. Refer to Nutrient Management Standard 590 for further guidance.
- Inspect trees and shrubs periodically and protect from adverse impacts including insects, diseases or competing vegetation. The trees or shrubs will also be protected from wildfire and damage from livestock and wildlife.

REFERENCES

Bendfeldt, E.S., et al. 2001. Establishing trees in an Appalachian silvopasture: response to shelters, grass control, mulch, and fertilization. *Agroforestry Systems*. 53:291-295.

Byrd, N.A., and C.E. Lewis. 1983. Managing pine trees and bahiagrass for timber and cattle production. USDA Forest Service, General Report R8-GR 2.

Clason, T.R. 1996. Timber-pasture management enhances productivity of loblolly pine plantations. *Louisiana Agriculture* 39(2): 14-16.

Clason, T.R. and S.H. Sharrow. 2000. Silvopastoral practices. Ch. 5 in *North American Agroforestry: An Integrated Science and Practice*. American Society of Agronomy, Madison, WI.

Clason, T.R. 1995. Economic implications of silvopastures on southern pine plantations. Louisiana Agricultural Experiment Station, in *Agroforestry Systems* 29:227-238.

Clason, T.R. 1999. Silvopastoral practices sustain timber and forage production in commercial loblolly pine plantations of northwest Louisiana USA. *Agroforestry Systems* 44: 293-303.

Clason, T.R. and J.L. Robinson. 2000. From a pasture to a silvopasture system. USDA, NAC. *Agroforestry Note* 22.

Clason, T.R. and J.L. Robinson. 2000. From a pine forest to a silvopasture system. USDA NAC *Agroforestry Note* 18.

Fike, J.H., et al. 2004. Considerations for establishing and managing silvopastures. *Plant Management Network*. 1-12.

Lehmkuhler, J.W., et al. 2003. Tree protection methods during the silvopastoral-system establishment in Midwestern USA: cattle performance and tree damage. *Agroforestry Systems* 59: 35-42.

Lewis, C.E., et al. 1983. Integration of pines, pastures and cattle in south Georgia, USA. *Agroforestry Systems*. 1:277-297.