

Building Site Development

Wright County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 4: Knoke----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| 6: Okoboji----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| 27B: Terril----- | 100 | Not limited | | Somewhat limited Depth to saturated zone | 0.16 | Somewhat limited Slope | 0.01 |
| 48: Knoke----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| 52B: Bode----- | 100 | Somewhat limited Shrink-swell | 0.50 | Not limited | | Somewhat limited Shrink-swell Slope | 0.50 0.01 |
| 52C2: Bode----- | 95 | Somewhat limited Shrink-swell | 0.50 | Not limited | | Somewhat limited Slope Shrink-swell | 0.86 0.50 |
| 52D2: Bode----- | 95 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Somewhat limited Slope | 0.63 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 55: Nicollet----- | 95 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Depth to saturated zone | 0.73 | Somewhat limited Shrink-swell | 0.50 |
| 62C2: Storden----- | 90 | Not limited | | Not limited | | Somewhat limited Slope | 0.86 |

Building Site Development

Wright County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 62D2: Storden----- | 90 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Slope | 1.00 |
| 62E2: Storden----- | 95 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 62F: Storden----- | 95 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 90: Okoboji----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| 95: Harps----- | 95 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| 107: Webster----- | 95 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| 108: Wadena----- | 95 | Not limited | | Not limited | | Not limited | |
| 108B: Wadena----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.01 |
| 108C2: Wadena----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.86 |
| 135: Coland----- | 95 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 |

Building Site Development

Wright County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|---|--------------|---|--------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 138B: Clarion----- | 90 | Not limited | | Not limited | | Somewhat limited Slope | 0.01 |
| 138B2: Clarion----- | 90 | Not limited | | Not limited | | Somewhat limited Slope | 0.01 |
| 138C2: Clarion----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.86 |
| 138D2: Clarion----- | 100 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Slope | 1.00 |
| 168B: Hayden----- | 95 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell Slope | 0.50 0.01 |
| 168C2: Hayden----- | 100 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Slope Shrink-swell | 0.86 0.50 |
| 168D2: Hayden----- | 100 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 168E: Hayden----- | 90 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 175B: Dickinson----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.01 |
| 175C: Dickinson----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.86 |

Building Site Development

Wright County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|----------------------|--|----------------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 201B: Coland----- | 50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 |
| Terril----- | 40 | Not limited | | Somewhat limited Depth to saturated zone | 0.16 | Somewhat limited Slope | 0.01 |
| 203: Cylinder----- | 95 | Somewhat limited Shrink-swell | 0.50 | Very limited Depth to saturated zone | 0.95 | Somewhat limited Shrink-swell | 0.50 |
| 221: Palms Muck----- | 95 | Very limited Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 | Very limited Subsidence Depth to saturated zone | 1.00 1.00 | Very limited Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 |
| 236B: Lester----- | 95 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell Slope | 0.50 0.01 |
| 236C2: Lester----- | 100 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Slope Shrink-swell | 0.86 0.50 |
| 236D2: Lester----- | 100 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Somewhat limited Slope Shrink-swell | 0.63 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 259: Biscay----- | 95 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |

Building Site Development

Wright County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|--------------|--|----------------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 288: Ottosen----- | 95 | Somewhat limited Shrink-swell | 0.50 | Very limited Depth to saturated zone | 0.95 | Somewhat limited Shrink-swell | 0.50 |
| 308: Wadena----- | 95 | Not limited | | Not limited | | Not limited | |
| 308B: Wadena----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.01 |
| 339: Truman----- | 100 | Not limited | | Not limited | | Not limited | |
| 355: Luther----- | 95 | Somewhat limited Depth to saturated zone | 0.07 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.07 |
| 356G: Hayden----- | 50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| Storden----- | 40 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 388: Kossuth----- | 95 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| 485: Spillville----- | 95 | Very limited Flooding Shrink-swell | 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 0.61 0.50 | Very limited Flooding Shrink-swell | 1.00 0.50 |
| 506: Wacousta----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |

Building Site Development

Wright County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 507: Canisteo----- | 95 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| 508: Calcousta----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| 536: Hanlon----- | 95 | Very limited Flooding | 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.61 | Very limited Flooding | 1.00 |
| 559: Talcot----- | 100 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| 638D2: Clarion----- | 50 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Slope | 1.00 |
| Storden----- | 40 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Slope | 1.00 |
| 828B: Zenor----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.01 |
| 828C2: Zenor----- | 95 | Not limited | | Not limited | | Somewhat limited Slope | 0.86 |
| 829D2: Zenor----- | 60 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Slope | 1.00 |
| Storden----- | 40 | Somewhat limited Slope | 0.63 | Somewhat limited Slope | 0.63 | Very limited Slope | 1.00 |

Building Site Development

Wright County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-----------------------------|---------------------------|--|------------------------------|--|------------------------------|--|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 956: Harps----- | 45 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| Okoboji----- | 40 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| 1135: Coland----- | 90 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 |
| 1221: Palms Muck----- | 100 | Very limited Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 | Very limited Subsidence Depth to saturated zone | 1.00 1.00 | Very limited Subsidence Depth to saturated zone Content of organic matter | 1.00 1.00 1.00 |
| 1507: Brownton----- | 95 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 1.00 |
| 1536: Hanlon----- | 90 | Very limited Flooding | 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.61 | Very limited Flooding | 1.00 |
| 1585: Spillville----- | 50 | Very limited Flooding Shrink-swell | 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 0.61 0.50 | Very limited Flooding Shrink-swell | 1.00 0.50 |

Building Site Development

Wright County, Iowa

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|-------------------------------|---------------------------|--|----------------------|--|----------------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Coland----- | 35 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 |
| 4000: Urban Land----- | 100 | Not rated | | Not rated | | Not rated | |
| 5010: Pits,sand And Gravel | 100 | Not rated | | Not rated | | Not rated | |
| 5040: Orthents, Loamy----- | 95 | Not rated | | Not rated | | Not rated | |
| 5043: Aquents,----- | 100 | Very limited Not Rated (miscellaneous unit) Depth to saturated zone | 1.00 1.00 | Very limited Not Rated (miscellaneous unit) Depth to saturated zone | 1.00 1.00 | Very limited Not Rated (miscellaneous unit) Depth to saturated zone | 1.00 1.00 |
| W: Water----- | 100 | Not rated | | Not rated | | Not rated | |