

Ag. Waste Application and Excavated Ponds  
Lincoln County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AcA: Alcester-----	90	Not limited		Somewhat limited Deep to water Slow refill Cutbanks cave	0.96 0.30 0.10
AcB: Alcester-----	90	Not limited		Very limited Deep to water	1.00
Af: Alcester-----	80	Not limited		Somewhat limited Deep to water Slow refill Cutbanks cave	0.96 0.30 0.10
Ah: Alcester-----	45	Not limited		Somewhat limited Deep to water Slow refill Cutbanks cave	0.96 0.30 0.10
Lamo-----	40	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 0.60 0.50	Somewhat limited Slow refill Cutbanks cave Deep to water	0.97 0.10 0.01
Bo: Bon-----	35	Very limited Flooding	1.00	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
Bon-----	35	Somewhat limited Flooding	0.60	Somewhat limited Deep to water Cutbanks cave	0.81 0.10
Bp: Orthents, Loamy-----	90	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00

Ag. Waste Application and Excavated Ponds -- continued  
Lincoln County, South Dakota

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ca: Chancellor-----	65	Very limited Restricted permeability Flooding Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.98 0.10
Tetonka-----	25	Very limited Restricted permeability Ponding Depth to saturated zone Leaching limitation	1.00 1.00 1.00 0.50	Somewhat limited Slow refill Cutbanks cave Salty water	0.97 0.10 0.01
Cd: Chancellor-----	55	Very limited Restricted permeability Flooding Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.98 0.10
Viborg-----	35	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00
Ch: Chancellor-----	35	Very limited Restricted permeability Flooding Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.98 0.10
Wakonda-----	35	Somewhat limited Depth to saturated zone	0.43	Very limited Deep to water	1.00
Tetonka-----	20	Very limited Restricted permeability Ponding Depth to saturated zone Leaching limitation	1.00 1.00 1.00 0.50	Somewhat limited Slow refill Cutbanks cave Salty water	0.97 0.10 0.01

Ag. Waste Application and Excavated Ponds -- continued  
Lincoln County, South Dakota

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Co: Clamo-----	90	Very limited Restricted permeability Depth to saturated zone Flooding Leaching limitation	1.00 1.00 0.60 0.50	Very limited Slow refill Cutbanks cave Salty water	1.00 0.10 0.01
CpD2: Crofton-----	45	Somewhat limited Slope	0.84	Very limited Deep to water	1.00
Nora-----	35	Somewhat limited Slope	0.84	Very limited Deep to water	1.00
Da: Davis-----	95	Not limited		Somewhat limited Deep to water Slow refill Cutbanks cave	0.81 0.30 0.10
DeA: Delmont-----	85	Very limited Depth to dense layer Filtering capacity Droughty	1.00 1.00 0.36	Very limited Deep to water	1.00
DeB: Delmont-----	90	Very limited Depth to dense layer Filtering capacity Droughty	1.00 1.00 0.36	Very limited Deep to water	1.00
DgB: Delmont-----	45	Very limited Depth to dense layer Filtering capacity Droughty	1.00 1.00 0.36	Very limited Deep to water	1.00
Graceville-----	35	Very limited Filtering capacity	1.00	Very limited Deep to water	1.00

Ag. Waste Application and Excavated Ponds -- continued  
Lincoln County, South Dakota

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
DkB: Delmont-----	45	Very limited Depth to dense layer Filtering capacity Droughty	1.00 1.00 0.36	Very limited Deep to water	1.00
Talmo-----	45	Very limited Filtering capacity Droughty Leaching limitation	1.00 0.70 0.45	Very limited Deep to water	1.00
DmA: Dempster-----	90	Not limited		Very limited Deep to water	1.00
DmB: Dempster-----	90	Not limited		Very limited Deep to water	1.00
EaB: Egan-----	80	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00
EcB: Egan-----	50	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00
Chancellor-----	30	Very limited Restricted permeability Flooding Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.98 0.10
EsB: Egan-----	55	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00
Shindler-----	35	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00

Ag. Waste Application and Excavated Ponds -- continued  
Lincoln County, South Dakota

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EsC: Egan-----	50	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00
Shindler-----	40	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00
EwB: Egan-----	50	Somewhat limited Restricted permeability	0.50	Very limited Deep to water	1.00
Worthing-----	30	Very limited Restricted permeability Ponding Depth to saturated zone Runoff limitation	1.00 1.00 1.00 0.40	Somewhat limited Slow refill Cutbanks cave Salty water	0.97 0.10 0.01
Gp: Orthents, Gravelly--	90	Very limited Slope Filtering capacity Droughty Leaching limitation	1.00 1.00 0.71 0.45	Very limited Deep to water	1.00
Gr: Graceville-----	90	Very limited Filtering capacity	1.00	Very limited Deep to water	1.00
HuA: Huntimer-----	95	Very limited Restricted permeability	1.00	Very limited Deep to water	1.00
La: Lamo-----	90	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 0.60 0.50	Somewhat limited Slow refill Cutbanks cave Deep to water	0.97 0.10 0.01

Ag. Waste Application and Excavated Ponds -- continued  
Lincoln County, South Dakota

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lu: Luton-----	90	Very limited Restricted permeability Depth to saturated zone Flooding Runoff limitation	1.00 1.00 0.60 0.40	Very limited Slow refill Cutbanks cave Deep to water	1.00 0.10 0.01
M-W: Miscellaneous Water-	100	Not rated		Not rated	
Mh: Baltic-----	85	Very limited Restricted permeability Ponding Depth to saturated zone Runoff limitation	1.00 1.00 1.00 0.40	Somewhat limited Slow refill Cutbanks cave	0.98 0.10
MoA: Moody-----	90	Not limited		Very limited Deep to water	1.00
MoB: Moody-----	85	Not limited		Very limited Deep to water	1.00
MpB: Moody-----	60	Not limited		Very limited Deep to water	1.00
Nora-----	30	Not limited		Very limited Deep to water	1.00
MpC2: Moody-----	45	Not limited		Very limited Deep to water	1.00
Nora-----	35	Not limited		Very limited Deep to water	1.00

Ag. Waste Application and Excavated Ponds -- continued  
Lincoln County, South Dakota

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Sa: Salmo-----	90	Very limited Depth to saturated zone Flooding Restricted permeability Salinity Leaching limitation	1.00 1.00 0.81 0.50 0.50	Somewhat limited Salty water Slow refill Cutbanks cave	0.50 0.47 0.10
ShD: Shindler-----	85	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Deep to water	1.00
ShF: Shindler-----	90	Very limited Slope Restricted permeability	1.00 0.50	Very limited Deep to water	1.00
SkD2: Shindler-----	55	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Deep to water	1.00
Egan-----	30	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Deep to water	1.00
SmF: Shindler-----	55	Very limited Slope Restricted permeability	1.00 0.50	Very limited Deep to water	1.00
Renner-----	35	Very limited Slope Restricted permeability	1.00 0.50	Very limited Deep to water	1.00
StD: Shindler-----	45	Very limited Slope Restricted permeability	1.00 0.50	Very limited Deep to water	1.00

Ag. Waste Application and Excavated Ponds -- continued  
Lincoln County, South Dakota

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Talmo-----	45	Very limited Slope Filtering capacity Droughty Leaching limitation	1.00 1.00 0.70 0.45	Very limited Deep to water	1.00
SuF: Steinauer-----	50	Very limited Slope Restricted permeability	1.00 0.50	Very limited Deep to water	1.00
Shindler-----	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Deep to water	1.00
Te: Tetonka-----	90	Very limited Restricted permeability Ponding Depth to saturated zone Leaching limitation	1.00 1.00 1.00 0.50	Somewhat limited Slow refill Cutbanks cave Salty water	0.97 0.10 0.01
ThB: Thurman-----	95	Very limited Filtering capacity Leaching limitation Droughty	1.00 0.45 0.01	Very limited Deep to water	1.00
ThC: Thurman-----	95	Very limited Filtering capacity Leaching limitation Droughty	1.00 0.45 0.01	Very limited Deep to water	1.00
W: Water-----	100	Not rated		Not rated	

Ag. Waste Application and Excavated Ponds -- continued  
Lincoln County, South Dakota

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WeA: Wentworth-----	80	Not limited		Very limited Deep to water	1.00
WhA: Wentworth-----	55	Not limited		Very limited Deep to water	1.00
Chancellor-----	25	Very limited Restricted permeability	1.00	Somewhat limited Slow refill	0.98
		Flooding	1.00	Cutbanks cave	0.10
		Depth to saturated zone	1.00		
Wk: Whitwood-----	80	Very limited Flooding	1.00	Somewhat limited Slow refill	0.97
		Depth to saturated zone	1.00	Cutbanks cave	0.10
		Leaching limitation	0.50		
		Restricted permeability	0.50		
Ws: Worthing-----	90	Very limited Restricted permeability	1.00	Somewhat limited Slow refill	0.97
		Ponding	1.00	Cutbanks cave	0.10
		Depth to saturated zone	1.00	Salty water	0.01
		Runoff limitation	0.40		

