

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	55	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Ely-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
13B: Olmitz-----	40	Not limited		Not limited		Somewhat limited Slope	0.50
Colo-----	30	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Vesser-----	20	Very limited Flooding  Depth to saturated zone	1.00  0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding  Depth to saturated zone	0.60  0.39
23C: Arispe-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope  Restricted permeability	1.00  0.94
23C2: Arispe-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope  Restricted permeability	1.00  0.94
24D2: Shelby-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
24E2: Shelby-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41D: Sparta-----	100	Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope	1.00
		Slope	0.16	Slope	0.16	Too sandy	0.95
51: Vesser-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	0.60
54: Zook-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94	Flooding	0.60	Flooding	0.60
54+: Zook-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94	Flooding	0.60	Flooding	0.60
58D2: Douds-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
58E2: Douds-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
65D: Lindley-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
65E: Lindley-----	95	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65E2: Lindley-----	95	Slope Restricted permeability	1.00 0.15	Slope Restricted permeability	1.00 0.15	Slope Restricted permeability	1.00 0.15
		Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65G: Lindley-----	95	Slope Restricted permeability	1.00 0.15	Slope Restricted permeability	1.00 0.15	Slope Restricted permeability	1.00 0.15
		Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
76B: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
76C: Ladoga-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
76C2: Ladoga-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
76D: Ladoga-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
76D2: Ladoga-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80D: Clinton-----	95	Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
80D2: Clinton-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
131B: Pershing-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
131C: Pershing-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
132B: Weller-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
132C: Weller-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133: Colo-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133B: Colo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.50
179D2: Gara-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
179E2: Gara-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
179F: Gara-----	90	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
179F2: Gara-----	90	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
192D2: Adair-----	90	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
211: Edina-----	95	Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.06
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
220: Nodaway-----	95	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
222C: Clarinda-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	1.00
						Depth to saturated zone	0.39
222C2: Clarinda-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	1.00
						Depth to saturated zone	0.39
222D2: Clarinda-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
223C2: Rinda-----	95	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
223D2: Rinda-----	95	Very limited Restricted permeability Slope  Depth to saturated zone	1.00  0.63  0.39	Very limited Restricted permeability Slope  Depth to saturated zone	1.00  0.63  0.19	Depth to saturated zone  Very limited Slope  Restricted permeability Depth to saturated zone	0.39  1.00  1.00  0.39
260: Beckwith-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00
263: Okaw-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00
273C: Olmitz-----	100	Not limited		Not limited		Very limited Slope	1.00
279: Taintor-----	90	Very limited Depth to saturated zone Restricted permeability	1.00  0.15	Very limited Depth to saturated zone Restricted permeability	1.00  0.15	Very limited Depth to saturated zone Restricted permeability	1.00  0.15
280: Mahaska-----	90	Not limited		Not limited		Not limited	
281B: Otley-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
281C: Otley-----	95	Not limited		Not limited		Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
281C2: Otley-----	100	Not limited		Not limited		Very limited Slope	1.00
313D: Gosport-----	95	Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.46
						Depth to saturated zone	0.07
313D2: Gosport-----	95	Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.46
						Depth to saturated zone	0.07
313E: Gosport-----	85	Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.46
						Depth to saturated zone	0.07
313E2: Gosport-----	85	Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.46
						Depth to saturated zone	0.07

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
313F: Gosport-----	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Restricted	1.00	Restricted	1.00	Restricted	1.00
		permeability		permeability		permeability	
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.46
						Depth to saturated zone	0.07
362: Haig-----	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted	0.94	Restricted	0.94	Restricted	0.94
		permeability		permeability		permeability	
364B: Grundy-----	100	Somewhat limited		Somewhat limited		Somewhat limited	
		Restricted	0.94	Restricted	0.94	Restricted	0.94
		permeability		permeability		permeability	
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Slope	0.50
						Depth to saturated zone	0.07
419D2: Vanmeter-----	100	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Slope	1.00
		permeability		permeability		Restricted	1.00
		Slope	0.63	Slope	0.63	permeability	0.46
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.07
				Depth to saturated zone	0.04		
						Gravel content	0.04
419E2: Vanmeter-----	100	Very limited		Very limited		Very limited	
		Restricted	1.00	Restricted	1.00	Slope	1.00
		permeability		permeability		Restricted	1.00
		Slope	1.00	Slope	1.00	permeability	0.46
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.07
				Depth to saturated zone			

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
423D2: Bucknell-----	95	Somewhat limited Restricted permeability Slope  Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope  Depth to saturated zone	0.94 0.63 0.19	Gravel content	0.04
						Very limited Slope	1.00
						Restricted permeability	0.94
						Depth to saturated zone	0.39
424E2: Lindley-----	60	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope	1.00
						Restricted permeability	0.15
Keswick-----	30	Somewhat limited Restricted permeability Slope  Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope  Depth to saturated zone	0.94 0.63 0.19	Very limited Slope	1.00
						Restricted permeability	0.94
						Depth to saturated zone	0.39
425C: Keswick-----	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Very limited Slope	1.00
						Restricted permeability Depth to saturated zone	0.94 0.39
425D: Keswick-----	95	Somewhat limited Restricted permeability Slope  Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope  Depth to saturated zone	0.94 0.63 0.19	Very limited Slope	1.00
						Restricted permeability	0.94
						Depth to saturated zone	0.39
425D2: Keswick-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
428B: Ely-----	95	Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Not limited		Not limited		Somewhat limited Slope	0.50
452C: Lineville-----	100	Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	0.94
478G: Gosport-----	60	Restricted permeability	1.00	Restricted permeability	1.00	Depth to saturated zone	0.39
		Slope	1.00	Slope	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Restricted permeability	1.00
						Depth to bedrock	0.46
Rock Outcrop-----	30	Not rated		Not rated		Depth to saturated zone	0.07
						Not rated	
484: Lawson-----	95	Very limited Flooding	1.00	Somewhat limited		Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
594C2: Galland-----	95	Somewhat limited		Somewhat limited		Very limited	
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
						Restricted permeability	0.94

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
594D2: Galland-----	95	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94
688: Koszta-----	95	Not limited		Not limited		Not limited	
731C2: Pershing-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
731D2: Pershing-----	90	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94
732C2: Weller-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
732D2: Weller-----	90	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94
792C2: Armstrong-----	95	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.04

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
792D2: Armstrong-----	95	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.04
795D: Ashgrove-----	100	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.39
822D2: Lamoni-----	100	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
832C2: Weller-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
876B: Ladoga-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
876C2: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
993D2: Gara-----	60					Restricted permeability	0.15
		Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
Armstrong-----	30	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.04
993E2: Gara-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
Armstrong-----	30	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.04
1130: Belinda-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
1131C: Pershing-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monroe County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1279: Taintor-----	100	Very limited Depth to saturated zone Restricted permeability	1.00  0.15	Very limited Depth to saturated zone Restricted permeability	1.00  0.15	Very limited Depth to saturated zone Restricted permeability	1.00  0.15
5020: Dumps-----	50	Not rated		Not rated		Not rated	
Pits-----	50	Not rated		Not rated		Not rated	
5021: Orthents-----	100	Not rated		Not rated		Not rated	
5030: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	