

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AaC: Adair-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
AaC2: Adair-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06
AaD: Adair-----	100	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
AaD2: Adair-----	100	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06
AdC3: Adair-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdD3: Adair-----	100	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06
AsD2: Adair-----	55	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06
Shelby-----	35	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
AsD3: Adair-----	55	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06
Shelby-----	35	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
CaD2: Caleb-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
CaE2: Caleb-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CbD3: Caleb-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
CbE3: Caleb-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Ch: Chequest-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Flooding	1.00 0.60
		Restricted permeability	0.15			Restricted permeability	0.15
ClC: Clarinda-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 0.39	Very limited Restricted permeability Depth to saturated zone	1.00 0.19	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.39
ClC2: Clarinda-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 0.39	Very limited Restricted permeability Depth to saturated zone	1.00 0.19	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.39
ClD2: Clarinda-----	100	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.39
CmC3: Clarinda-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Co: Colo-----	100	Too clayey	1.00	Too clayey	1.00	Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Too clayey	1.00
		Slope	0.01	Slope	0.01	Depth to saturated zone	0.39
CoB: Colo-----	100	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	0.60
Cz: Colo-----	55	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	0.60
Zook-----	35	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	0.94	Restricted permeability	0.94
Ed: Edina-----	100	Restricted permeability	0.94	Flooding	0.60	Flooding	0.60
		Very limited	1.00	Very limited	1.00	Very limited	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
GaD2: Gara-----	100	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Somewhat limited	0.63	Somewhat limited	0.63	Somewhat limited	0.63
		Slope	0.15	Slope	0.15	Slope	0.15
GaE: Gara-----	100	Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Very limited	1.00	Very limited	1.00	Very limited	1.00
		Slope	1.00	Slope	1.00	Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaE2: Gara-----	100	Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
GaF: Gara-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GaF2: Gara-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GrE3: Gara-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
GuB: Grundy-----	100	Depth to saturated zone	0.07	Depth to saturated zone	0.03	Slope	0.50
		Depth to saturated zone	0.07	Depth to saturated zone	0.07	Depth to saturated zone	0.07
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
GuC: Grundy-----	100	Depth to saturated zone	0.07	Depth to saturated zone	0.03	Restricted permeability	0.94
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to saturated zone	0.07
		Somewhat limited		Somewhat limited		Very limited	
GuC2: Grundy-----	100	Somewhat limited		Somewhat limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Restricted permeability	0.94
Ha: Haig-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
Hu: Humeston-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00			Flooding	0.60
HuB: Humeston-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00			Flooding	0.60
KnB: Kniffin-----	100	Restricted permeability	1.00	Restricted permeability	1.00	Slope	0.50
						Very limited	1.00
KnC: Kniffin-----	100	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
						Slope	1.00
KnC2: Kniffin-----	100	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LaC2: Lamoni-----	100	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability Slope	1.00 1.00
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability Depth to saturated zone	0.94 0.39
LaD2: Lamoni-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
LmD3: Lamoni-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
Ln: Lawson-----	55	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
Nodaway-----	35	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
LoF2: Lindley-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LvC: Lineville-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
LvC2: Lineville-----	100	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.39	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
MyC2: Mystic-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
OmB: Olmitz-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
OvB: Olmitz-----	35	Not limited		Not limited		Somewhat limited Slope	0.50
Vesser-----	30	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding Slope Depth to saturated zone	0.60 0.50 0.39
Colo-----	25	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.50
PeC: Pershing-----	100	Somewhat limited		Somewhat limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PeC2: Pershing-----	100	Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Restricted permeability	0.94
PhB: Pershing-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
PhC2: Pershing-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
						Slope	0.50
RaC: Rathbun-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
						Slope	1.00
RaC2: Rathbun-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
						Slope	1.00
SeB: Seymour-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
						Slope	0.50
SfC: Seymour-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfC2: Seymour-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Slope Very limited Restricted permeability Slope	1.00 1.00 1.00
ShD: Shelby-----	100	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
ShD2: Shelby-----	100	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
ShE: Shelby-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
ShE2: Shelby-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
ShF2: Shelby-----	100	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
SoD3: Shelby-----	100	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
SoE3: Shelby-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wayne County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ve: Vesser-----	95	Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
VeB: Vesser-----	95	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Slope	0.50
						Depth to saturated zone	0.39
W: Water-----	100	Not rated		Not rated		Not rated	
Wa: Wabash-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00	Too clayey	1.00	Too clayey	1.00
		Too clayey	1.00			Flooding	0.60
Zo: Zook-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94			Flooding	0.60