

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1C: Ida-----	95	Not limited		Not limited		Very limited Slope	1.00
1C3: Ida-----	95	Not limited		Not limited		Very limited Slope	1.00
1D: Ida-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
1D3: Ida-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
1E: Ida-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1E3: Ida-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1F: Ida-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1F3: Ida-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
1G: Ida-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
2G: Hamburg-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
3D: Castana-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
3E: Castana-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3F: Castana-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10B: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
10C: Monona-----	95	Not limited		Not limited		Very limited Slope	1.00
10C2: Monona-----	95	Not limited		Not limited		Very limited Slope	1.00
10C3: Monona-----	95	Not limited		Not limited		Very limited Slope	1.00
10D: Monona-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
10D2: Monona-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
10D3: Monona-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
10E: Monona-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10E2: Monona-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10E3: Monona-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10F: Monona-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10F2: Monona-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10F3: Monona-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
10G: Monona-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
12B: Napier-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
12C: Napier-----	95	Not limited		Not limited		Very limited Slope	1.00
12D: Napier-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
17B: Napier-----	40	Not limited		Not limited		Somewhat limited Slope	0.50
Colo-----	30	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
Kennebec-----	30	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
33D: Steinauer-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
33E: Steinauer-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
33F: Steinauer-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
33G: Steinauer-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
36: Salix-----	100	Very limited Flooding	1.00	Not limited		Not limited	
44: Blencoe-----	95	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94				
46: Keg-----	100	Very limited Flooding	1.00	Not limited		Not limited	
54: Zook-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94			Flooding	0.60
54+: Zook-----	100	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.94	Somewhat limited Depth to saturated zone	0.98

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
66: Luton-----	95	Depth to saturated zone	0.98	Depth to saturated zone	0.75	Restricted permeability	0.94
		Restricted permeability	0.94			Flooding	0.60
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
66+: Luton-----	100	Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00	Too clayey	1.00	Too clayey	1.00
		Too clayey	1.00				
		Very limited		Very limited		Very limited	
67: Woodbury-----	95	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
68: Napa-----	95	Flooding	1.00	Too clayey	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94				
		Very limited		Very limited		Very limited	
70: Mcpaul-----	95	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00				
		Very limited		Very limited		Very limited	
70: Mcpaul-----	95	Very limited		Not limited		Not limited	
123: Grantcenter-----	95	Flooding	1.00				
		Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133: Colo-----	100	Flooding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00				
133+: Colo-----	100	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39				
137: Haynie-----	95	Very limited Flooding	1.00	Not limited		Not limited	
144: Blake-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00				
145: Onawa-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
		Flooding	1.00				
		Restricted permeability	0.94				
146: Onawa-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Too clayey Restricted permeability	1.00 1.00 0.94
		Flooding	1.00				
		Too clayey	1.00				
		Restricted permeability	0.94				

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
147: Modale-----	95	Restricted permeability	0.94				
		Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94				
149: Modale-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94				
155: Albaton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00				
156: Albaton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00	Too clayey	1.00	Too clayey	1.00
		Too clayey	1.00				
157: Albaton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	1.00				
212: Kennebec-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
212+: Kennebec-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
220: Nodaway-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
234: Nishna-----	100	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
		Restricted permeability Depth to saturated zone	0.94 0.39	Depth to saturated zone	0.19	Flooding Depth to saturated zone	0.60 0.39
237: Sarpy-----	95	Somewhat limited Too sandy	0.49	Somewhat limited Too sandy	0.49	Somewhat limited Too sandy	0.49
237B: Sarpy-----	100	Somewhat limited Too sandy	0.49	Somewhat limited Too sandy	0.49	Somewhat limited Slope Too sandy	0.50 0.49
244: Blend-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too clayey	1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too clayey	1.00 1.00 1.00
255: Cooper-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
257: Uturin-----	100	Depth to saturated zone	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94				
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
266: Smithland-----	100	Flooding	1.00	Very limited		Very limited	
		Depth to saturated zone	1.00				
		Flooding	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94	Flooding	0.60		
275: Merville-----	95	Very limited		Very limited		Very limited	
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00				
366: Luton-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00				
430: Ackmore-----	90	Very limited		Somewhat limited		Somewhat limited	
		Flooding	1.00	Depth to saturated zone	0.19	Flooding	0.60
436: Lakeport-----	100	Depth to saturated zone	0.39			Depth to saturated zone	0.39
		Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Flooding	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00				
446: Burcham-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
465: Tieville-----	95	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00				
510: Monona-----	100	Not limited		Not limited		Not limited	
510B: Monona-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
510C: Monona-----	100	Not limited		Not limited		Very limited Slope	1.00
510C2: Monona-----	100	Not limited		Not limited		Very limited Slope	1.00
510C3: Monona-----	100	Not limited		Not limited		Very limited Slope	1.00
514: Grable-----	95	Very limited Flooding	1.00	Not limited		Not limited	
515: Percival-----	100	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94				
516: Vore-----	100	Very limited Flooding	1.00	Not limited		Not limited	
552: Owego-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00	Too clayey	1.00	Too clayey	1.00
		Too clayey	1.00				
553: Forney-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too clayey	1.00	Too clayey	1.00	Too clayey	1.00
670: Rawles-----	100	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
717D: Gullied Land-----	50	Not rated		Not rated		Not rated	
Napier-----	50	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
746: Lossing-----	100	Very limited Too clayey	1.00	Very limited Too clayey	1.00	Very limited Too clayey	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
747: Rodney-----	100	Very limited Too clayey	1.00	Very limited Too clayey	1.00	Very limited Too clayey	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
748: Hornick-----	100	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94				
754: Larpenteur-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00				
945: Albaton-----	100	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	1.00	Flooding	1.00
		Restricted permeability	1.00	Flooding	0.40	Restricted permeability	1.00
946: Albaton-----	100	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	1.00	Flooding	1.00
		Restricted permeability	1.00	Flooding	0.40	Restricted permeability	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1137: Haynie-----	100	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
1144: Blake-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1145: Onawa-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	0.94	Restricted permeability	0.94
1146: Onawa-----	90	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	0.94	Restricted permeability	0.94
		Restricted permeability	0.94				
1147: Modale-----	95	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94
		Restricted permeability	0.94	Depth to saturated zone	0.03	Flooding	0.60
		Depth to saturated zone	0.07			Depth to saturated zone	0.07
1150: Modale-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	0.94	Restricted permeability	0.94

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.94			Flooding	0.60
1155: Albaton-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00			Flooding	0.60
1156: Albaton-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Restricted permeability	1.00	Too clayey	1.00	Too clayey	1.00
		Too clayey	1.00			Flooding	0.60
1157: Albaton-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00			Flooding	0.60
1220: Nodaway-----	95	Very limited		Not limited		Somewhat limited	
		Flooding	1.00			Flooding	0.60
1237: Sarpy-----	95	Very limited		Somewhat limited		Somewhat limited	
		Flooding	1.00	Too sandy	0.49	Flooding	0.60
		Too sandy	0.49			Too sandy	0.49
1237B: Sarpy-----	100	Very limited		Somewhat limited		Somewhat limited	
		Flooding	1.00	Too sandy	0.49	Flooding	0.60
		Too sandy	0.49			Slope	0.50
						Too sandy	0.49
1514: Grable-----	95	Very limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1515: Percival-----	100	Flooding	1.00			Flooding	0.60
		Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone Too clayey	1.00
		Depth to saturated zone Too clayey	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability Flooding	0.94
1516: Vore-----	100	Very limited Flooding	1.00	Not limited		Not limited	
1524: Morconick-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
1525: Scroll-----	100	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone Too clayey	1.00
		Depth to saturated zone Too clayey	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability Flooding	0.94
1526: Scroll-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Restricted permeability	0.15	Restricted permeability	0.15	Flooding	0.60
						Restricted permeability	0.15
1552: Owego-----	100	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Restricted permeability	1.00	Too clayey	1.00	Too clayey	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1746: Lossing-----	100	Too clayey	1.00	Depth to saturated zone	0.19	Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
		Very limited Flooding	1.00	Very limited Too clayey Restricted permeability	1.00	Very limited Too clayey Restricted permeability Flooding	1.00
		Too clayey	1.00				
1747: Rodney-----	100	Very limited Flooding	1.00	Very limited Too clayey Restricted permeability	1.00	Very limited Too clayey Restricted permeability	1.00
		Too clayey	1.00				
		Restricted permeability	0.94	Depth to saturated zone	0.19	Flooding	0.60
		Depth to saturated zone	0.39				
1750: Ticonic-----	100	Very limited Flooding	1.00	Very limited Too sandy	1.00	Very limited Too sandy Flooding	1.00
		Too sandy	1.00				
1849: Kenmoor-----	100	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Flooding	0.94
		Restricted permeability	0.94				
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated		Not rated	
5040: Orthents, Loamy-----	100	Not rated		Not rated		Not rated	
5044: Fluvaquents-----	100	Not rated		Not rated		Not rated	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Monona County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5045: Aquents-----	100	Not rated		Not rated		Not rated	
5046: Aquents-----	100	Not rated		Not rated		Not rated	
5047: Aquents-----	100	Not rated		Not rated		Not rated	
5051: Fluvaquents, Poned-	100	Not rated		Not rated		Not rated	
5090: Aquents-----	60	Not rated		Not rated		Not rated	
Orthents-----	40	Not rated		Not rated		Not rated	
AW: Animal Waste-----	100	Not rated		Not rated		Not rated	
SL: Sewage Lagoon-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00
W: Water-----	100	Not rated		Not rated		Not rated	