

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Zook-----	45	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
Olmitz-----	30	Restricted permeability	0.99	Slope	0.09
		Somewhat limited		Somewhat limited	
Vesser-----	20	Depth to saturated zone	0.43	Seepage	0.50
		restricted permeability	0.25	Slope	0.33
23C: Arispe-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
23C2: Arispe-----	100	Restricted permeability	0.99	Slope	1.00
		Very limited		Seepage	0.50
24D: Shelby-----	100	Depth to saturated zone	1.00	Very limited	
		Restricted permeability	0.99	Depth to saturated zone	1.00
		Slope	0.63	Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
24D2: Shelby-----	100	Somewhat limited Restricted permeability Slope	0.91 0.63	Very limited Slope	1.00
24E2: Shelby-----	95	Very limited Slope Restricted permeability	1.00 0.91	Very limited Slope	1.00
24E3: Shelby-----	95	Very limited Slope Restricted permeability	1.00 0.91	Very limited Slope	1.00
24F2: Shelby-----	100	Very limited Slope Restricted permeability	1.00 0.91	Very limited Slope	1.00
51: Vesser-----	90	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
51+: Vesser-----	90	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
51B: Vesser-----	90	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
51B+: Vesser-----	90	Very limited Depth to saturated zone restricted permeability	1.00 0.25	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.33
54: Zook-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone	1.00 1.00
54+: Zook-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone	1.00 1.00
54B: Zook-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Depth to saturated zone Slope	1.00 0.33
65E: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
65E2: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65F: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65F2: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65G: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
65G2: Lindley-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
93D2: Shelby-----	60	Somewhat limited Restricted permeability Slope	0.91 0.63	Very limited Slope	1.00
Adair-----	40	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.99 0.63	Very limited Slope Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
94D2: Mystic-----	60	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
Caleb-----	40	Slope	0.63	Seepage	0.50
		Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
94E2: Mystic-----	60	Slope	0.63	Depth to saturated zone	0.71
		restricted permeability	0.35	Seepage	0.50
		Very limited		Very limited	
Caleb-----	35	Depth to saturated zone	1.00	Slope	1.00
		restricted permeability	0.35	Depth to saturated zone	0.71
		Slope	1.00	Seepage	0.50
131B: Pershing-----	90	Depth to saturated zone	1.00	Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Very limited		Slope	0.33
131C: Pershing-----	100	Depth to saturated zone	1.00	Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Very limited		Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
131C2: Pershing-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
131D2: Pershing-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
132B: Weller-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.33
132C: Weller-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
132C2: Weller-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
132D2: Weller-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
172: Wabash-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
179D2: Gara-----	95	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
179E: Gara-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
179E2: Gara-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
179E3: Gara-----	95	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
179F: Gara-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
179F2: Gara-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
179G2: Gara-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00
192C2: Adair-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.99	Very limited Depth to saturated zone Slope	1.00 1.00
192D2: Adair-----	95	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.99 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
211: Edina-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
220: Nodaway-----	90	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50
222C: Clarinda-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
222C2: Clarinda-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
222C3: Clarinda-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
222D2: Clarinda-----	100	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
223C2: Rinda-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
223D2: Rinda-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
269: Humeston-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.32

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
269+: Humeston-----	95	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.32
273B: Olmitz-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Somewhat limited Seepage Slope	0.50 0.33
273C: Olmitz-----	100	Somewhat limited Depth to saturated zone restricted permeability	0.43 0.25	Very limited Slope Seepage	1.00 0.50
313D2: Gosport-----	90	Very limited Depth to bedrock Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Depth to soft bedrock Slope Depth to saturated zone	1.00 1.00 1.00
313E2: Gosport-----	90	Very limited Depth to bedrock Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Depth to saturated zone	1.00 1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
313F: Gospport-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Slope	1.00	Depth to saturated zone	1.00
313F2: Gospport-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Slope	1.00	Depth to saturated zone	1.00
362: Haig-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.99	Seepage	0.50
364B: Grundy-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.99	Slope	0.33
423C2: Bucknell-----	95	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
423D: Bucknell-----	95	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
423D2: Bucknell-----	95	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
425D: Keswick-----	95	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
425D2: Keswick-----	95	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
430: Ackmore-----	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		restricted permeability	0.25	Seepage	0.50
451D2: Caleb-----	90	Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
		Slope	0.63	Depth to saturated zone	0.71
		restricted permeability	0.35	Seepage	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
451E2: Caleb-----	90	Very limited Slope Depth to saturated zone restricted permeability	1.00 1.00 0.35	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.50
452C: Lineville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
452C2: Lineville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
453: Tuskeego-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
470D2: Lamoni-----	70	Very limited Depth to saturated zone Restricted permeability Slope	1.00 0.99 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
Shelby-----	30	Somewhat limited Restricted permeability Slope	0.91 0.63	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
484: Lawson-----	90	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
587: Chequest-----	90	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.91	Very limited Flooding Depth to saturated zone	1.00 1.00
587+: Chequest-----	90	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.91	Very limited Flooding Depth to saturated zone	1.00 1.00
592C2: Mystic-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
592D2: Mystic-----	90	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
711: Nodaway-----	70	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50
Lawson-----	25	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
792C: Armstrong-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
792C2: Armstrong-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
792D: Armstrong-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
792D2: Armstrong-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
792D3: Armstrong-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.63		
822C: Lamoni-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.99	Slope	1.00
822C2: Lamoni-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.99	Slope	1.00
822D: Lamoni-----	95	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Restricted permeability	0.99	Depth to saturated zone	1.00
		Slope	0.63		
822D2: Lamoni-----	95	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Restricted permeability	0.99	Depth to saturated zone	1.00
		Slope	0.63		
831B: Pershing-----	100	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.33

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
831C: Pershing-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
831C2: Pershing-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
894D2: Bucknell-----	65	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00
Gara-----	35	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
993D2: Gara-----	60	Very limited Restricted permeability Slope	1.00 0.63	Very limited Slope	1.00
Armstrong-----	40	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Depth to saturated zone	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lucas County, Iowa

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
1711: Nodaway-----	65	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.50
Lawson-----	25	Very limited Flooding Depth to saturated zone restricted permeability	1.00 1.00 0.25	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
5021: Orthents-----	100	Not rated		Not rated	
5025: Strip Mines-----	100	Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated	
INT: Intermittent Water--	100	Not rated		Not rated	
SL: Sewage Lagoon-----	100	Not rated		Not rated	
W: Water Less Than 40 Acres-----	100	Not rated		Not rated	