



USDA-Natural Resource Conservation Service-2002

**WILDLIFE HABITAT SUITABILITY****Kennebec County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>grain and seed crop</b>	<b>wild herb- aceous plants</b>	<b>grasses and legumes</b>	<b>hard- wood trees</b>	<b>conife rous plants</b>	<b>wetland plants</b>	<b>shallow water area</b>	<b>open land wild life</b>	<b>wood land wild life</b>	<b>wet land wild life</b>
<b>D.L.</b>										
DUNE LAND	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
<b>DeB</b>										
DEERFIELD	Poor	Fair	Fair	Fair	Fair	Poor	Very poor	Fair	Fair	Very poor
<b>G.P.</b>										
GRAVEL PITS	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
<b>Ha</b>										
HADLEY	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
<b>HfC</b>										
HARTLAND	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
<b>HfD</b>										
HARTLAND	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
<b>HkB</b>										
HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
<b>HkC</b>										
HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor

USDA-Natural Resource Conservation Service-2002

**WILDLIFE HABITAT SUITABILITY****Kennebec County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>grain and seed crop</b>	<b>wild herb- aceous plants</b>	<b>grasses and legumes</b>	<b>hard- wood trees</b>	<b>conife rous plants</b>	<b>wetland plants</b>	<b>shallow water area</b>	<b>open land wild life</b>	<b>wood land wild life</b>	<b>wet land wild life</b>
<b>HkD</b> HINCKLEY	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Fair	Poor	Very poor
<b>HrB</b> HOLLIS	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
<b>HrC</b> HOLLIS	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
<b>HrD</b> HOLLIS	Poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
<b>HtB</b> HOLLIS	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
<b>HtC</b> HOLLIS	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
ROCK OUTCROP	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor	Very poor
<b>HtD</b> HOLLIS	Very poor	Fair	Poor	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor

USDA-Natural Resource Conservation Service-2002



USDA-Natural Resource Conservation Service-2002

**WILDLIFE HABITAT SUITABILITY****Kennebec County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>grain and seed crop</b>	<b>wild herb- aceous plants</b>	<b>grasses and legumes</b>	<b>hard- wood trees</b>	<b>conife rous plants</b>	<b>wetland plants</b>	<b>shallow water area</b>	<b>open land wild life</b>	<b>wood land wild life</b>	<b>wet land wild life</b>
<b>MoA</b> MONARDA	Poor	Fair	Poor	Fair	Fair	Good	Fair	Poor	Fair	Fair
<b>MrA</b> MONARDA	Very poor	Fair	Poor	Fair	Fair	Good	Fair	Poor	Fair	Fair
<b>PbB</b> PAXTON	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
<b>PbC</b> PAXTON	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
<b>PcB</b> PAXTON	Poor	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Very poor
<b>PcC</b> PAXTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
<b>PcD</b> PAXTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
<b>PdB</b> PAXTON	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor

USDA-Natural Resource Conservation Service-2002

**WILDLIFE HABITAT SUITABILITY**

**Kennebec County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>grain and seed crop</b>	<b>wild herb- aceous plants</b>	<b>grasses and legumes</b>	<b>hard- wood trees</b>	<b>conife rous plants</b>	<b>wetland plants</b>	<b>shallow water area</b>	<b>open land wild life</b>	<b>wood land wild life</b>	<b>wet land wild life</b>
<b>PdB</b> CHARLTON	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
<b>PdC2</b> PAXTON	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
CHARLTON	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
<b>PdD2</b> PAXTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
CHARLTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
<b>PeB</b> PAXTON	Poor	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Very poor
CHARLTON	Very poor	Good	Poor	Good	Good	Poor	Very poor	Poor	Good	Very poor
<b>PeC</b> PAXTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor

USDA-Natural Resource Conservation Service-2002

**WILDLIFE HABITAT SUITABILITY****Kennebec County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>grain and seed crop</b>	<b>wild herb- aceous plants</b>	<b>grasses and legumes</b>	<b>hard- wood trees</b>	<b>conife rous plants</b>	<b>wetland plants</b>	<b>shallow water area</b>	<b>open land wild life</b>	<b>wood land wild life</b>	<b>wet land wild life</b>
<b>PeC</b> CHARLTON	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
<b>PeD</b> PAXTON	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
CHARLTON	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
<b>PfB</b> PERU	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
<b>PkB</b> PERU	Poor	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Very poor
<b>PkC</b> PERU	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor
<b>RcA</b> RIDGEBURY	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
<b>RdA</b> RIDGEBURY	Very poor	Fair	Poor	Fair	Fair	Good	Fair	Poor	Fair	Fair

USDA-Natural Resource Conservation Service-2002

**WILDLIFE HABITAT SUITABILITY****Kennebec County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>grain and seed crop</b>	<b>wild herb- aceous plants</b>	<b>grasses and legumes</b>	<b>hard- wood trees</b>	<b>conife rous plants</b>	<b>wetland plants</b>	<b>shallow water area</b>	<b>open land wild life</b>	<b>wood land wild life</b>	<b>wet land wild life</b>
<b>Rf</b> RIFLE	Very poor	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good
<b>SA</b> SACO	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
<b>ScA</b> SCANTIC	Poor	Fair	Fair	Fair	Fair	Good	Fair	Fair	Fair	Fair
<b>sd</b> SCARBORO	Very poor	Poor	Poor	Poor	Poor	Good	Fair	Poor	Poor	Fair
<b>SkB</b> SCIO	Good	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
<b>SkC2</b> SCIO	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
<b>SuC2</b> SUFFIELD	Fair	Good	Good	Good	Good	Very poor	Very poor	Good	Good	Very poor
<b>SuD2</b> SUFFIELD	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor

USDA-Natural Resource Conservation Service-2002

**WILDLIFE HABITAT SUITABILITY****Kennebec County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>grain and seed crop</b>	<b>wild herb- aceous plants</b>	<b>grasses and legumes</b>	<b>hard- wood trees</b>	<b>conife rous plants</b>	<b>wetland plants</b>	<b>shallow water area</b>	<b>open land wild life</b>	<b>wood land wild life</b>	<b>wet land wild life</b>
<b>SuE2</b> SUFFIELD	Very poor	Good	Poor	Good	Good	Very poor	Very poor	Poor	Good	Very poor
<b>To</b> TOGUS	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Fair	Very poor	Very poor	Fair
<b>Va</b> VASSALBORO	Very poor	Very poor	Very poor	Very poor	Very poor	Good	Fair	Very poor	Very poor	Fair
<b>WmB</b> WINDSOR	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
<b>WmC</b> WINDSOR	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
<b>WmD</b> WINDSOR	Poor	Fair	Fair	Poor	Poor	Very poor	Very poor	Poor	Poor	Very poor
<b>Wn</b> WINOOSKI	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor

**WILDLIFE HABITAT SUITABILITY****Kennebec County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

<b>Soil name and map symbol</b>	<b>grain and seed crop</b>	<b>wild herb- aceous plants</b>	<b>grasses and legumes</b>	<b>hard- wood trees</b>	<b>conife rous plants</b>	<b>wetland plants</b>	<b>shallow water area</b>	<b>open land wild life</b>	<b>wood land wild life</b>	<b>wet land wild life</b>
<b>WrB</b> WOODBIDGE	Fair	Good	Good	Good	Good	Poor	Very poor	Good	Good	Very poor
<b>WrC</b> WOODBIDGE	Fair	Good	Good	Good	Good	Very poor	Very poor	Fair	Good	Very poor
<b>WsB</b> WOODBIDGE	Poor	Good	Fair	Good	Good	Poor	Very poor	Fair	Good	Very poor
<b>WsC</b> WOODBIDGE	Poor	Good	Fair	Good	Good	Very poor	Very poor	Fair	Good	Very poor

USDA-Natural Resource Conservation Service-2002