

Table AWM-2.--Agricultural Waste Management
Bossier Parish, Louisiana

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Acadia-----	65	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Ac: Acadia-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Ad: Acadia-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
Ae: Acadia-----	50	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
Wrightsville-----	30	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	1.00
		Seepage	0.69			Too acid	1.00
		Too level	0.50				
Af: Cahaba-----	85	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00			Too acid	0.91
		Too acid	0.91			Filtering capacity	0.00
Ag: Cahaba-----	90	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00			Too acid	0.91
		Too acid	0.91			Filtering capacity	0.00
Ah: Ruston-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface application	0.92
		Too acid	0.77	Slope	0.88	Too acid	0.77
		Too steep for surface application	0.06			Too steep for sprinkler application	0.06

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ak: Smithdale-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	
				Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity	0.00
Am: Cahaba-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Too acid	0.91			Too acid	0.91
						Filtering capacity	0.00
An: Smithdale-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
				Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity	0.00
B-Ar: Armistead-----	85	Somewhat limited Depth to saturated zone	0.95	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too level	0.50	Depth to saturated zone	1.00	Depth to saturated zone	0.95
B-Be: Betis-----	85	Very limited Seepage	1.00	Not limited		Very limited Filtering capacity	1.00
		Too acid	0.91			Too acid	0.91
B-Bu: Buxin-----	85	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
B-Cs: Caspiana-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Not limited	
		Too level	0.50	Restricted permeability	1.00		
B-Fn: Forbing-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.42			Too acid	0.42

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
B-FO: Forbing-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too steep for surface application	0.50	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.42			Too steep for sprinkler application	0.50
						Too acid	0.42
B-Ga: Gallion-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
		Too level	0.50				
B-Ge: Gallion-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
		Too level	0.50				
B-Go: Gore-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
B-GR: Gore-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.91	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too acid	0.91
						Too steep for sprinkler application	0.50
B-Gu: Guyton-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	0.96
		Too level	0.50				
B-GY: Guyton-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	0.96
		Too level	0.50				
B-Ke: Keithville-----	85	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.86	Too acid	0.03	Depth to saturated zone	0.86
B-Ko: Kolin-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.95	Depth to saturated zone	0.05	Depth to saturated zone	0.95
		Too acid	0.42			Too acid	0.42
B-Ma: Malbis-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Too acid	0.91	Depth to saturated zone	0.76	Too acid	0.91
		Depth to saturated zone	0.24			Depth to saturated zone	0.24
						Restricted permeability	0.21
B-Mc: Mckamie-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.42			Too acid	0.42
B-Me: Metcalf-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	1.00	Too acid	0.03	Too acid	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.00	Depth to saturated zone	1.00
B-MK: Mckamie-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too steep for surface application	0.50	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.42			Too steep for sprinkler application	0.50
						Too acid	0.42
B-Mo: Moreland-----	85	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
B-Pe: Perry-----	85	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.91	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Too acid	0.91
B-Rs: Ruston-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.77
		Too acid	0.77				

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
B-Sa: Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Too acid	0.14	Too acid	0.91
B-SC: Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.91	Slope	1.00	Restricted permeability	0.96
		Too steep for surface application	0.50	Too acid	0.14	Too acid	0.91
						Too steep for sprinkler application	0.50
B-SM: Smithdale-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity	0.00
B-Wr: Wrightsville-----	85	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	1.00
		Seepage	0.69			Too acid	1.00
		Too level	0.50				
B-YK: Yorktown-----	85	Very limited Flooding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Ponding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
Bb: Guyton-----	60	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	0.96
		Too level	0.50				

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Iuka-----	35	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Flooding	1.00	Not Rated Not Rated; CEC or Clay Flooding	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability		Too acid	0.67
		Too acid	0.67				
Bc: Guyton-----	45	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	0.96
		Too level	0.50				
Iuka-----	35	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Flooding	1.00	Not Rated Not Rated; CEC or Clay Flooding	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability		Too acid	0.67
		Too acid	0.67				
Bd: Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Too acid	0.14	Too acid	0.91
Be: Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Slope	0.88	Too steep for surface application	0.92
		Too steep for surface application	0.06	Too acid	0.14	Too acid	0.91
						Too steep for sprinkler application	0.06
Bf: Sacul-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Too acid	0.14	Restricted permeability	0.96
						Too acid	0.91
Bg: Sacul-----	85	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too steep for surface application	0.06	Slope	0.88	Restricted permeability	0.96

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Too steep for surface application	0.92
						Too steep for sprinkler application	0.06
Bh: Buxin-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				
Bk: Buxin-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Depth to saturated zone	1.00	Restricted permeability	1.00
Bm: Buxin-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Depth to saturated zone	1.00	Restricted permeability	1.00
Bn: Buxin-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Depth to saturated zone	1.00	Restricted permeability	1.00
Bo: Buxin-----	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
				Depth to saturated zone	1.00	Restricted permeability	1.00
Bu: Buxin-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				
Ca: Cahaba-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
		Too acid	0.91			Too acid	0.91
						Filtering capacity	0.00
Cb: Cahaba-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
		Too acid	0.91			Too acid	0.91
						Filtering capacity	0.00

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cc: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00 0.88	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid	0.92 0.91
		Too acid	0.91			Too steep for sprinkler application Filtering capacity	0.06 0.00
		Too steep for surface application	0.06				
Cd: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
		Too acid	0.91				
Cf: Cahaba-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
		Too acid	0.91				
Ct: Cahaba-----	65	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity	0.91 0.00
		Too acid	0.91				
Shatta-----	35	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.91
		Depth to saturated zone	1.00				
		Too acid	0.91				
Cy: Una-----	85	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Flooding	1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding	1.00 1.00 1.00
		Depth to saturated zone	1.00	Restricted permeability Depth to saturated zone	1.00	Restricted permeability Too acid	1.00 1.00
		Too acid	1.00				
		Too level	0.50				
Ga: Armistead-----	85	Somewhat limited Depth to saturated zone Too level	0.95 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Restricted permeability Depth to saturated zone	0.96 0.95
Gb: Armistead-----	85	Somewhat limited Depth to saturated zone	0.95	Very limited Restricted permeability Depth to saturated zone	1.00	Somewhat limited Restricted permeability Depth to saturated zone	0.96 0.95

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Gc: Armistead-----	85	Somewhat limited Depth to saturated zone	0.95	Very limited Restricted permeability Depth to saturated zone	1.00	Somewhat limited Restricted permeability Depth to saturated zone	0.96
Gd: Gallion-----	85	Very limited Seepage Too level	1.00 0.50	Very limited Restricted permeability	1.00	Not limited	
Gg: Gallion-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
Gh: Gallion-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface application	0.08
Gk: Gallion-----	85	Very limited Seepage Too level	1.00 0.50	Very limited Restricted permeability	1.00	Not limited	
Gm: Gallion-----	50	Very limited Seepage Too level	1.00 0.50	Very limited Restricted permeability	1.00	Not limited	
Armistead-----	40	Somewhat limited Depth to saturated zone Too level	0.95 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Restricted permeability Depth to saturated zone	0.96 0.95
Go: Gore-----	50	Very limited Seepage Too steep for surface application Too acid	1.00 0.94 0.91	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 0.94 0.91
Mckamie-----	25	Very limited Seepage Too steep for surface application Too acid	1.00 0.94 0.42	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 0.94 0.42
Forbing-----	20	Very limited Seepage Too steep for surface application Too acid	1.00 0.94 0.42	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Too steep for surface application Too steep for	1.00 1.00 0.94

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						sprinkler application	
						Too acid	0.42
Gr: Gore-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
Gs: Gore-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
Gv: Gore-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.91	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.88			Too acid	0.91
						Too steep for sprinkler application	0.88
Ha: Hannahatchee-----	85	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Somewhat limited Flooding	0.60
		Seepage	1.00	Flooding	0.60	Too acid	0.07
		Too acid	0.07			Filtering capacity	0.00
Hn: Gore-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
Hr: Gore-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.91	Slope	0.88	Too steep for surface application	0.92
		Too steep for surface application	0.06			Too acid	0.91
						Too steep for sprinkler application	0.06
Hs: Betis-----	85	Very limited Seepage	1.00	Not limited		Very limited Filtering capacity	1.00
		Too acid	0.91			Too acid	0.91
Hu: Betis-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Too steep for surface application	1.00			Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	0.91			Too steep for sprinkler application	1.00
						Too acid	0.91
In: Bienville-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Too acid	0.77	Restricted permeability	0.31	Too acid	0.77
		Too level	0.50				
Ka: Cahaba-----	85	Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay				Not Rated; CEC or Clay	
		Seepage	1.00			Too acid	0.91
		Too acid	0.91			Filtering capacity	0.00
		Too level	0.50				
Kr: Mahan-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm	
		Seepage	1.00	Restricted permeability	1.00	Too acid	0.67
		Too acid	0.67			Filtering capacity	0.00
Ks: Mahan-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	0.92
		Too acid	0.67	Slope	0.88	Too acid	0.67
		Too steep for surface application	0.06			Too steep for sprinkler application	0.06
						Filtering capacity	0.00
Kt: Mahan-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.67			Too acid	0.67
						Filtering capacity	0.00
Ku: Darley-----	85	Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface	0.78	Restricted permeability	0.31	Too steep for sprinkler	0.78

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		application Too acid	0.77			application Too acid	0.77
						Filtering capacity	0.00
Kv: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Restricted permeability	0.31	Not Rated Not Rated; Fragments > 250mm Too acid	0.77
		Too acid	0.77			Filtering capacity	0.00
Kw: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Restricted permeability	0.31	Not Rated Not Rated; Fragments > 250mm Too acid	0.77
		Too acid	0.77			Filtering capacity	0.00
Kx: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Slope	0.88	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	0.92
		Too acid	0.77	Restricted permeability	0.31	Too acid	0.77
		Too steep for surface application	0.06			Too steep for sprinkler application	0.06
						Filtering capacity	0.00
Ky: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Slope	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	0.31	Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Filtering capacity	0.00
La: Betis-----	85	Very limited Seepage	1.00	Not limited		Very limited Filtering capacity	1.00
		Too acid	0.91			Too acid	0.91
Lb: Betis-----	85	Very limited Seepage	1.00	Somewhat limited Slope	0.88	Very limited Filtering capacity	1.00
		Too acid	0.91			Too steep for surface application	0.92
		Too steep for surface	0.06			Too acid	0.91

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Too steep for sprinkler application	0.06
Lc: Betis-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Too steep for surface application	1.00			Too steep for surface application	1.00
		Too acid	0.91			Too steep for sprinkler application	1.00
						Too acid	0.91
Ld: Betis-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Too acid	0.91			Too steep for surface application	1.00
		Too steep for surface application	0.88			Too acid	0.91
						Too steep for sprinkler application	0.88
Lf: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Restricted permeability	1.00	Not Rated Not Rated; Fragments > 250mm Too acid	0.67
		Too acid	0.67			Restricted permeability	0.21
						Filtering capacity	0.00
Lg: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Restricted permeability	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	0.92
		Too acid	0.67	Slope	0.88	Too acid	0.67
		Too steep for surface application	0.06			Restricted permeability	0.21
						Too steep for sprinkler application	0.06
Lh: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Slope	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.67			Too acid	0.67
						Restricted	0.21

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						permeability	
Lk: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Restricted permeability	1.00	Not Rated Not Rated; Fragments > 250mm Too acid	0.67
		Too acid	0.67			Restricted permeability	0.21
						Filtering capacity	0.00
Lm: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Restricted permeability	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	0.92
		Too acid Too steep for surface application	0.67 0.06	Slope	0.88	Too acid Restricted permeability	0.67 0.21
						Too steep for sprinkler application	0.06
Ln: Briley-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	0.77			Too acid	0.77
Lo: Briley-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	0.77	Slope	0.88	Too steep for surface application	0.92
		Too steep for surface application	0.06			Too acid	0.77
						Too steep for sprinkler application	0.06
Lp: Mahan-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Restricted permeability	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	1.00
		Too steep for surface application	0.88	Slope	1.00	Too steep for sprinkler application	0.88
		Too acid	0.67			Too acid Restricted permeability	0.67 0.21
Ma: Guyton-----	60	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	1.00	Too acid	0.03	Restricted permeability	0.96
		Too level	0.50				
Iuka-----	35	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Flooding	1.00	Not Rated; CEC or Clay	
		Flooding	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	0.67
		Too acid	0.67			Filtering capacity	0.00
MaA: Kolin-----	90	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.95	Depth to saturated zone	0.05	Depth to saturated zone	0.95
		Too acid	0.42			Too acid	0.42
MaB: Kolin-----	90	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.95	Depth to saturated zone	0.05	Depth to saturated zone	0.95
		Too acid	0.42			Too acid	0.42
MaC: Kolin-----	90	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.95	Depth to saturated zone	0.05	Depth to saturated zone	0.95
		Too acid	0.42			Too acid	0.42
MaD: Kolin-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.95	Slope	0.12	Depth to saturated zone	0.95
		Too acid	0.42	Depth to saturated zone	0.05	Too acid	0.42
						Too steep for surface application	0.32
MaE: Guyton-----	65	Very limited		Very limited		Very limited	
		Flooding	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Depth to saturated zone	1.00	Flooding	0.60	Restricted permeability	0.96
		Too acid	1.00	Too acid	0.03	Flooding	0.60
		Too level	0.50				
Messer-----	25	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Restricted permeability	1.00	Restricted permeability	0.96
		Too acid	0.91	Depth to saturated zone	0.56	Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MaF:							
Guyton-----	85	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Depth to saturated zone	1.00	Flooding	0.60	Restricted permeability	0.96
		Too acid	1.00	Too acid	0.03	Flooding	0.60
		Too level	0.50				
MaG:							
Guyton-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	0.96
		Too level	0.50				
Messer-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Depth to saturated zone	0.56	Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
Mb:							
Mckamie-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.42			Too acid	0.42
Mc:							
Mckamie-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.42			Too acid	0.42
Md:							
Mckamie-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.42	Slope	0.88	Too steep for surface application	0.92
		Too steep for surface application	0.06			Too acid	0.42
						Too steep for sprinkler application	0.06
Me:							
Mckamie-----	50	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.42			Too steep for sprinkler application	1.00
						Too acid	0.42
Forbing-----	45	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.42			Too steep for sprinkler application	1.00
						Too acid	0.42
Mg: Moreland-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				
Mh: Moreland-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Depth to saturated zone	1.00	Restricted permeability	1.00
Mk: Moreland-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Depth to saturated zone	1.00	Restricted permeability	1.00
				Slope	0.28	Too steep for surface application	0.50
Mm: Moreland-----	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
Mn: Moreland-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Depth to saturated zone	1.00	Restricted permeability	1.00
Mo: Moreland-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50				
		Flooding	0.40				
Mp: Moreland-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				
Mr: Moreland-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ms: Ochlockonee-----	85	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Flooding	1.00	Not Rated Not Rated; CEC or Clay Flooding	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	0.77
		Too acid	0.77	Restricted permeability		Filtering capacity	0.00
Mt: Guyton-----	55	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	0.96
		Too level	0.50			Sodium content	0.08
Iuka-----	25	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Flooding	1.00	Not Rated Not Rated; CEC or Clay Flooding	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability		Too acid	0.67
		Too acid	0.67			Filtering capacity	0.00
Mu: Morse-----	85	Not limited		Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
Mv: Morse-----	85	Somewhat limited		Very limited		Very limited	
		Too steep for surface application	0.06	Restricted permeability	1.00	Restricted permeability	1.00
				Slope	0.88	Too steep for surface application	0.92
						Too steep for sprinkler application	0.06
Mw: Morse-----	85	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
				Restricted permeability	1.00	Restricted permeability	1.00
						Too steep for sprinkler application	1.00
Mx: Morse-----	85	Not limited		Very limited Restricted permeability Slope	1.00 0.50	Very limited Restricted permeability Too steep for surface application	1.00 0.68

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
My: Morse-----	85	Not limited		Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
Mz: Morse-----	85	Not limited		Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
Na: Nacogdoches-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm	
		Too acid	0.42			Too acid	0.42
Nc: Nacogdoches-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00 0.88	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm	
		Too acid	0.42			Too steep for surface application	0.92
		Too steep for surface application	0.06			Too acid	0.42
						Too steep for sprinkler application	0.06
Ng: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Slope	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	0.31	Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Filtering capacity	0.00
Ns: Darley-----	85	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Slope	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	0.31	Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Filtering capacity	0.00
Oc: Ochlockonee-----	55	Not Rated Not Rated; CEC or Clay Flooding	1.00	Very limited Depth to saturated zone Restricted	1.00 1.00	Not Rated Not Rated; CEC or Clay Too acid	0.77

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
				permeability			
		Seepage	1.00	Flooding	0.60	Flooding	0.60
		Too acid	0.77			Filtering capacity	0.00
Iuka-----	35	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Depth to saturated zone	1.00	Not Rated; CEC or Clay	
		Flooding	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Too acid	0.67
		Depth to saturated zone	1.00			Flooding	0.60
		Too acid	0.67			Filtering capacity	0.00
Of: Orangeburg-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.77
		Too acid	0.77				
Og: Ruston-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.77
		Too acid	0.77				
Om: Ruston-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface application	0.92
		Too acid	0.77	Slope	0.88	Too acid	0.77
		Too steep for surface application	0.06			Too steep for sprinkler application	0.06
Or: Ruston-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface application	0.92
		Too acid	0.77	Slope	0.88	Too acid	0.77
		Too steep for surface application	0.06			Too steep for sprinkler application	0.06
Ou: Smithdale-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Slope	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity	0.00
Pa: Perry-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too acid	0.91	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Too acid	0.91
		Flooding	0.40				

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pb: Perry-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too acid	0.91	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Too acid	0.91
Pe: Perry-----	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too acid	0.91	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Too acid	0.91
Ph: Savannah-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	1.00			Too acid	1.00
						Restricted permeability	0.21
Pk: Savannah-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	1.00			Too acid	1.00
						Restricted permeability	0.21
Pm: Prentiss-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
		Too acid	1.00	Depth to saturated zone	0.00	Too acid	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too level	0.50			Restricted permeability	0.21
Pn: Prentiss-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
		Too acid	1.00	Depth to saturated zone	0.00	Too acid	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
						Restricted permeability	0.21
Po: Shatta-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	0.91
		Too acid	0.91			Restricted permeability	0.21
		Too level	0.50				

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pp: Shatta-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Pr: Shatta-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
Ps: Shatta-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
Pt: Shatta-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Pv: Prentiss-----	60	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.21
Shatta (tilden)-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
Pw: Prentiss-----	60	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Depth to saturated zone	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.21
Shatta (tilden)-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ra: Severn-----	90	Very limited Flooding Seepage	1.00 1.00	Very limited Flooding Restricted permeability	1.00 0.31	Very limited Flooding Filtering capacity	1.00 0.00
Rb: Moreland-----	85	Very limited Depth to saturated zone Too level Flooding	1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Rc: Moreland-----	85	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Rd: Moreland-----	85	Very limited Flooding Depth to saturated zone Too level	1.00 1.00 0.50	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00
Re: Moreland-----	85	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Rf: Moreland-----	85	Very limited Seepage Depth to saturated zone Too level Flooding	1.00 1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Rg: Ruston-----	85	Very limited Seepage Too acid	1.00 0.77	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.77
Rh: Ruston-----	85	Very limited Seepage Too acid	1.00 0.77	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.77
Rk: Ruston-----	85	Very limited Seepage Too acid Too steep for surface application	1.00 0.77 0.06	Very limited Restricted permeability Slope	1.00 0.88	Somewhat limited Too steep for surface application Too acid Too steep for sprinkler application	0.92 0.77 0.06
Rm: Ruston-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too steep for surface	0.92

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						application	
		Too acid	0.77	Slope	0.88	Too acid	0.77
		Too steep for surface application	0.06			Too steep for sprinkler application	0.06
Rn: Ora-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00	Depth to saturated zone	0.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.21
						Filtering capacity	0.00
Ro: Ora-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00	Depth to saturated zone	0.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.21
						Filtering capacity	0.00
Rs: Ora-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Slope	0.88	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.00	Too steep for surface application	0.92
		Too steep for surface application	0.06			Restricted permeability	0.21
Rt: Ora-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Slope	0.88	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.00	Too steep for surface application	0.92
		Too steep for surface application	0.06			Restricted permeability	0.21
Ru: Ruston-----	85	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Restricted permeability	1.00	Too acid	0.77
		Too acid	0.77	Slope	0.03	Too steep for surface application	0.18
Sa: Savannah-----	60	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.14	Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00			Too acid	1.00
		Too acid	1.00			Restricted permeability	0.21
Bowie-----	40	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.77
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability Filtering capacity	0.21 0.00
SaA: Eastwood-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.91	Too acid	0.14	Too steep for sprinkler application	1.00
						Too acid	0.91
SaB: Eastwood-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too steep for surface application	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.91	Too acid	0.14	Too steep for sprinkler application	1.00
						Too acid	0.91
Sb: Savannah-----	60	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	1.00			Restricted permeability	0.21
Bowie-----	40	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.77
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability Filtering capacity	0.21 0.00
Sc: Metcalf-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	1.00	Too acid	0.03	Too acid	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.00	Depth to saturated zone	1.00
Sd: Metcalf-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	1.00	Too acid	0.03	Too acid	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.00	Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Se:							
Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Too acid	0.14	Too acid	0.91
Sf:							
Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Too acid	0.14	Too acid	0.91
Sg:							
Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Slope	0.88	Too steep for surface application	0.92
		Too steep for surface application	0.06	Too acid	0.14	Too acid	0.91
						Too steep for sprinkler application	0.06
Sh:							
Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Slope	0.88	Too steep for surface application	0.92
		Too steep for surface application	0.06	Too acid	0.14	Too acid	0.91
						Too steep for sprinkler application	0.06
Sk:							
Sacul-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Too acid	0.14	Restricted permeability Too acid	0.96
							0.91
Sm:							
Shubuta-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	0.91
		Too acid	0.91			Restricted permeability	0.21
Sn:							
Shubuta-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	0.91
		Too acid	0.91			Restricted permeability	0.21
So:							
Shubuta-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	0.91
				Slope	0.88	Too steep for	0.92

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						surface application	
		Too acid	0.91			Too acid	0.91
		Too steep for surface application	0.06			Restricted permeability	0.21
						Too steep for sprinkler application	0.06
Sp: Shubuta-----	85	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Restricted permeability Slope	1.00	Not Rated; CEC or Clay	
					0.88	Too steep for surface application	0.92
		Too acid	0.91			Too acid	0.91
		Too steep for surface application	0.06			Restricted permeability	0.21
						Too steep for sprinkler application	0.06
Sr: Sacul-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited	
						Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Too acid	0.14	Restricted permeability	0.96
						Too acid	0.91
Ss: Sacul-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited	
						Too steep for surface application	1.00
		Too steep for surface application	1.00	Slope	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Too acid	0.14	Restricted permeability	0.96
						Too acid	0.91
St: Sacul-----	60	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited	
						Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Too acid	0.14	Restricted permeability	0.96
						Too acid	0.91
Boswell-----	40	Not Rated		Very limited Slope	1.00	Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
						Too steep for surface application	1.00
		Too steep for surface application	1.00			Restricted permeability	1.00
		Too acid	1.00			Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Too acid	1.00
Su: Sacul-----	60	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Too acid	0.14	Restricted permeability	0.96
						Too acid	0.91
Darley-----	40	Not Rated Not Rated; Fragments > 250mm Seepage	1.00	Not Rated Not Rated; Fragments > 250mm Slope	1.00	Not Rated Not Rated; Fragments > 250mm Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Filtering capacity	0.00
Sv: Caddo-----	60	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Messer-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Depth to saturated zone	0.56	Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
Sw: Caddo-----	60	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Messer-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Too acid	0.91	Depth to saturated zone	0.56	Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
Sx: Wrightsville-----	60	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	1.00
		Seepage	0.69			Too acid	1.00
		Too level	0.50				
Vidrine-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96

Table AWM-2.--Agricultural Waste Management--Continued
Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Sy: Wrightsville-----	60	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	1.00
		Seepage	0.69			Too acid	1.00
		Too level	0.50				
Vidrine-----	30	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
Sz: Eastwood-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.91	Too acid Slope	0.14 0.12	Too acid Too steep for surface application	0.91 0.32
Td: Shatta-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.12	Restricted permeability	0.96
		Too acid	0.91			Too acid Too steep for surface application	0.91 0.32
Tf: Shatta-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Ts: Shatta-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
Tv: Shatta-----	85	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
UML: Unmapped Lands-----	100	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Va: Wolfpen-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Too acid	0.77	Restricted permeability	1.00	Too acid	0.77
Vc: Wolfpen-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Too acid	0.77	Restricted permeability	1.00	Too acid	0.77
Vf: Wolfpen-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Too acid	0.77	Restricted permeability	1.00	Too steep for surface application	0.92
		Too steep for surface application	0.06	Slope	0.88	Too acid	0.77
						Too steep for sprinkler application	0.06
Vm: Wolfpen-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Too acid	0.77	Restricted permeability	1.00	Too steep for surface application	0.92
		Too steep for surface application	0.06	Slope	0.88	Too acid	0.77
						Too steep for sprinkler application	0.06
Vs: Wolfpen-----	85	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Filtering capacity	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too acid	0.77	Restricted permeability	1.00	Too steep for sprinkler application	1.00
						Too acid	0.77
Wr: Wrightsville-----	60	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	1.00
		Seepage	0.69			Too acid	1.00
		Too level	0.50				
Vidrine-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91
Wt: Wrightsville-----	85	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	1.00

Table AWM-2.--Agricultural Waste Management--Continued
 Bossier Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wv: Wrightsville-----	85	Seepage	0.69			Too acid	1.00
		Too level	0.50				
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
Ya: Armistead-----	85	Too acid	1.00	Too acid	0.03	Restricted permeability	1.00
		Too level	0.50			Too acid	1.00
		Somewhat limited		Very limited		Somewhat limited	
		Depth to saturated zone	0.95	Restricted permeability	1.00	Restricted permeability	0.96
Yc: Armistead-----	85	Too level	0.50	Depth to saturated zone	1.00	Depth to saturated zone	0.95
		Somewhat limited		Very limited		Somewhat limited	
		Depth to saturated zone	0.95	Restricted permeability	1.00	Restricted permeability	0.96
				Depth to saturated zone	1.00	Depth to saturated zone	0.95
Yh: Norwood-----	85	Very limited		Very limited		Not limited	
		Seepage	1.00	Restricted permeability	1.00		
		Too level	0.50				
Ym: Norwood-----	85	Flooding	0.40				
		Very limited		Very limited		Not limited	
Yn: Norwood-----	85	Seepage	1.00	Restricted permeability	1.00		
		Flooding	0.40				
		Very limited		Very limited		Not limited	
Yo: Norwood-----	85	Seepage	1.00	Restricted permeability	1.00		
		Flooding	0.40				
		Very limited		Very limited		Not limited	
Yp: Severn-----	85	Seepage	1.00	Restricted permeability	0.31	Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Very limited		Very limited		Very limited	
Yr: Severn-----	85	Seepage	1.00	Restricted permeability	0.31	Filtering capacity	0.00
		Too level	0.50				
		Flooding	0.40				
Ys: Severn-----	85	Seepage	1.00	Restricted permeability	0.31	Filtering capacity	0.00
		Flooding	0.40				
		Very limited		Somewhat limited		Somewhat limited	
Yt: Severn-----	85	Seepage	1.00	Restricted permeability	0.31	Too steep for surface application	0.50
		Flooding	0.40	Slope	0.28	Filtering capacity	0.00
		Very limited		Somewhat limited		Somewhat limited	
Yv: Severn-----	85	Seepage	1.00	Restricted permeability	0.31	Filtering capacity	0.00
		Flooding	0.40				