SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 023
CHARLES MIX CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL LV K	SOIL LV T	HYDRIC SOILS
AAA	AGAR SILT LOAM, 0 TO 2 PERCENT SLOPES							
		AGAR	100	3	3	0.32	5	
AAB	AGAR SILT LOAM, 2 TO 6 PERCENT SLOPES							
		AGAR	100	3	3	0.32	5	
AAC	AGAR SILT LOAM, 6 TO 9 PERCENT SLOPES							
		AGAR	100	3	2	0.32	5	
AB	ALBATON SILTY CLAY							
		ALBATON	100	3	3	0.28	5	HY-1
AN	ALBATON SILTY CLAY, DEPRESSIONAL							
		ALBATON	100	3	3	0.32	5	HY-1
AO	AOWA SILTY CLAY LOAM							
		AOWA	100	3	3	0.32	5	2/
AR	ARLO SILT LOAM, WET							
		ARLO	100	3	3	0.28	4	HY-1
ASA	ARLO-ENET LOAMS, 0 TO 2 PERCENT SLOPES							
		ARLO	45	3	3	0.28	4	HY-1
		ENET	35	3	3	0.28	4	
BBC	BEADLE-EAKIN COMPLEX, 6 TO 9 PERCENT SLOPES							
		BEADLE	50	3	2	0.28	5	1/
		EAKIN	35	3	2	0.32	5	
BCA	BEADLE-JERAULD COMPLEX, 0 TO 4 PERCENT SLOPES							
		BEADLE	60	3	3	0.28	5	1/
		JERAULD	30	3	3	0.43	3	
BDF	BETTS LOAM, 25 TO 40 PERCENT SLOPES							
		BETTS	100	3	1	0.28	5	
BEE	BETTS-ETHAN LOAMS, 9 TO 25 PERCENT SLOPES							
		BETTS	50	3	1	0.28	5	
		ETHAN	40	3	1	0.28	5	
BN	BON SILT LOAM							
		BON	100	3	3	0.24	5	2/
BO	BON SILT LOAM, CHANNELED							
		BON	100	3	3	0.24	5	2/
BSD	BOYD-SANSARC COMPLEX, 6 TO 15 PERCENT SLOPES							
		BOYD	55	3	1	0.37	4	
		SANSARC	35	1	1	0.37	2	
CEB	CLARNO-ETHAN LOAMS, 2 TO 6 PERCENT SLOPES							
		CLARNO	55	3	3	0.28	5	1/
		ETHAN	25	3	3	0.28	5	
CEC	CLARNO-ETHAN LOAMS, 6 TO 9 PERCENT SLOPES							
		CLARNO	50	3	2	0.28	5	1/
		ETHAN	30	3	2	0.28	5	
DA	DEGREY-JERAULD SILT LOAMS							
		DEGREY	50	3	3	0.37	3	1/
		JERAULD	30	3	3	0.43	3	
DB	DEGREY-WALKE SILT LOAMS							
		DEGREY	45	3	3	0.37	3	1/
		WALKE	35	3	3	0.32	5	
DMC	DELMONT-TALMO COMPLEX, 2 TO 9 PERCENT SLOPES							
		DELMONT	50	3	2	0.28	3	1/
		TALMO	35	3	2	0.20	2	
DNA	DORNA SILT LOAM, 0 TO 4 PERCENT SLOPES							
		DORNA	100	3	3	0.32	5	
DU	DURRSTEIN SILT LOAM							
		DURRSTEIN	100	3	3	0.37	3	HY-1
EAA	EAKIN SILT LOAM, 0 TO 2 PERCENT SLOPES							
		EAKIN	100	3	3	0.32	5	1/
EBB	EAKIN-BEADLE COMPLEX, 2 TO 6 PERCENT SLOPES							
		EAKIN	45	3	3	0.32	5	1/
		BEADLE	40	3	3	0.28	5	
EDA	EAKIN-DEGREY SILT LOAMS, 0 TO 4 PERCENT SLOPES							
		EAKIN	50	3	3	0.32	5	1/
		DEGREY	25	3	3	0.37	3	
EEB	EAKIN-ETHAN COMPLEX, 2 TO 6 PERCENT SLOPES							
		EAKIN	60	3	3	0.32	5	1/
		ETHAN	25	3	3	0.28	5	
EEC	EAKIN-ETHAN COMPLEX, 6 TO 9 PERCENT SLOPES							
		EAKIN	55	3	2	0.32	5	1/
		ETHAN	30	3	2	0.28	5	

SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 023
CHARLES MIX CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL LV K	SOIL LV T	HYDRIC SOILS
EMA	ENET LOAM, 0 TO 2 PERCENT SLOPES							
		ENET	100	3	3	0.28	4	1/
ENC	ENET-DELMONT LOAMS, 2 TO 9 PERCENT SLOPES							
		ENET	55	3	2	0.28	4	1/
		DELMONT	35	3	2	0.28	3	
ETD	ETHAN-CLARNO LOAMS, 9 TO 15 PERCENT SLOPES							
		ETHAN	45	3	1	0.28	5	
		CLARNO	40	3	1	0.28	5	
EUC	ETHAN-HOMME COMPLEX, 6 TO 9 PERCENT SLOPES							
		ETHAN	75	3	2	0.28	5	1/
		HOMME	20	3	2	0.32	5	
GSE	GAVINS-SANSARC COMPLEX, 15 TO 25 PERCENT SLOPES							
		GAVINS	70	1	1	0.43	2	
		SANSARC	25	1	1	0.37	2	
GV	GRACEVILLE SILT LOAM							
		GRACEVILLE	100	3	3	0.32	5	
HAA	HAND LOAM, 0 TO 2 PERCENT SLOPES							
		HAND	100	3	3	0.28	5	
HB	HAYNIE SILT LOAM							
		HAYNIE	100	3	3	0.37	5	
HC	HAYNIE VARIANT SILT LOAM							
		HAYNIE VAR	100	3	3	0.32	5	
HEB	HENKIN LOAM, 2 TO 6 PERCENT SLOPES							
		HENKIN	100	3	3	0.20	5	
HGA	HIGHMORE SILT LOAM, 0 TO 2 PERCENT SLOPES							
		HIGHMORE	100	3	3	0.32	5	1/
HHB	HIGHMORE-EAKIN SILT LOAMS, 2 TO 6 PERCENT SLOPES							
		HIGHMORE	55	3	3	0.32	5	1/
		EAKIN	35	3	3	0.32	5	
HLA	HIGHMORE-WALKE SILT LOAMS, 0 TO 2 PERCENT SLOPES							
		HIGHMORE	60	3	3	0.32	5	1/
		WALKE	25	3	3	0.32	5	
HMB	HOMME-ETHAN-ONITA COMPLEX, 1 TO 6 PERCENT SLOPES							
		HOMME	40	3	3	0.32	5	1/
		ETHAN	30	3	3	0.28	5	
		ONITA	20	3	3	0.28	5	
HOA	HOMME-ONITA SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES							
		HOMME	55	3	3	0.32	5	1/
		ONITA	30	3	3	0.28	5	
HOB	HOMME-ONITA SILTY CLAY LOAMS, 1 TO 6 PERCENT SLOPES							
		HOMME	60	3	3	0.32	5	1/
		ONITA	25	3	3	0.28	5	
HUA	HOUDEK LOAM, 0 TO 2 PERCENT SLOPES							
		HOUDEK	100	3	3	0.28	5	1/
HUB	HOUDEK LOAM, 2 TO 6 PERCENT SLOPES							
		HOUDEK	100	3	3	0.28	5	1/
HV	HOVEN SILT LOAM							
		HOVEN	100	3	3	0.37	3	HY-3
INB	INAVALE FINE SAND, 2 TO 6 PERCENT SLOPES							
		INAVALE	100	1	3	0.17	5	
IVA	INAVALE LOAMY FINE SAND, 0 TO 6 PERCENT SLOPES							
		INAVALE	100	1	3	0.17	5	
IX	INAVALE VARIANT LOAMY FINE SAND							
		INAVALE VA	100	3	3	0.17	5	
LAA	LANE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES							
		LANE	100	3	3	0.28	5	
LAB	LANE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES							
		LANE	100	3	3	0.28	5	
LOA	LOWRY SILT LOAM, 0 TO 2 PERCENT SLOPES							
		LOWRY	100	3	3	0.32	5	
LOB	LOWRY SILT LOAM, 2 TO 6 PERCENT SLOPES							
		LOWRY	100	3	3	0.32	5	
LOC	LOWRY SILT LOAM, 6 TO 9 PERCENT SLOPES							
		LOWRY	100	3	2	0.32	5	

SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 023
CHARLES MIX CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL LV K	SOIL LV T	HYDRIC SOILS
LRF	LOWRY-GAVINS SILT LOAMS, 6 TO 40 PERCENT SLOPES							
		LOWRY	55	3	1	0.32	5	
		GAVINS	30	1	1	0.43	2	
LSD	LOWRY-SULLY SILT LOAMS, 9 TO 15 PERCENT SLOPES							
		LOWRY	60	3	1	0.32	5	
		SULLY	30	3	1	0.43	5	
MEE	MEADIN LOAM, 15 TO 30 PERCENT SLOPES							
		MEADIN	100	3	1	0.20	3	
MO	MOBRIDGE SILT LOAM							
		MOBRIDGE	100	3	3	0.32	5	2/
MU	MUNJOR FINE SANDY LOAM							
		MUNJOR	100	3	3	0.24	5	
OEF	OKATON SILTY CLAY, 15 TO 40 PERCENT SLOPES							
		OKATON	100	1	1	0.37	2	
OH	ONAWA FINE SANDY LOAM, OVERWASH							
		ONAWA	100	3	3	0.32	5	
OM	ONAWA SILTY CLAY							
		ONAWA	100	3	3	0.32	5	
ON	ONITA SILT LOAM, 0 TO 2 PERCENT SLOPES							
		ONITA	100	3	3	0.28	5	
OO	ONITA-DAVISON COMPLEX							
		ONITA	50	3	3	0.28	5	1/
		DAVISON	40	3	3	0.28	5	
OS	ONITA-HOVEN SILT LOAMS							
		ONITA	60	3	3	0.28	5	
		HOVEN	30	3	3	0.37	3	HY-3
OT	ONITA-TETONKA SILT LOAMS							
		ONITA	60	3	3	0.28	5	
		TETONKA	30	3	3	0.24	3	HY-3
PG	PITS, GRAVEL							
		PITS	100	ER	ER			
POA	PROMISE SILTY CLAY, 0 TO 2 PERCENT SLOPES							
		PROMISE	100	3	3	0.37	5	
POB	PROMISE SILTY CLAY, 2 TO 6 PERCENT SLOPES							
		PROMISE	100	3	3	0.37	5	
PR	PROSPER LOAM							
		PROSPER	100	3	3	0.28	5	
SA	SALMO SILTY CLAY LOAM							
		SALMO	100	3	3	0.28	5	HY-1
SM	SALMO-NAPA COMPLEX							
		SALMO	50	3	3	0.28	5	HY-1
		NAPA	35	3	3	0.28	3	HY-1
SNF	SANSARC CLAY, 25 TO 70 PERCENT SLOPES							
		SANSARC	100	1	1	0.37	2	
SOF	SANSARC-BOYD COMPLEX, 15 TO 40 PERCENT SLOPES							
		SANSARC	55	1	1	0.37	2	
		BOYD	35	3	1	0.37	4	
SRF	SANSARC-ROCK OUTCROP COMPLEX, 15 TO 40 PERCENT SLOPES							
		SANSARC	55	1	1	0.37	2	
		ROCK OUTCR	35	ER	ER			
SUE	SULLY SILT LOAM, 9 TO 25 PERCENT SLOPES							
		SULLY	100	3	1	0.43	5	
TAC	TALMO GRAVELLY SANDY LOAM, 2 TO 9 PERCENT SLOPES							
		TALMO	100	3	2	0.20	2	
TBE	TALMO-BETTS COMPLEX, 9 TO 25 PERCENT SLOPES							
		TALMO	70	3	1	0.20	2	
		BETTS	25	3	1	0.28	5	
TE	TETONKA SILT LOAM							
		TETONKA	100	3	3	0.24	3	HY-3
TN	TETONKA-CHANCELLOR SILTY CLAY LOAMS							
		TETONKA	60	3	3	0.24	3	HY-3
		CHANCELLOR	30	3	3	0.28	5	HY-2
WO	WENOTE VARIANT SILTY CLAY							
		WENOTE VAR	100	3	3	0.28	5	

SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 023
CHARLES MIX CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL LV K	SOIL LV T	HYDRIC SOILS
WO	WORTHING SILTY CLAY LOAM							
		WORTHING	100	3	3	0.37	5	HY-4
WP	WORTHING SILTY CLAY LOAM, PONDED							
		WORTHING	100	3	3	0.37	5	HY-4

Footnotes:

R = 105, C = 0.30

1 = HIGHLY ERODIBLE, 2 = POTENTIALLY HIGHLY ERODIBLE,
3 = NOT HIGHLY ERODIBLE

HY = HYDRIC SOILS

ERROR = NOT RATED

1/ This map unit may have inclusions of hydric soils in depressions. HOVEN, CHANCELLOR, OR TETONKA SOILS

2/ Along the channel are some areas of hydric soils.

TABLE B - "I" FACTOR VALUES

March 3, 1997

CHARLES MIX COUNTY, SOUTH DAKOTA

MAP_UNIT_NAME	COMPNAME	I
AGAR SILT LOAM, 0 TO 2 PERCENT SLOPES	AGAR	48
AGAR SILT LOAM, 2 TO 6 PERCENT SLOPES	AGAR	48
AGAR SILT LOAM, 6 TO 9 PERCENT SLOPES	AGAR	48
ALBATON SILTY CLAY	ALBATON	86
ALBATON SILTY CLAY, DEPRESSIONAL	ALBATON	0
AOWA SILTY CLAY LOAM	AOWA	86
ARLO SILT LOAM, WET	ARLO	86
ARLO-ENET LOAMS, 0 TO 2 PERCENT SLOPES	ARLO	86
ARLO-ENET LOAMS, 0 TO 2 PERCENT SLOPES	ENET	48
BEADLE-EAKIN COMPLEX, 6 TO 9 PERCENT SLOPES	BEADLE	48
BEADLE-EAKIN COMPLEX, 6 TO 9 PERCENT SLOPES	EAKIN	48
BEADLE-JERAULD COMPLEX, 0 TO 4 PERCENT SLOPES	BEADLE	48
BEADLE-JERAULD COMPLEX, 0 TO 4 PERCENT SLOPES	JERAULD	48
BETTS LOAM, 25 TO 40 PERCENT SLOPES	BETTS	86
BETTS-ETHAN LOAMS, 9 TO 25 PERCENT SLOPES	BETTS	86
BETTS-ETHAN LOAMS, 9 TO 25 PERCENT SLOPES	ETHAN	86
BON SILT LOAM	BON	48
BON SILT LOAM, CHANNELED	BON	48
BOYD-SANSARC COMPLEX, 6 TO 15 PERCENT SLOPES	BOYD	86
BOYD-SANSARC COMPLEX, 6 TO 15 PERCENT SLOPES	SANSARC	86
CLARNO-ETHAN LOAMS, 2 TO 6 PERCENT SLOPES	CLARNO	48
CLARNO-ETHAN LOAMS, 2 TO 6 PERCENT SLOPES	ETHAN	86
CLARNO-ETHAN LOAMS, 6 TO 9 PERCENT SLOPES	CLARNO	48
CLARNO-ETHAN LOAMS, 6 TO 9 PERCENT SLOPES	ETHAN	86
DEGREY-JERAULD SILT LOAMS	DEGREY	48
DEGREY-JERAULD SILT LOAMS	JERAULD	48
DEGREY-WALKE SILT LOAMS	DEGREY	48
DEGREY-WALKE SILT LOAMS	WALKE	48
DELMONT-TALMO COMPLEX, 2 TO 9 PERCENT SLOPES	DELMONT	48
DELMONT-TALMO COMPLEX, 2 TO 9 PERCENT SLOPES	TALMO	56
DORNA SILT LOAM, 0 TO 4 PERCENT SLOPES	DORNA	56
DURRSTEIN SILT LOAM	DURRSTEIN	48
EAKIN SILT LOAM, 0 TO 2 PERCENT SLOPES	EAKIN	48
EAKIN-BEADLE COMPLEX, 2 TO 6 PERCENT SLOPES	EAKIN	48
EAKIN-BEADLE COMPLEX, 2 TO 6 PERCENT SLOPES	BEADLE	48
EAKIN-DEGREY SILT LOAMS, 0 TO 4 PERCENT SLOPES	EAKIN	48
EAKIN-DEGREY SILT LOAMS, 0 TO 4 PERCENT SLOPES	DEGREY	48
EAKIN-ETHAN COMPLEX, 2 TO 6 PERCENT SLOPES	EAKIN	48
EAKIN-ETHAN COMPLEX, 2 TO 6 PERCENT SLOPES	ETHAN	86
EAKIN-ETHAN COMPLEX, 6 TO 9 PERCENT SLOPES	EAKIN	48
EAKIN-ETHAN COMPLEX, 6 TO 9 PERCENT SLOPES	ETHAN	86
ENET LOAM, 0 TO 2 PERCENT SLOPES	ENET	48
ENET-DELMONT LOAMS, 2 TO 9 PERCENT SLOPES	ENET	48
ENET-DELMONT LOAMS, 2 TO 9 PERCENT SLOPES	DELMONT	48
ETHAN-CLARNO LOAMS, 9 TO 15 PERCENT SLOPES	ETHAN	86
ETHAN-CLARNO LOAMS, 9 TO 15 PERCENT SLOPES	CLARNO	48
ETHAN-HOMME COMPLEX, 6 TO 9 PERCENT SLOPES	ETHAN	86
ETHAN-HOMME COMPLEX, 6 TO 9 PERCENT SLOPES	HOMME	38
FORT RANDALL DAM	ORTHENTS, LOAMY	86
FORT RANDALL DAM	ORTHENTS, SHALY	86
GAVINS-SANSARC COMPLEX, 15 TO 25 PERCENT SLOPES	GAVINS	86
GAVINS-SANSARC COMPLEX, 15 TO 25 PERCENT SLOPES	SANSARC	86
GRACEVILLE SILT LOAM	GRACEVILLE	48
HAND LOAM, 0 TO 2 PERCENT SLOPES	HAND	48
HAYNIE SILT LOAM	HAYNIE	86

MAP_UNIT_NAME	COMPNAME	I
HAYNIE VARIANT SILT LOAM	HAYNIE VARIANT	86
HENKIN LOAM, 2 TO 6 PERCENT SLOPES	HENKIN	56
HIGHMORE SILT LOAM, 0 TO 2 PERCENT SLOPES	HIGHMORE	48
HIGHMORE-EAKIN SILT LOAMS, 2 TO 6 PERCENT SLOPES	HIGHMORE	48
HIGHMORE-EAKIN SILT LOAMS, 2 TO 6 PERCENT SLOPES	EAKIN	48
HIGHMORE-WALKE SILT LOAMS, 0 TO 2 PERCENT SLOPES	HIGHMORE	48
HIGHMORE-WALKE SILT LOAMS, 0 TO 2 PERCENT SLOPES	WALKE	48
HOMME-ETHAN-ONITA COMPLEX, 1 TO 6 PERCENT SLOPES	HOMME	38
HOMME-ETHAN-ONITA COMPLEX, 1 TO 6 PERCENT SLOPES	ETHAN	86
HOMME-ETHAN-ONITA COMPLEX, 1 TO 6 PERCENT SLOPES	ONITA	38
HOMME-ONITA SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES	HOMME	38
HOMME-ONITA SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES	ONITA	38
HOMME-ONITA SILTY CLAY LOAMS, 1 TO 6 PERCENT SLOPES	HOMME	38
HOMME-ONITA SILTY CLAY LOAMS, 1 TO 6 PERCENT SLOPES	ONITA	38
HOUDEK LOAM, 0 TO 2 PERCENT SLOPES	HOUDEK	48
HOUDEK LOAM, 2 TO 6 PERCENT SLOPES	HOUDEK	48
HOVEN SILT LOAM	HOVEN	48
INAVALE FINE SAND, 2 TO 6 PERCENT SLOPES	INAVALE	250
INAVALE LOAMY FINE SAND, 0 TO 6 PERCENT SLOPES	INAVALE	134
NORWAY LOAMY FINE SAND	NORWAY	134
LANE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	LANE	86
LANE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	LANE	86
LOWRY SILT LOAM, 0 TO 2 PERCENT SLOPES	LOWRY	56
LOWRY SILT LOAM, 2 TO 6 PERCENT SLOPES	LOWRY	56
LOWRY SILT LOAM, 6 TO 9 PERCENT SLOPES	LOWRY	56
LOWRY-GAVINS SILT LOAMS, 6 TO 40 PERCENT SLOPES	LOWRY	56
LOWRY-GAVINS SILT LOAMS, 6 TO 40 PERCENT SLOPES	GAVINS	86
LOWRY-SULLY SILT LOAMS, 9 TO 15 PERCENT SLOPES	LOWRY	56
LOWRY-SULLY SILT LOAMS, 9 TO 15 PERCENT SLOPES	SULLY	86
MEADIN LOAM, 15 TO 30 PERCENT SLOPES	MEADIN	56
MOBRIDGE SILT LOAM	MOBRIDGE	48
MUNJOR FINE SANDY LOAM	MUNJOR	86
OKATON SILTY CLAY, 15 TO 40 PERCENT SLOPES	OKATON	86
ONAWA FINE SANDY LOAM, OVERWASH	ONAWA	86
ONAWA SILTY CLAY	ONAWA	86
ONITA SILT LOAM, 0 TO 2 PERCENT SLOPES	ONITA	48
ONITA-DAVISON COMPLEX	ONITA	38
ONITA-DAVISON COMPLEX	DAVISON	86
ONITA-HOVEN SILT LOAMS	ONITA	48
ONITA-HOVEN SILT LOAMS	HOVEN	48
ONITA-TETONKA SILT LOAMS	ONITA	48
ONITA-TETONKA SILT LOAMS	TETONKA	48
ORTHENTS, GRAVELLY	ORTHENTS, GRAVELLY	56
PROMISE SILTY CLAY, 0 TO 2 PERCENT SLOPES	PROMISE	86
PROMISE SILTY CLAY, 2 TO 6 PERCENT SLOPES	PROMISE	86
PROSPER LOAM	PROSPER	48
SALMO SILTY CLAY LOAM	SALMO	86
SALMO-NAPA COMPLEX	SALMO	86
SALMO-NAPA COMPLEX	NAPA	48
SANSARC CLAY, 25 TO 70 PERCENT SLOPES	SANSARC	86
SANSARC-BOYD COMPLEX, 15 TO 40 PERCENT SLOPES	SANSARC	86
SANSARC-BOYD COMPLEX, 15 TO 40 PERCENT SLOPES	BOYD	86
SANSARC-ROCK OUTCROP COMPLEX, 15 TO 40 PERCENT SLOPES	SANSARC	86
SANSARC-ROCK OUTCROP COMPLEX, 15 TO 40 PERCENT SLOPES	ROCK OUTCROP, SOFT	86
SULLY SILT LOAM, 9 TO 25 PERCENT SLOPES	SULLY	86

MAP_UNIT_NAME	COMPNAME	I
TALMO GRAVELLY SANDY LOAM, 2 TO 9 PERCENT SLOPES	TALMO	86
TALMO-BETTS COMPLEX, 9 TO 25 PERCENT SLOPES	TALMO	56
TALMO-BETTS COMPLEX, 9 TO 25 PERCENT SLOPES	BETTS	86
TETONKA SILT LOAM	TETONKA	48
TETONKA-CHANCELLOR SILTY CLAY LOAMS	TETONKA	38
TETONKA-CHANCELLOR SILTY CLAY LOAMS	CHANCELLOR	38
WENDTE VARIANT SILTY CLAY	WENDTE VARIANT	86
WORTHING SILTY CLAY LOAM	WORTHING	86
WORTHING SILTY CLAY LOAM, PONDED	WORTHING	0
WATER (<40 ACRES)	WATER (LESS THAN 40 ACRES)	
WATER > 40 ACRES	WATER (GREATER THAN 40 ACRES)	