8/02/88

SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 041
DEWEY CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL LV K	SOIL LV T	HYDRIC SOILS
ABA	ABSHER SILT LOAM, 0 TO 2 PERCENT SLOPES							
		ABSHER	100	1	3	0.32	3	1/
ACA	ABSHER-SLICKSPOTS COMPLEX, 0 TO 2 PERCENT SLOPES							
		ABSHER	50	1	3	0.32	3	
		SLICKSPOTS	30	ER	ER			
AGB	AGAR SILT LOAM, 2 TO 6 PERCENT SLOPES							
		AGAR	100	3	3	0.32	5	1/
ARB	ARCHIN-SLICKSPOTS COMPLEX, 2 TO 9 PERCENT SLOPES							
		ARCHIN	50	1	2	0.24	3	
		SLICKSPOTS	30	ER	ER			
ASA	ARVADA-SLICKSPOTS COMPLEX, 0 TO 3 PERCENT SLOPES							
		ARVADA	50	3	3	0.43	3	
		SLICKSPOTS	30	ER	ER			
BDA	BELFIELD-DAGLUM SILT LOAMS, 0 TO 2 PERCENT SLOPES							
		BELFIELD	50	1	3	0.32	3	1/
		DAGLUM	30	1	3	0.32	3	
BRA	BELFIELD-REEDER LOAMS, 0 TO 2 PERCENT SLOPES							
		BELFIELD	50	1	3	0.32	3	1/
		REEDER	30	3	3	0.28	4	1/
BRB	BELFIELD-REEDER LOAMS, 2 TO 6 PERCENT SLOPES							
		BELFIELD	50	1	3	0.32	3	
		REEDER	30	3	3	0.28	4	
BRC	BELFIELD-REEDER LOAMS, 6 TO 9 PERCENT SLOPES							
		BELFIELD	50	1	2	0.32	3	
		REEDER	30	3	2	0.28	4	
CBE	CABBA-LANTRY SILT LOAMS, 15 TO 25 PERCENT SLOPES							
		CABBA	50	1	1	0.37	2	
		LANTRY	30	1	1	0.43	4	
CBF	CABBA-LANTRY SILT LOAMS, 25 TO 40 PERCENT SLOPES							
		CABBA	50	1	1	0.37	2	
		LANTRY	30	1	1	0.43	4	
COA	CANNING LOAM, 0 TO 2 PERCENT SLOPES							
		CANNING	100	3	3	0.28	4	
CHB	CHANTIER CLAY, 2 TO 9 PERCENT SLOPES							
		CHANTIER	100	1	2	0.37	2	
CSC	CHANTIER-SHALE LAND COMPLEX, 3 TO 15 PERCENT SLOPES							
		CHANTIER	50	1	2	0.37	2	
		SHALE LAND	30	ER	ER			
DAA	DAGLUM SILT LOAM, 0 TO 2 PERCENT SLOPES							
		DAGLUM	100	1	3	0.32	3	1/
DOB	DUPREE-OPAL CLAYS, 2 TO 9 PERCENT SLOPES							
		DUPREE	50	1	2	0.37	2	
		OPAL	30	1	2	0.37	4	
DSE	DUPREE-SANSARC CLAYS, 9 TO 25 PERCENT SLOPES							
		DUPREE	50	1	1	0.37	2	
		SANSARC	30	1	1	0.37	2	
EKA	EKALAKA FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES							
		EKALAKA	100	1	3	0.24	3	
EKC	EKALAKA FINE SANDY LOAM, 6 TO 9 PERCENT SLOPES							
		EKALAKA	100	1	2	0.24	3	
FAA	FARLAND SILT LOAM, 0 TO 2 PERCENT SLOPES							
		FARLAND	100	3	3	0.32	5	1/
FAB	FARLAND SILT LOAM, 2 TO 6 PERCENT SLOPES							
		FARLAND	100	3	3	0.32	5	
FBF	FLASHER LOAMY FINE SAND, 25 TO 40 PERCENT SLOPES							
		FLASHER	100	1	1	0.17	2	
FVD	FLASHER-VEBAR COMPLEX, 6 TO 15 PERCENT SLOPES							
		FLASHER	50	1	2	0.17	2	
		VEBAR	30	1	2	0.20	4	
FVE	FLASHER-VEBAR COMPLEX, 15 TO 25 PERCENT SLOPES							
		FLASHER	50	1	1	0.17	2	
		VEBAR	30	1	1	0.20	4	
GB	GLENROSS FINE SANDY LOAM							
		GLENROSS	100	3	3	0.20	3	HY-3
GR	GLENROSS-REGAN FINE SANDY LOAMS							
		GLENROSS	50	3	3	0.20	3	HY-3
		REGAN	30	3	3	0.28	5	HY-2
HC	HEIL SOILS							
		HEIL	100	3	3	0.28	3	HY-3

8/02/88

SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 041
DEWEY CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL K	LV T	HYDRIC SOILS
HSB	HURLEY-SLICKSPOTS COMPLEX, 2 TO 9 PERCENT SLOPES							
		HURLEY	50	3	2	0.43	3	
		SLICKSPOTS	30	ER	ER			
IN	INTERMITTENT LAKES							
		INTERMITTE	100	ER	ER			HY-4
LMD	LANTRY-MORTON SILT LOAMS, 6 TO 15 PERCENT SLOPES							
		LANTRY	50	1	2	0.43	4	
		MORTON	30	3	2	0.32	4	
LO	LOHLER SILTY CLAY							
		LOHLER	100	1	3	0.32	5	
LP	LOHLER AND HAVRELON SOILS							
		LOHLER	50	1	3	0.32	5	
		HAVRELON	50	1	3	0.32	5	
LWA	LOWRY SILT LOAM, 0 TO 2 PERCENT SLOPES							
		LOWRY	100	3	3	0.32	5	
LWB	LOWRY SILT LOAM, 2 TO 6 PERCENT SLOPES							
		LOWRY	100	3	3	0.32	5	
MA	MINE PITS AND DUMPS							
		MINE PITS	100	ER	ER			
MBD	MOREAU-WAYDEN SILTY CLAYS, 9 TO 25 PERCENT SLOPES							
		MOREAU	50	1	2	0.32	4	
		WAYDEN	30	1	2	0.32	2	
MCB	MORTON SILT LOAM, 2 TO 6 PERCENT SLOPES							
		MORTON	100	3	3	0.32	4	1/
MDA	MORTON-BELFIELD COMPLEX, 0 TO 2 PERCENT SLOPES							
		MORTON	50	3	3	0.32	4	1/
		BELFIELD	30	1	3	0.32	3	
MDB	MORTON-BELFIELD COMPLEX, 2 TO 6 PERCENT SLOPES							
		MORTON	50	3	3	0.32	4	1/
		BELFIELD	30	1	3	0.32	3	
MFA	MORTON-FARLAND SILT LOAMS, 0 TO 2 PERCENT SLOPES							
		MORTON	50	3	3	0.32	4	1/
		FARLAND	30	3	3	0.32	5	
MGB	MORTON-LANTRY SILT LOAMS, 2 TO 9 PERCENT SLOPES							
		MORTON	50	3	2	0.32	4	1/
		LANTRY	30	1	2	0.43	4	
NA	NATRIBOROLLS, CHANNELED							
		NATRIBOROL	100	1	3	0.32	3	
OAB	OPAL CLAY, 2 TO 9 PERCENT SLOPES							
		OPAL	100	1	2	0.37	4	1/
OHB	OPAL-HURLEY COMPLEX, 0 TO 9 PERCENT SLOPES							
		OPAL	50	1	2	0.37	4	
		HURLEY	30	3	3	0.43	3	
OPA	OPAL-PROMISE CLAYS, 1 TO 4 PERCENT SLOPES							
		OPAL	50	1	3	0.37	4	
		PROMISE	30	1	3	0.37	5	
OSC	OPAL-SANSARC CLAYS, 6 TO 15 PERCENT SLOPES							
		OPAL	50	1	2	0.37	4	1/
		SANSARC	30	1	2	0.37	2	
OTB	OPAL-SLICKSPOTS COMPLEX, 2 TO 6 PERCENT SLOPES							
		OPAL	50	1	3	0.37	4	
		SLICKSPOTS	30	ER	ER			
PA	PARSHALL FINE SANDY LOAM							
		PARSHALL	100	1	3	0.20	5	
PE	PARSHALL-EKALAKA FINE SANDY LOAMS							
		PARSHALL	50	1	3	0.20	5	1/
		EKALAKA	30	1	3	0.24	3	
PRA	PROMISE CLAY, 0 TO 2 PERCENT SLOPES							
		PROMISE	100	1	3	0.37	5	1/
PRB	PROMISE CLAY, 2 TO 6 PERCENT SLOPES							
		PROMISE	100	1	3	0.37	5	
PSA	PROMISE-SLICKSPOTS COMPLEX, 0 TO 2 PERCENT SLOPES							
		PROMISE	50	1	3	0.37	5	
		SLICKSPOTS	30	ER	ER			
PW	PROMISE-SWANBOY CLAYS, CHANNELED							
		PROMISE	50	1	3	0.37	5	
		SWANBOY	30	1	3	0.37	5	
RAA	REEDER LOAM, 0 TO 2 PERCENT SLOPES							
		REEDER	100	3	3	0.28	4	1/

SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 041
DEWEY CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL LV K	SOIL LV T	HYDRIC SOILS
RAB	REEDER LOAM, 2 TO 6 PERCENT SLOPES							
		REEDER	100	3	3	0.28	4	1/
RAC	REEDER LOAM, 6 TO 9 PERCENT SLOPES							
		REEDER	100	3	2	0.28	4	
RBC	REGENT SILTY CLAY LOAM, 6 TO 9 PERCENT SLOPES							
		REGENT	100	3	2	0.32	4	
RMB	REGENT-MOREAU COMPLEX, 2 TO 9 PERCENT SLOPES							
		REGENT	50	3	2	0.32	4	
		MOREAU	30	1	2	0.32	4	
RPA	REGENT-RIDGEVIEW SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES							
		REGENT	50	3	3	0.32	4	1/
		RIDGEVIEW	30	3	3	0.37	5	
RPB	REGENT-RIDGEVIEW SILTY CLAY LOAMS, 2 TO 6 PERCENT SLOPES							
		REGENT	50	3	3	0.32	4	1/
		RIDGEVIEW	30	3	3	0.37	5	
RSA	RELIANCE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES							
		RELIANCE	100	3	3	0.32	5	
RSB	RELIANCE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES							
		RELIANCE	100	3	3	0.32	5	
RTB	RHOADES-DAGLUM COMPLEX, 2 TO 6 PERCENT SLOPES							
		RHOADES	50	1	3	0.32	3	
		DAGLUM	30	1	3	0.32	3	
RVA	RIDGEVIEW SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES							
		RIDGEVIEW	100	3	3	0.37	5	
SAE	SANSARC-DUPREE CLAYS, 9 TO 45 PERCENT SLOPES							
		SANSARC	50	1	1	0.37	2	
		DUPREE	30	1	1	0.37	2	
SBC	SANSARC-OPAL CLAYS, 6 TO 15 PERCENT SLOPES							
		SANSARC	50	1	2	0.37	2	
		OPAL	30	1	2	0.37	4	
SBE	SANSARC-OPAL CLAYS, 15 TO 25 PERCENT SLOPES							
		SANSARC	50	1	1	0.37	2	
		OPAL	30	1	1	0.37	4	
SCF	SANSARC-SHALE LAND COMPLEX, 15 TO 45 PERCENT SLOPES							
		SANSARC	50	1	1	0.37	2	
		SHALE LAND	30	ER	ER			
SDC	SCHAMBER GRAVELLY SANDY LOAM, 3 TO 15 PERCENT SLOPES							
		SCHAMBER	100	1	2	0.17	2	
SFF	SCHAMBER-SANSARC COMPLEX, 15 TO 40 PERCENT SLOPES							
		SCHAMBER	50	1	2	0.17	2	
		SANSARC	30	1	1	0.37	2	
SH	SHALE LAND							
		SHALE LAND	100	ER	ER			
SM	SHAMBO LOAM							
		SHAMBO	100	3	3	0.28	5	
SW	SWANBOY CLAY							
		SWANBOY	100	1	3	0.37	5	
SY	SWANBOY-SLICKSPOTS COMPLEX							
		SWANBOY	50	1	3	0.37	5	
		SLICKSPOTS	30	ER	ER			
TA	TALLY FINE SANDY LOAM							
		TALLY	100	1	3	0.20	5	
TH	TREMBLES-HAVRELON COMPLEX							
		TREMBLES	50	1	3	0.20	5	
		HAVRELON	30	1	3	0.32	5	
TR	TREMBLES AND BANKS SOILS							
		TREMBLES	50	1	3	0.20	5	
		BANKS	50	1	3	0.17	5	
VEB	VEBAR FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES							
		VEBAR	100	1	3	0.20	4	
VFB	VEBAR-FLASHER COMPLEX, 2 TO 9 PERCENT SLOPES							
		VEBAR	50	1	3	0.20	4	
		FLASHER	30	1	3	0.17	2	
WAF	WAYDEN-MOREAU SILTY CLAYS, 25 TO 40 PERCENT SLOPES							
		WAYDEN	50	1	1	0.32	2	
		MOREAU	30	1	1	0.32	4	

Footnotes:

R = 60, C = 0.50

1 = HIGHLY ERODIBLE, 2 = POTENTIALLY HIGHLY ERODIBLE,
3 = NOT HIGHLY ERODIBLE

HY = HYDRIC SOILS

ERROR = NOT RATED

1/ This map unit may have inclusions of hydric soils in depressions. HEIL SOILS

DEWEY COUNTY, SOUTH DAKOTA

AP_UNIT_NAME	COMPNAME	I
HOADES SILT LOAM, 0 TO 2 PERCENT SLOPES	RHOADES	48
HOADES-SLICKSPOTS COMPLEX, 0 TO 2 PERCENT SLOPES	RHOADES	48
HOADES-SLICKSPOTS COMPLEX, 0 TO 2 PERCENT SLOPES	SLICKSPOTS, DRY	86
GAR SILT LOAM, 2 TO 6 PERCENT SLOPES	AGAR	48
ARCHIN-BULLOCK-SLICKSPOTS COMPLEX, 2 TO 9 PERCENT SLOPES	PARCHIN	86
ARCHIN-BULLOCK-SLICKSPOTS COMPLEX, 2 TO 9 PERCENT SLOPES	BULLOCK	86
ARCHIN-BULLOCK-SLICKSPOTS COMPLEX, 2 TO 9 PERCENT SLOPES	SLICKSPOTS, DRY	86
APA-SLICKSPOTS COMPLEX, 0 TO 3 PERCENT SLOPES	CAPA	48
APA-SLICKSPOTS COMPLEX, 0 TO 3 PERCENT SLOPES	SLICKSPOTS, DRY	86
ELFIELD-DAGLUM SILT LOAMS, 0 TO 2 PERCENT SLOPES	BELFIELD	48
ELFIELD-DAGLUM SILT LOAMS, 0 TO 2 PERCENT SLOPES	DAGLUM	48
ELFIELD-REEDER LOAMS, 0 TO 2 PERCENT SLOPES	BELFIELD	48
ELFIELD-REEDER LOAMS, 0 TO 2 PERCENT SLOPES	REEDER	48
ELFIELD-REEDER LOAMS, 2 TO 6 PERCENT SLOPES	BELFIELD	48
ELFIELD-REEDER LOAMS, 2 TO 6 PERCENT SLOPES	REEDER	48
ELFIELD-REEDER LOAMS, 6 TO 9 PERCENT SLOPES	BELFIELD	48
ELFIELD-REEDER LOAMS, 6 TO 9 PERCENT SLOPES	REEDER	48
ABBA-LANTRY SILT LOAMS, 15 TO 25 PERCENT SLOPES	CABBA	86
ABBA-LANTRY SILT LOAMS, 15 TO 25 PERCENT SLOPES	LANTRY	86
ABBA-LANTRY SILT LOAMS, 25 TO 40 PERCENT SLOPES	CABBA	86
ABBA-LANTRY SILT LOAMS, 25 TO 40 PERCENT SLOPES	LANTRY	86
ANNING LOAM, 0 TO 2 PERCENT SLOPES	CANNING	48
ANTIER CLAY, 2 TO 9 PERCENT SLOPES	CHANTIER	86
ANTIER-SHALE LAND COMPLEX, 3 TO 15 PERCENT SLOPES	CHANTIER	86
ANTIER-SHALE LAND COMPLEX, 3 TO 15 PERCENT SLOPES	ROCK OUTCROP, SOFT	86
AGLUM SILT LOAM, 0 TO 2 PERCENT SLOPES	DAGLUM	48
UPREE-OPAL CLAYS, 2 TO 9 PERCENT SLOPES	DUPREE	86
UPREE-OPAL CLAYS, 2 TO 9 PERCENT SLOPES	OPAL	86
UPREE-SANSARC CLAYS, 9 TO 25 PERCENT SLOPES	DUPREE	86
UPREE-SANSARC CLAYS, 9 TO 25 PERCENT SLOPES	SANSARC	86
KALAKA FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	EKALAKA	86
KALAKA FINE SANDY LOAM, 6 TO 9 PERCENT SLOPES	EKALAKA	86
ARLAND SILT LOAM, 0 TO 2 PERCENT SLOPES	FARLAND	48
ARLAND SILT LOAM, 2 TO 6 PERCENT SLOPES	FARLAND	48
LASHER LOAMY FINE SAND, 25 TO 40 PERCENT SLOPES	FLASHER	134
LASHER-VEBAR COMPLEX, 6 TO 15 PERCENT SLOPES	FLASHER	134
LASHER-VEBAR COMPLEX, 6 TO 15 PERCENT SLOPES	VEBAR	86
LASHER-VEBAR COMPLEX, 15 TO 25 PERCENT SLOPES	FLASHER	134
LASHER-VEBAR COMPLEX, 15 TO 25 PERCENT SLOPES	VEBAR	86
LENROSS FINE SANDY LOAM	GLENROSS	66
TS, GRAVEL	ORTHENTS, GRAVELLY	56
LENROSS-REGAN FINE SANDY LOAMS	GLENROSS	86
LENROSS-REGAN FINE SANDY LOAMS	REGAN	86
EIL SOILS	HEIL	38
RLEY-SLICKSPOTS COMPLEX, 2 TO 9 PERCENT SLOPES	HURLEY	38
RLEY-SLICKSPOTS COMPLEX, 2 TO 9 PERCENT SLOPES	SLICKSPOTS, DRY	86
TERMITTENT LAKES	AQUOLLS	0
NTRY-MORTON SILT LOAMS, 6 TO 15 PERCENT SLOPES	LANTRY	86
NTRY-MORTON SILT LOAMS, 6 TO 15 PERCENT SLOPES	MORTON	48
HLER SILTY CLAY	LOHLER	86
HLER AND HAVRELON SOILS	LOHLER	86
HLER AND HAVRELON SOILS	HAVRELON	86
WRY SILT LOAM, 0 TO 2 PERCENT SLOPES	LOWRY	56
WRY SILT LOAM, 2 TO 6 PERCENT SLOPES	LOWRY	56
NE PITS AND DUMPS	ORTHENTS, TAILINGS	86

AP_UNIT_NAME	COMPNAME	I
OREAU-WAYDEN SILTY CLAYS, 9 TO 25 PERCENT SLOPES	MOREAU	86
OREAU-WAYDEN SILTY CLAYS, 9 TO 25 PERCENT SLOPES	WAYDEN	86
ORTON SILT LOAM, 2 TO 6 PERCENT SLOPES	MORTON	48
ORTON-BELFIELD COMPLEX, 0 TO 2 PERCENT SLOPES	MORTON	48
ORTON-BELFIELD COMPLEX, 0 TO 2 PERCENT SLOPES	BELFIELD	48
ORTON-BELFIELD COMPLEX, 2 TO 6 PERCENT SLOPES	MORTON	48
ORTON-BELFIELD COMPLEX, 2 TO 6 PERCENT SLOPES	BELFIELD	48
ORTON-FARLAND SILT LOAMS, 0 TO 2 PERCENT SLOPES	MORTON	48
ORTON-FARLAND SILT LOAMS, 0 TO 2 PERCENT SLOPES	FARLAND	48
ORTON-LANTRY SILT LOAMS, 2 TO 9 PERCENT SLOPES	MORTON	48
ORTON-LANTRY SILT LOAMS, 2 TO 9 PERCENT SLOPES	LANTRY	86
OHLER, CHANNELED-RHOADES COMPLEX	RHOADES	86
OHLER, CHANNELED-RHOADES COMPLEX	DAGLUM	48
PAL CLAY, 2 TO 9 PERCENT SLOPES	OPAL	86
PAL-HURLEY COMPLEX, 0 TO 9 PERCENT SLOPES	OPAL	86
PAL-HURLEY COMPLEX, 0 TO 9 PERCENT SLOPES	HURLEY	38
PAL-PROMISE CLAYS, 1 TO 4 PERCENT SLOPES	OPAL	86
PAL-PROMISE CLAYS, 1 TO 4 PERCENT SLOPES	PROMISE	86
PAL-SANSARC CLAYS, 6 TO 15 PERCENT SLOPES	OPAL	86
PAL-SANSARC CLAYS, 6 TO 15 PERCENT SLOPES	SANSARC	86
PAL-SLICKSPOTS COMPLEX, 2 TO 6 PERCENT SLOPES	OPAL	86
PAL-SLICKSPOTS COMPLEX, 2 TO 6 PERCENT SLOPES	SLICKSPOTS, DRY	86
ARSHALL FINE SANDY LOAM	PARSHALL	86
ARSHALL-EKALAKA FINE SANDY LOAMS	PARSHALL	86
ARSHALL-EKALAKA FINE SANDY LOAMS	EKALAKA	86
ROMISE CLAY, 0 TO 2 PERCENT SLOPES	PROMISE	86
ROMISE CLAY, 2 TO 6 PERCENT SLOPES	PROMISE	86
ROMISE-SLICKSPOTS COMPLEX, 0 TO 2 PERCENT SLOPES	PROMISE	86
ROMISE-SLICKSPOTS COMPLEX, 0 TO 2 PERCENT SLOPES	SLICKSPOTS, DRY	48
ROMISE-WENDTE CLAYS, CHANNELED	PROMISE	86
ROMISE-WENDTE CLAYS, CHANNELED	WENDTE	86
EEDER LOAM, 0 TO 2 PERCENT SLOPES	REEDER	48
EEDER LOAM, 2 TO 6 PERCENT SLOPES	REEDER	48
EEDER LOAM, 6 TO 9 PERCENT SLOPES	REEDER	48
EGENT SILTY CLAY LOAM, 6 TO 9 PERCENT SLOPES	REGENT	38
EGENT-MOREAU COMPLEX, 2 TO 9 PERCENT SLOPES	REGENT	38
EGENT-MOREAU COMPLEX, 2 TO 9 PERCENT SLOPES	MOREAU	86
EGENT-RIDGEVIEW SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES	REGENT	38
EGENT-RIDGEVIEW SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES	RIDGEVIEW	38
EGENT-RIDGEVIEW SILTY CLAY LOAMS, 2 TO 6 PERCENT SLOPES	REGENT	38
EGENT-RIDGEVIEW SILTY CLAY LOAMS, 2 TO 6 PERCENT SLOPES	RIDGEVIEW	38
ELIANCE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	RELIANCE	38
ELIANCE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	RELIANCE	38
HOADES-DAGLUM COMPLEX, 2 TO 6 PERCENT SLOPES	RHOADES	48
HOADES-DAGLUM COMPLEX, 2 TO 6 PERCENT SLOPES	DAGLUM	48
IDGEVIEW SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	RIDGEVIEW	38
ANSARC-DUPREE CLAYS, 9 TO 45 PERCENT SLOPES	SANSARC	86
ANSARC-DUPREE CLAYS, 9 TO 45 PERCENT SLOPES	DUPREE	86
ANSARC-OPAL CLAYS, 6 TO 15 PERCENT SLOPES	SANSARC	86
ANSARC-OPAL CLAYS, 6 TO 15 PERCENT SLOPES	OPAL	86
ANSARC-OPAL CLAYS, 15 TO 25 PERCENT SLOPES	SANSARC	86
ANSARC-OPAL CLAYS, 15 TO 25 PERCENT SLOPES	OPAL	86
ANSARC-SHALE LAND COMPLEX, 15 TO 45 PERCENT SLOPES	SANSARC	86
ANSARC-SHALE LAND COMPLEX, 15 TO 45 PERCENT SLOPES	ROCK OUTCROP, SOFT	86
CHAMBER GRAVELLY SANDY LOAM, 3 TO 15 PERCENT SLOPES	SCHAMBER	48

AP_UNIT_NAME	COMPNAME	I
CHAMBER-SANSARC COMPLEX, 15 TO 40 PERCENT SLOPES	SCHAMBER	48
CHAMBER-SANSARC COMPLEX, 15 TO 40 PERCENT SLOPES	SANSARC	86
HALE LAND	ROCK OUTCROP, SOFT	86
HAMBO LOAM	SHAMBO	48
ULLCREEK CLAY	BULLCREEK	86
ULLCREEK-SLICKSPOTS COMPLEX	BULLCREEK	86
ULLCREEK-SLICKSPOTS COMPLEX	SLICKSPOTS, DRY	48
ALLY FINE SANDY LOAM	TALLY	86
REMBLES-HAVRELON COMPLEX	TREMBLES	86
REMBLES-HAVRELON COMPLEX	HAVRELON	86
REMBLES AND BANKS SOILS	TREMBLES	86
REMBLES AND BANKS SOILS	BANKS	134
EBAR FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	VEBAR	86
EBAR-FLASHER COMPLEX, 2 TO 9 PERCENT SLOPES	VEBAR	86
EBAR-FLASHER COMPLEX, 2 TO 9 PERCENT SLOPES	FLASHER	134
AYDEN-MOREAU SILTY CLAYS, 25 TO 40 PERCENT SLOPES	WAYDEN	86
AYDEN-MOREAU SILTY CLAYS, 25 TO 40 PERCENT SLOPES	MOREAU	86
ATER LESS THAN 40 ACRES	WATER (LESS THAN 40 ACRES)	