

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Adrian, drained-----	75	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
Ah: Algansee-----	90	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
Bb: Barry-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BlA: Blount-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Br: Brady-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BsA: Branch-----	90	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
BtA: Brems-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
ChB: Chelsea-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
Co: Cohoctah-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrA: Crosier-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Ed: Edwards, drained----	80	Very limited Ponding Subsidence Depth to	1.00 1.00 1.00	Very limited Ponding Subsidence Depth to	1.00 1.00 1.00	Very limited Ponding Subsidence Depth to	1.00 1.00 1.00

			saturated zone		saturated zone		saturated zone	
Gf:								
Gilford-----	85	Very limited		Very limited		Very limited		
		Ponding	1.00	Ponding	1.00	Ponding	1.00	
		Depth to	1.00	Depth to	1.00	Depth to	1.00	
		saturated zone		saturated zone		saturated zone		
Gh:								
Gilford-----	100	Very limited		Very limited		Very limited		
		Depth to	1.00	Depth to	1.00	Depth to	1.00	
		saturated zone		saturated zone		saturated zone		
Hh:								
Histosols-----	70	Not limited		Not limited		Not limited		
Aquolls-----	30	Not limited		Not limited		Not limited		
Hk:								
Homer-----	90	Very limited		Very limited		Very limited		
		Depth to	1.00	Depth to	1.00	Depth to	1.00	
		saturated zone		saturated zone		saturated zone		
Hm:								
Houghton, drained---	75	Very limited		Very limited		Very limited		
		Ponding	1.00	Ponding	1.00	Ponding	1.00	
		Subsidence	1.00	Subsidence	1.00	Subsidence	1.00	
		Depth to	1.00	Depth to	1.00	Depth to	1.00	
		saturated zone		saturated zone		saturated zone		
		Content of	1.00	Content of	1.00	Content of	1.00	
		organic matter		organic matter		organic matter		
Ho:								
Houghton, undrained-	75	Very limited		Very limited		Very limited		
		Ponding	1.00	Ponding	1.00	Ponding	1.00	
		Subsidence	1.00	Subsidence	1.00	Subsidence	1.00	
		Depth to	1.00	Depth to	1.00	Depth to	1.00	
		saturated zone		saturated zone		saturated zone		
		Content of	1.00	Content of	1.00	Content of	1.00	
		organic matter		organic matter		organic matter		
KoA:								
Kosciusko-----	55	Not limited		Not limited		Not limited		
Ormas-----	30	Not limited		Not limited		Not limited		

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KoB:							
Kosciusko-----	55	Not limited		Not limited		Somewhat limited Slope	0.01
Ormas-----	30	Not limited		Not limited		Somewhat limited Slope	0.01
KoC:							
Kosciusko-----	55	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Ormas-----	30	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
MAA:							
Markton-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
MeA:							
Metea-----	100	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
MeB:							
Metea-----	100	Not limited		Somewhat limited Depth to saturated zone	0.99	Somewhat limited Slope	0.01
MeC:							
Metea-----	100	Somewhat limited Slope	0.04	Somewhat limited Depth to saturated zone Slope	0.99	Very limited Slope	1.00
MrB2:							

Morley-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.99	Very limited Shrink-swell Slope	1.00 0.01
MsC3: Morley-----	90	Very limited Shrink-swell Slope	1.00 0.04	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.99 0.04	Very limited Shrink-swell Slope	1.00 1.00
Mu: Morocco-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mx: Muskego, drained----	75	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
Ne: Newton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
OmA: Ormas-----	90	Not limited		Not limited		Not limited	
OmB: Ormas-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
Pe: Pewamo-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Pk: Pits, Gravel-----	100	Not rated		Not rated		Not rated	
PlA: Plainfield-----	90	Not limited		Not limited		Not limited	
PlB: Plainfield-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
PlC: Plainfield-----	90	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
PlA: Riddles-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
PlB2: Riddles-----	90	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell Slope	0.50 0.01
PlC2: Riddles-----	90	Somewhat limited Shrink-swell Slope	0.50 0.04	Somewhat limited Slope	0.04	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements	Dwellings with basements	Small commercial buildings
-----------------------------	---------------------------	--------------------------------	-----------------------------	-------------------------------

		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Se:							
Sebewa-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50			Shrink-swell	0.50
W:							
Water-----	100	Not rated		Not rated		Not rated	
W4:							
Water-----	100	Not rated		Not rated		Not rated	
Wa:							
Wallkill-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
				Content of organic matter	1.00		
Wh:							
Washtenaw-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WkB:							
Wawasee-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
WkC2:							
Wawasee-----	90	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
WkD:							
Wawasee-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00