

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Adrian, drained-----	75	Very limited Ponding Depth to saturated zone Filtering capacity Subsidence	1.00 1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
Ah: Alganssee-----	90	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Bb: Barry-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.53
BlA: Blount-----	90	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
Br: Brady-----	90	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
BsA: Branch-----	90	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00

		Filtering capacity	1.00	Depth to saturated zone	1.00
--	--	--------------------	------	-------------------------	------

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BtA: Brems-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
				Slope	0.09
ChB: Chelsea-----	100	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
				Slope	0.33
Co: Cohoctah-----	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
				Depth to saturated zone	1.00
CrA: Crosier-----	85	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.81
		Restricted permeability	0.46	Seepage	0.53
Ed: Edwards, drained----	80	Very limited		Very limited	
		Restricted permeability	1.00	Ponding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	1.00
				Content of organic matter	1.00
Gf: Gilford-----	85	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00

Gh:					
Gilford-----	100	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Restricted	1.00	Depth to	1.00
		permeability		saturated zone	
Hh:					
Histosols-----	70	Not limited		Not limited	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Aquolls-----	30	Not limited		Not limited	
Hk:					
Homer-----	90	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
		Restricted	0.46		
		permeability			
Hm:					
Houghton, drained---	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to	1.00	Content of	1.00
		saturated zone		organic matter	
		Subsidence	1.00	Depth to	1.00
				saturated zone	
				Seepage	1.00
Ho:					
Houghton, undrained-	75	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Depth to	1.00	Content of	1.00
		saturated zone		organic matter	
		Subsidence	1.00	Depth to	1.00
				saturated zone	
KoA:					
Kosciusko-----	55	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity			
		Restricted	0.46		
		permeability			
Ormas-----	30	Very limited		Very limited	
		Filtering	1.00	Seepage	1.00
		capacity			

KoB:					
Kosciusko-----	55	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.46	Slope	0.33
Ormas-----	30	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
KoC:					
Kosciusko-----	55	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.46	Slope	1.00
		Slope	0.04		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ormas-----	30	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.04	Slope	1.00
MaA:					
Markton-----	90	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46		
MeA:					
Metea-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	0.96
		Restricted permeability	0.46		
MeB:					
Metea-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	0.96
		Restricted	0.46	Slope	0.33

		permeability			
MeC:					
Metea-----	100	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Slope	1.00
		capacity			
		Restricted	0.46	Depth to	0.96
		permeability		saturated zone	
		Slope	0.04		
MrB2:					
Morley-----	90	Very limited		Somewhat limited	
		Depth to	1.00	Depth to	0.96
		saturated zone		saturated zone	
		Restricted	1.00	Slope	0.33
		permeability			
Msc3:					
Morley-----	90	Very limited		Very limited	
		Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone	
		Restricted	1.00	Slope	1.00
		permeability			
		Slope	0.04		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mu:					
Morocco-----	85	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00
		capacity		saturated zone	
Mx:					
Muskego, drained----	75	Very limited		Very limited	
		Restricted	1.00	Ponding	1.00
		permeability			
		Ponding	1.00	Depth to	1.00
				saturated zone	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Subsidence	1.00	Content of	1.00
				organic matter	
Ne:					
Newton-----	100	Very limited		Very limited	
		Depth to	1.00	Seepage	1.00
		saturated zone			
		Filtering	1.00	Depth to	1.00

		capacity		saturated zone	
OmA:					
Ormas-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
OmB:					
Ormas-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33
Pe:					
Pewamo-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00		
Pk:					
Pits, Gravel-----	100	Not rated		Not rated	
PlA:					
Plainfield-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
PlB:					
Plainfield-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.33

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PlC:					
Plainfield-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Slope	0.04	Slope	1.00
RlA:					
Riddles-----	100	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage	0.53
RlB2:					
Riddles-----	90	Somewhat limited Restricted permeability	0.46	Somewhat limited Seepage	0.53

				Slope	0.33
R1C2:					
Riddles-----	90	Somewhat limited		Very limited	
		Restricted permeability	0.46	Slope	1.00
		Slope	0.04	Seepage	0.53
Se:					
Sebewa-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46		
W:					
Water-----	100	Not rated		Not rated	
W4:					
Water-----	100	Not rated		Not rated	
Wa:					
Wallkill-----	100	Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Content of organic matter	1.00
Wh:					
Washtenaw-----	100	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	0.53

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WkB:					
Wawasee-----	90	Somewhat limited		Somewhat limited	
		Restricted permeability	0.46	Seepage	0.53
				Slope	0.33
WkC2:					
Wawasee-----	90	Somewhat limited		Very limited	
		Restricted	0.46	Slope	1.00

		permeability			
		Slope	0.04	Seepage	0.53
WkD:					
Wawasee-----	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted	0.46	Seepage	0.53
		permeability			