

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Br: Brookston-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
CrA: Crosby-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
FnA: Fox-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
FnB2: Fox-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
FxC3: Fox-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope	0.63	Very limited Slope Shrink-swell	1.00 0.50
Ge: Genesee-----	100	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.15	Very limited Flooding	1.00
HeF: Hennepin-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Ho: Houghton-----	100	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00
MmA: Miami-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmB2: Miami-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.99	Somewhat limited Shrink-swell Slope	0.50 0.12
MmC2: Miami-----	100	Somewhat limited Shrink-swell Slope	0.50 0.01	Somewhat limited Depth to saturated zone Slope	0.99 0.01	Very limited Slope Shrink-swell	1.00 0.50
MmD2: Miami-----	100	Somewhat limited		Somewhat limited		Very limited	

		Slope	0.96	Depth to saturated zone	0.99	Slope	1.00
		Shrink-swell	0.50	Slope	0.96	Shrink-swell	0.50
MoC3: Miami-----	100	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone	0.99	Very limited Slope	1.00
				Slope	0.01		
MoD3: Miami-----	100	Somewhat limited Slope	0.96	Somewhat limited Depth to saturated zone	0.99	Very limited Slope	1.00
				Slope	0.96		
MxA: Milton Variant----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to hard bedrock	0.82	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50		
NnA: Nineveh-----	100	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
OcA: Ockley-----	85	Somewhat limited Shrink-swell	0.06	Somewhat limited Shrink-swell	0.06	Somewhat limited Shrink-swell	0.06
OcB2: Ockley-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
						Slope	0.01
Or: Orthents-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pa: Palms-----	100	Very limited Subsidence	1.00	Very limited Subsidence	1.00	Very limited Subsidence	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Content of organic matter	1.00			Content of organic matter	1.00
Pn: Patton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Ps: Patton-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
				Depth to hard bedrock	0.42		
Pt: Pits-----	100	Not rated		Not rated		Not rated	
Ra: Randolph Variant----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50	Depth to hard bedrock	0.82	Shrink-swell	0.50
				Shrink-swell	0.50		
Ro: Ross-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Sh: Shoals-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to	1.00	Depth to	1.00	Depth to	1.00

		saturated zone		saturated zone		saturated zone	
St:							
Sleeth-----	90	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Sx:							
Sloan-----	100	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W:							
Water-----	100	Not rated		Not rated		Not rated	
We:							
Westland-----	100	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Wh:							
Whitaker-----	90	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50