

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Br: Brookston-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.05
CrA: Crosby-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Seepage Slope	0.05 0.01
FnA: Fox-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.46	Very limited Seepage	1.00
FnB2: Fox-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.46	Very limited Seepage Slope	1.00 0.33
FxC3: Fox-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.63 0.46	Very limited Seepage Slope	1.00 1.00
Ge: Genesee-----	100	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 0.46 0.40	Very limited Flooding Seepage	1.00 0.53
HeF: Hennepin-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ho: Houghton-----	100	Very limited Depth to saturated zone Subsidence	1.00 1.00	Very limited Content of organic matter Depth to saturated zone	1.00 1.00
MmA: Miami-----	100	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.53

MmB2: Miami-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope Seepage	0.96 0.67 0.05
MmC2: Miami-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Slope Depth to saturated zone Seepage	1.00 0.96 0.05
MmD2: Miami-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.96	Very limited Slope Depth to saturated zone Seepage	1.00 0.96 0.05
MoC3: Miami-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Slope Depth to saturated zone Seepage	1.00 0.96 0.05
MoD3: Miami-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.96	Very limited Slope Depth to saturated zone Seepage	1.00 0.96 0.05
MxA: Milton Variant----	100	Very limited Restricted permeability Depth to bedrock	1.00 0.93	Somewhat limited Depth to hard bedrock Seepage	0.82 0.05

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
NnA: Nineveh-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.46	Very limited Seepage	1.00
OcA: Ockley-----	85	Very limited Filtering capacity Restricted permeability	1.00 0.46	Very limited Seepage	1.00
OcB2: Ockley-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.46	Very limited Seepage Slope	1.00 0.33
Or: Orthents-----	100	Somewhat limited Slope	0.04	Very limited Slope	1.00
Pa: Palms-----	100	Very limited Depth to saturated zone Subsidence Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 0.05
Pn:					

Patton-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.05
Ps: Patton-----	100	Very limited Depth to saturated zone Depth to bedrock Restricted permeability Flooding	1.00 0.78 0.46 0.40	Very limited Depth to saturated zone Seepage Depth to hard bedrock Flooding	1.00 0.53 0.42 0.40
Pt: Pits-----	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ra: Randolph Variant----	90	Very limited Depth to saturated zone Restricted permeability Depth to bedrock	1.00 1.00 0.93	Very limited Depth to saturated zone Depth to hard bedrock Seepage	1.00 0.82 0.05
Ro: Ross-----	100	Very limited Flooding Restricted permeability	1.00 0.46	Very limited Flooding Seepage	1.00 0.53
Sh: Shoals-----	90	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.46	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.53
St: Sleeth-----	90	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.46	Very limited Seepage Depth to saturated zone	1.00 1.00
Sx: Sloan-----	100	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 0.46	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
W: Water-----	100	Not rated		Not rated	
We: Westland-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.46	Very limited Seepage Depth to saturated zone	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value

		Rating class and limiting features	Value	Rating class and limiting features	Value
Wh:					
Whitaker-----	90	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.46	Seepage	1.00