

BENNINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME | CLASS | FOOT NOTE |
|------------|--|-------|-----------|
| 3A | COPAKE GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES | 1 | |
| 3B | COPAKE GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES | 1 | |
| 3C | COPAKE GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES | 1 | |
| 3D | COPAKE GRAVELLY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES | 1 | b |
| 3E | COPAKE GRAVELLY FINE SANDY LOAM, 25 TO 60 PERCENT SLOPES | 1 | b |
| 9 | PITS-DUMPS COMPLEX | 7 | |
| 10D | GLEBE-STRATTON-LONDONDERRY COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY | 5 | a, c |
| 10E | GLEBE-STRATTON-LONDONDERRY COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY | 6 | |
| 11F | TACONIC-HUBBARDTON-ROCK OUTCROP COMPLEX, 25 TO 70 PERCENT SLOPES, VERY STONY | 6 | |
| 18B | WINDSOR LOAMY FINE SAND, 0 TO 8 PERCENT SLOPES | 1 | |
| 18C | WINDSOR LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES | 1 | |
| 18E | WINDSOR LOAMY FINE SAND, 15 TO 60 PERCENT SLOPES | 1 | b |
| 21A | LIMERICK SILT LOAM, 0 TO 3 PERCENT SLOPES | 6 | |
| 23A | ADRIAN AND SACO SOILS, 0 TO 2 PERCENT SLOPES | 6 | |
| 24A | CARLISLE MUCKY PEAT, 0 TO 2 PERCENT SLOPES | 6 | |
| 25B | BELGRADE SILT LOAM, 0 TO 8 PERCENT SLOPES | 4 | |
| 26A | RAYNHAM SILT LOAM, 0 TO 3 PERCENT SLOPES | 6 | |
| 27B | UDIPSAMMENTS AND UDORTHEMENTS, GENTLY SLOPING | 7 | |
| 28A | UDIFLUVENTS, LOAMY-SKELETAL | 7 | |
| 29A | OCCUM FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES | 6 | |
| 34A | POOTATUCK FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES | 6 | |
| 35B | HARTLAND SILT LOAM, 0 TO 5 PERCENT SLOPES | 3 | |
| 40B | GALWAY-NELLIS-FARMINGTON COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY | 4 | a |
| 40C | GALWAY-NELLIS-FARMINGTON COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY | 4 | a |
| 40D | GALWAY-NELLIS-FARMINGTON COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY | 4 | a, c |
| 41C | GALWAY-FARMINGTON COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY | 5 | a |
| 41D | GALWAY-FARMINGTON COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY | 5 | a, c |
| 41E | GALWAY-FARMINGTON COMPLEX, 25 TO 50 PERCENT SLOPES, VERY ROCKY | 6 | |
| 42C | MACOMBER-TACONIC COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY | 5 | a |
| 42D | MACOMBER-TACONIC COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY | 5 | a, c |
| 42E | MACOMBER-TACONIC COMPLEX, 25 TO 60 PERCENT SLOPES, ROCKY | 6 | |
| 43C | TACONIC-MACOMBER COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY | 5 | a |

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

BENNINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME | CLASS | FOOT NOTE |
|------------|---|-------|-----------|
| 43D | TACONIC-MACOMBER COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY | 5 | a, c |
| 43E | TACONIC-MACOMBER COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY | 6 | |
| 44B | DUTCHESS CHANNERY LOAM, 3 TO 8 PERCENT SLOPES | 2 | |
| 44C | DUTCHESS CHANNERY LOAM, 8 TO 15 PERCENT SLOPES | 2 | |
| 44D | DUTCHESS CHANNERY LOAM, 15 TO 25 PERCENT SLOPES | 2 | b |
| 47C | DUTCHESS CHANNERY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 2 | |
| 47D | DUTCHESS CHANNERY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 2 | b |
| 47E | DUTCHESS CHANNERY LOAM, 25 TO 60 PERCENT SLOPES, VERY STONY | 6 | |
| 48B | PITTSTOWN LOAM, 3 TO 8 PERCENT SLOPES | 4 | |
| 48C | PITTSTOWN LOAM, 8 TO 15 PERCENT SLOPES | 4 | |
| 48D | PITTSTOWN LOAM, 15 TO 25 PERCENT SLOPES | 4 | c |
| 49C | PITTSTOWN LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 4 | |
| 49D | PITTSTOWN LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 4 | c |
| 50B | BRAYTON LOAM, 0 TO 5 PERCENT SLOPES | 6 | |
| 51B | BRAYTON LOAM, 0 TO 5 PERCENT SLOPES, VERY STONY | 6 | |
| 52A | MANSFIELD MUCKY SILT LOAM, 0 TO 3 PERCENT SLOPES, VERY STONY | 6 | |
| 64B | STOCKBRIDGE LOAM, 2 TO 8 PERCENT SLOPES | 3 | |
| 64C | STOCKBRIDGE LOAM, 8 TO 15 PERCENT SLOPES | 3 | |
| 64D | STOCKBRIDGE LOAM, 15 TO 25 PERCENT SLOPES | 3 | c |
| 65C | STOCKBRIDGE LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 3 | |
| 65D | STOCKBRIDGE LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 3 | c |
| 66A | GEORGIA LOAM, 0 TO 3 PERCENT SLOPES | 4 | |
| 66B | GEORGIA LOAM, 3 TO 8 PERCENT SLOPES | 4 | |
| 66C | GEORGIA LOAM, 8 TO 15 PERCENT SLOPES | 4 | |
| 66D | GEORGIA LOAM, 15 TO 25 PERCENT SLOPES | 4 | c |
| 67B | GEORGIA LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 4 | |
| 67C | GEORGIA LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 4 | |
| 68A | MASSENA SILT LOAM, 0 TO 3 PERCENT SLOPES | 6 | |
| 68B | MASSENA SILT LOAM, 3 TO 8 PERCENT SLOPES | 6 | |
| 69A | MASSENA SILT LOAM, 0 TO 3 PERCENT SLOPES, VERY STONY | 6 | |
| 69B | MASSENA SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 6 | |
| 70A | GROTON GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES | 1 | |

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

BENNINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME | CLASS | FOOT NOTE |
|------------|---|-------|-----------|
| 70B | GROTON GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES | 1 | |
| 70C | GROTON GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES | 1 | |
| 70D | GROTON GRAVELLY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES | 1 | b |
| 70E | GROTON GRAVELLY FINE SANDY LOAM, 25 TO 60 PERCENT SLOPES | 1 | b |
| 71A | HERO GRAVELLY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES | 4 | |
| 71B | HERO GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES | 4 | |
| 72A | FREDON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES | 6 | |
| 84B | NELLIS SILT LOAM, 3 TO 8 PERCENT SLOPES | 3 | |
| 84C | NELLIS SILT LOAM, 8 TO 15 PERCENT SLOPES | 3 | |
| 84D | NELLIS SILT LOAM, 15 TO 25 PERCENT SLOPES | 3 | c |
| 85B | NELLIS SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 3 | |
| 85C | NELLIS SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 3 | |
| 85D | NELLIS SILT LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 3 | c |
| 85E | NELLIS SILT LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY | 6 | |
| 86A | AMENIA SILT LOAM, 0 TO 3 PERCENT SLOPES | 4 | |
| 86B | AMENIA SILT LOAM, 3 TO 8 PERCENT SLOPES | 4 | |
| 86C | AMENIA SILT LOAM, 8 TO 15 PERCENT SLOPES | 4 | |
| 87B | AMENIA SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 4 | |
| 87C | AMENIA SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 4 | |
| 90C | BERKSHIRE FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY STONY | 2 | |
| 90E | BERKSHIRE FINE SANDY LOAM, 15 TO 50 PERCENT SLOPES, EXTREMELY STONY | 2 | b |
| 93B | PITTSFIELD FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES | 2 | |
| 93C | PITTSFIELD FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES | 2 | |
| 93D | PITTSFIELD FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES | 2 | b |
| 94B | PITTSFIELD FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 2 | |
| 94C | PITTSFIELD FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 2 | |
| 94D | PITTSFIELD FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 2 | b |
| 94E | PITTSFIELD FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY | 6 | |
| 95C | HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 2 | |
| 95D | HOUGHTONVILLE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 2 | b |
| 95E | HOUGHTONVILLE FINE SANDY LOAM, 25 TO 60 PERCENT SLOPES, VERY STONY | 6 | |
| 96D | HOGBACK-RAWSONVILLE-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES, VERY STONY | 5 | a, c |

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

BENNINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME | CLASS | FOOT NOTE |
|------------|---|-------|-----------|
| 96F | HOGBACK-RAWSONVILLE-ROCK OUTCROP COMPLEX, 25 TO 70 PERCENT SLOPES, VERY STONY | 6 | |
| 100B | WILMINGTON FINE SANDY LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY | 6 | |
| 102B | MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES | 4 | |
| 102C | MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES | 4 | |
| 104B | COLTON GRAVELLY LOAMY SAND, 3 TO 8 PERCENT SLOPES, EXTREMELY STONY | 1 | |
| 104C | COLTON GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES, EXTREMELY STONY | 1 | |
| 104E | COLTON GRAVELLY LOAMY SAND, 15 TO 50 PERCENT SLOPES, EXTREMELY STONY | 1 | b |
| 105B | MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 2 | |
| 105C | MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 2 | |
| 105D | MONADNOCK FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 2 | b |
| 105E | MONADNOCK FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY | 6 | |
| 106B | BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 2 | |
| 106C | BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 2 | |
| 106D | BERKSHIRE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 2 | b |
| 106E | BERKSHIRE FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY | 6 | |
| 108B | PERU FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 4 | |
| 108C | PERU FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 4 | |
| 108D | PERU FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 4 | c |
| 109C | TUNBRIDGE-BERKSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY | 3 | a |
| 109D | TUNBRIDGE-BERKSHIRE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY | 3 | a, c |
| 109E | TUNBRIDGE-BERKSHIRE COMPLEX, 25 TO 50 PERCENT SLOPES, ROCKY | 6 | |
| 111C | RAWSONVILLE-HOUGHTONVILLE COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY | 3 | a |
| 111D | RAWSONVILLE-HOUGHTONVILLE COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY | 3 | a, c |
| 111E | RAWSONVILLE-HOUGHTONVILLE COMPLEX, 25 TO 60 PERCENT SLOPES, ROCKY | 6 | |
| 112C | RAWSONVILLE-HOGBACK COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY | 5 | a |
| 112D | RAWSONVILLE-HOGBACK COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY | 5 | a, c |
| 112E | RAWSONVILLE-HOGBACK COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY | 6 | |
| 113B | CABOT SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 6 | |
| 114B | MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY | 4 | |
| 114C | MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY | 4 | |
| 114D | MUNDAL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY | 4 | c |
| 115B | PERU FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES | 4 | |

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

BENNINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

| MAP SYMBOL | MAP UNIT NAME | CLASS | FOOT NOTE |
|------------|---|-------|-----------|
| 115C | PERU FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES | 4 | |
| 115D | PERU FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES | 4 | c |
| 116D | LYMAN-TUNBRIDGE-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES, VERY STONY | 5 | a, c |
| 116F | LYMAN-TUNBRIDGE-ROCK OUTCROP COMPLEX, 25 TO 70 PERCENT SLOPES, VERY STONY | 6 | |
| 117B | BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES | 2 | |
| 117C | BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES | 2 | |
| 117D | BERKSHIRE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES | 2 | b |
| 118C | TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY | 5 | a |
| 118D | TUNBRIDGE-LYMAN COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY | 5 | a, c |
| 118E | TUNBRIDGE-LYMAN COMPLEX, 25 TO 60 PERCENT SLOPES, VERY ROCKY | 6 | |
| 221F | TUNBRIDGE-BERKSHIRE ASSOCIATION, VERY STEEP, ROCKY | 6 | |
| 403B | CABOT-CARLISLE ASSOCIATION, UNDULATING, VERY STONY | 6 | |
| 405D | BERKSHIRE-TUNBRIDGE ASSOCIATION, HILLY, VERY STONY | 3 | a, c |
| 413D | PERU-BERKSHIRE-CABOT ASSOCIATION, HILLY, VERY STONY | 4 | c |
| 702E | RAWSONVILLE-HOGBACK ASSOCIATION, VERY HILLY, VERY ROCKY | 6 | |
| 703C | MUNDAL-HOUGHTONVILLE ASSOCIATION, ROLLING, VERY STONY | 4 | |
| 705D | RAWSONVILLE-HOUGHTONVILLE-MUNDAL ASSOCIATION, HILLY, ROCKY | 3 | a, c |
| 715D | HOUGHTONVILLE-RAWSONVILLE ASSOCIATION, HILLY, ROCKY | 3 | a, c |
| 902F | HOGBACK-RAWSONVILLE-ROCK OUTCROP ASSOCIATION, VERY STEEP, VERY STONY | 6 | |
| 903C | MUNDAL-WILMINGTON ASSOCIATION, ROLLING, VERY STONY | 6 | |
| 905D | HOUGHTONVILLE-MONADNOCK ASSOCIATION, HILLY, VERY STONY | 2 | b |
| 913E | GLEBBE-STRATTON ASSOCIATION, VERY HILLY, VERY ROCKY | 6 | |
| 923B | WILMINGTON-MUNDAL ASSOCIATION, UNDULATING, VERY STONY | 6 | |
| W | WATER, LESS THAN 40 ACRES | 7 | |

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.