

FRANKLIN COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
AuA	AU GRES LOAMY FINE SAND, 0 TO 6 PERCENT SLOPES	6	
BeB	BELGRADE SILT LOAM, 2 TO 8 PERCENT SLOPES	4	
BeC	BELGRADE SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
Bg	BINGHAMVILLE SILT LOAM	6	
Br	BIRDSALL SILT LOAM	6	
BxC	BUXTON SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
BxD	BUXTON SILT LOAM, 15 TO 25 PERCENT SLOPES	4	c
BxE	BUXTON SILT LOAM, 25 TO 45 PERCENT SLOPES	6	
CaA	CABOT STONY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	6	
CaB	CABOT STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	6	
CbA	CABOT EXTREMELY STONY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	6	
CbB	CABOT EXTREMELY STONY FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES	6	
Ce	CARLISLE MUCK	6	
CoB	COLTON GRAVELLY LOAMY SAND, 2 TO 8 PERCENT SLOPES	1	
CoC	COLTON GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES	1	
CoD	COLTON GRAVELLY LOAMY SAND, 15 TO 25 PERCENT SLOPES	1	b
CoE	COLTON GRAVELLY LOAMY SAND, 25 TO 60 PERCENT SLOPES	1	b
CpB	COPAKE FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES	1	
Cv	COVINGTON CLAY	6	
DeB	DEERFIELD LOAMY FINE SAND, 0 TO 8 PERCENT SLOPES	4	
DeC	DEERFIELD LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	4	
EdA	ELDRIDGE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	4	
EdB	ELDRIDGE LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	4	
EdC	ELDRIDGE LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	4	
EnA	ENOSBURG LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	6	
EnB	ENOSBURG LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	6	
FaB	FARMINGTON LOAM, VERY ROCKY, 3 TO 8 PERCENT SLOPES	6	
FaC	FARMINGTON LOAM, VERY ROCKY, 8 TO 15 PERCENT SLOPES	6	
FmC	FARMINGTON-ROCK OUTCROP COMPLEX, 6 TO 15 PERCENT SLOPES	6	
FmD	FARMINGTON-ROCK OUTCROP COMPLEX, 15 TO 60 PERCENT SLOPES	6	
GeA	GEORGIA STONY LOAM, 0 TO 3 PERCENT SLOPES	4	
GeB	GEORGIA STONY LOAM, 3 TO 8 PERCENT SLOPES	4	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

FRANKLIN COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
GeC	GEORGIA STONY LOAM, 8 TO 15 PERCENT SLOPES	4	
GrB	GEORGIA EXTREMELY STONY LOAM, 0 TO 8 PERCENT SLOPES	4	
GrC	GEORGIA EXTREMELY STONY LOAM, 8 TO 15 PERCENT SLOPES	4	
Ha	HADLEY SILT LOAM	6	
HbA	HINESBURG LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	4	
HbB	HINESBURG LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	4	
HbC	HINESBURG LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	4	
HbD	HINESBURG LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	4	c
HbE	HINESBURG LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	6	
KbA	KINGSBURY CLAY, 0 TO 3 PERCENT SLOPES	4	
KbB	KINGSBURY CLAY, 3 TO 8 PERCENT SLOPES	4	
Le	LIMERICK SILT LOAM	6	
LoB	LORDSTOWN LOAM, ROCKY, 3 TO 8 PERCENT SLOPES	3	a
LoC	LORDSTOWN LOAM, ROCKY, 8 TO 15 PERCENT SLOPES	3	a
LoD	LORDSTOWN LOAM, ROCKY, 15 TO 25 PERCENT SLOPES	3	a, c
LrC	LORDSTOWN-ROCK OUTCROP COMPLEX, 5 TO 15 PERCENT SLOPES	6	
LrD	LORDSTOWN-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES	6	
LrE	LORDSTOWN-ROCK OUTCROP COMPLEX, 25 TO 60 PERCENT SLOPES	6	
Ly	LYONS STONY LOAM	6	
Ma	MARSH	7	
MeA	MASSENA STONY LOAM, 0 TO 3 PERCENT SLOPES	6	
MeB	MASSENA STONY LOAM, 3 TO 8 PERCENT SLOPES	6	
MnA	MASSENA EXTREMELY STONY LOAM, 0 TO 6 PERCENT SLOPES	6	
MsA	MISSISQUOI LOAMY SAND, 0 TO 3 PERCENT SLOPES	1	
MsB	MISSISQUOI LOAMY SAND, 3 TO 8 PERCENT SLOPES	1	
MsC	MISSISQUOI LOAMY SAND, 8 TO 15 PERCENT SLOPES	1	
MsD	MISSISQUOI LOAMY SAND, 15 TO 25 PERCENT SLOPES	1	b
MsE	MISSISQUOI LOAMY SAND, 25 TO 60 PERCENT SLOPES	1	b
MuB	MUNSON SILT LOAM, 3 TO 8 PERCENT SLOPES	4	
MuC	MUNSON SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
Od	ONDAWA VARIANT SILT LOAM	6	
Pa	PEACHAM STONY SOILS	6	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

FRANKLIN COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
PeB	PERU STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
PeC	PERU STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
PeD	PERU STONY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c
PrC	PERU EXTREMELY STONY FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES	4	
PrD	PERU EXTREMELY STONY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c
Pu	PODUNK VARIANT SILT LOAM	6	
RaB	RAYNHAM SILT LOAM, 3 TO 8 PERCENT SLOPES	6	
RoE	ROCK OUTCROP-WOODSTOCK COMPLEX, 20 TO 60 PERCENT SLOPES	6	
Ru	RUMNEY VARIANT SILT LOAM	6	
SaA	ST. ALBANS SLATY LOAM, 0 TO 3 PERCENT SLOPES	2	
SaB	ST. ALBANS SLATY LOAM, 3 TO 8 PERCENT SLOPES	2	
SaC	ST. ALBANS SLATY LOAM, 8 TO 15 PERCENT SLOPES	2	
SbB	ST. ALBANS VERY STONY LOAM, 2 TO 8 PERCENT SLOPES	2	
SbC	ST. ALBANS VERY STONY LOAM, 8 TO 15 PERCENT SLOPES	2	
SbD	ST. ALBANS VERY STONY LOAM, 15 TO 25 PERCENT SLOPES	2	b
SbE	ST. ALBANS VERY STONY LOAM, 25 TO 60 PERCENT SLOPES	6	
ScA	SCANTIC SILT LOAM, 0 TO 3 PERCENT SLOPES	6	
ScB	SCANTIC SILT LOAM, 3 TO 8 PERCENT SLOPES	6	
StB	STOWE STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
StC	STOWE STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
StD	STOWE STONY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c
SwC	STOWE EXTREMELY STONY FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES	4	
SwD	STOWE EXTREMELY STONY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c
SyE	STOWE STONY SOILS, 25 TO 60 PERCENT SLOPES	6	
Tm	TERRIC MEDISAPRISTS	7	
TwB	TUNBRIDGE-WOODSTOCK FINE SANDY LOAMS, VERY ROCKY, 3 TO 8 PERCENT SLOPES	5	a
TwC	TUNBRIDGE-WOODSTOCK FINE SANDY LOAMS, VERY ROCKY, 8 TO 15 PERCENT SLOPES	5	a
TwD	TUNBRIDGE-WOODSTOCK FINE SANDY LOAMS, VERY ROCKY, 15 TO 25 SLOPES	5	a, c
W	WATER, LESS THAN 40 ACRES	7	
Wa	WALLKILL SILT LOAM	6	
Wh	WAREHAM LOAMY FINE SAND	6	
WzA	WESTBURY STONY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	4	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

FRANKLIN COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
WrB	WESTBURY STONY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
WrC	WESTBURY STONY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
WsA	WINDSOR LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	1	
WsB	WINDSOR LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	1	
WsC	WINDSOR LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	1	
WsD	WINDSOR LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	1	b
WsE	WINDSOR LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	1	b
Wt	WINOOSKI SILT LOAM	6	
WxC	WOODSTOCK-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES	6	
WxD	WOODSTOCK-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES	6	
WxE	WOODSTOCK-ROCK OUTCROP COMPLEX, 25 TO 60 PERCENT SLOPES	6	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.