

WASHINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
2A	ONDAWA FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	6	
3A	RUMNEY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	6	
4A	SUNNY SILT LOAM, 0 TO 2 PERCENT SLOPES	6	
9A	RIFLE MUCK, 0 TO 2 PERCENT SLOPES	6	
14B	COLONEL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
14C	COLONEL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
14D	COLONEL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c
17A	CABOT SILT LOAM, 0 TO 3 PERCENT SLOPES	6	
17B	CABOT SILT LOAM, 3 TO 8 PERCENT SLOPES	6	
17C	CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES	6	
18B	CABOT SILT LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY	6	
18C	CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	6	
19B	COLONEL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	4	
19C	COLONEL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
19D	COLONEL FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	4	c
20A	PEACHAM MUCK, 0 TO 5 PERCENT SLOPES	6	
21A	SUNDAY FINE SAND, 0 TO 3 PERCENT SLOPES	6	
26A	ADAMS LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	1	
26B	ADAMS LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	1	
26C	ADAMS LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	1	
26D	ADAMS LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	1	b
26E	ADAMS LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	1	b
33A	MACHIAS FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	4	
33B	MACHIAS FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
33C	MACHIAS FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
37B	STETSON LOAM, 3 TO 8 PERCENT SLOPES	1	
37C	STETSON LOAM, 8 TO 15 PERCENT SLOPES	1	
37D	STETSON LOAM, 15 TO 25 PERCENT SLOPES	1	b
37E	STETSON LOAM, 25 TO 60 PERCENT SLOPES	1	b
39A	COLTON GRAVELLY LOAMY SAND, 0 TO 3 PERCENT SLOPES	1	
39B	COLTON GRAVELLY LOAMY SAND, 3 TO 8 PERCENT SLOPES	1	
39C	COLTON GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES	1	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

WASHINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
39D	COLTON GRAVELLY LOAMY SAND, 15 TO 25 PERCENT SLOPES	1	b
39E	COLTON GRAVELLY LOAMY SAND, 25 TO 60 PERCENT SLOPES	1	b
41D	BUXTON SILT LOAM, 15 TO 25 PERCENT SLOPES	4	c
41E	BUXTON SILT LOAM, 25 TO 45 PERCENT SLOPES	6	
43B	SALMON VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2	
43C	SALMON VERY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2	
43D	SALMON VERY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	2	b
43E	SALMON VERY FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES	6	
44B	LAMOINE SILT LOAM, 3 TO 8 PERCENT SLOPES	4	
44C	LAMOINE SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
45A	SCANTIC SILT LOAM, 0 TO 3 PERCENT SLOPES	6	
55B	NICHOLVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	4	
58A	GRANGE SILT LOAM, 0 TO 3 PERCENT SLOPES	6	
59A	WAITSFIELD SILT LOAM, 0 TO 3 PERCENT SLOPES	6	
60A	WEIDER VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	6	
62B	BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2	
62C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2	
62D	BERKSHIRE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	2	b
63B	BERKSHIRE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2	
63C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2	
63D	BERKSHIRE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	2	b
63E	BERKSHIRE FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY	6	
64C	SALMON-ADAMANT COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	3	a
64D	SALMON-ADAMANT COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	3	a, c
64E	SALMON-ADAMANT COMPLEX, 25 TO 50 PERCENT SLOPES, VERY ROCKY	6	
66B	VERSHIRE-DUMMERSTON COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY	3	a
66C	VERSHIRE-DUMMERSTON COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	3	a
66D	VERSHIRE-DUMMERSTON COMPLEX, 15 TO 25 PERCENT SLOPES, ROCKY	3	a, c
66E	VERSHIRE-DUMMERSTON COMPLEX, 25 TO 60 PERCENT SLOPES, ROCKY	6	
67C	GLOVER-VERSHIRE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
67D	GLOVER-VERSHIRE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	5	a, c
67E	GLOVER-VERSHIRE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	6	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

WASHINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
68D	STRATTON-GLEBE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	5	a, c
68E	STRATTON-GLEBE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	6	
69D	SISK-GLEBE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY BOULDERY	3	c
69E	SISK-GLEBE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY BOULDERY	6	
71C	TUNBRIDGE-LYMAN COMPLEX, 3 TO 15 PERCENT SLOPES, ROCKY	5	a
72B	TUNBRIDGE-LYMAN COMPLEX, 3 TO 8 PERCENT SLOPES, VERY ROCKY	5	a
72C	TUNBRIDGE-LYMAN COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
72D	TUNBRIDGE-LYMAN COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	5	a, c
72E	TUNBRIDGE-LYMAN COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	6	
76C	BERKSHIRE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY BOULDERY	2	
76D	BERKSHIRE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY BOULDERY	2	b
76E	BERKSHIRE FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY BOULDERY	6	
77B	PERU GRAVELLY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
77C	PERU GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
77D	PERU GRAVELLY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c
78C	PERU GRAVELLY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
78D	PERU GRAVELLY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	4	c
78E	PERU GRAVELLY FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY	6	
79A	MARKEY AND WONSQUEAK MUCKS, 0 TO 2 PERCENT SLOPES	6	
82A	PEACHAM MUCK, 0 TO 5 PERCENT SLOPES, EXTREMELY BOULDERY	6	
85E	RICKER-LONDONDERRY-STRATTON COMPLEX, 35 TO 70 PERCENT SLOPES, VERY ROCKY	6	
86F	RICKER-LONDONDERRY-ROCK OUTCROP COMPLEX, 35 TO 70 PERCENT SLOPES	6	
88D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY BOULDERY	2	b
89E	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 60 PERCENT SLOPES, RUBBLY	2	b
90B	DUMMERSTON FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2	
90C	DUMMERSTON FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2	
90D	DUMMERSTON FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	2	b
91C	DUMMERSTON FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2	
91D	DUMMERSTON FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	2	b
92B	BUCKLAND SILT LOAM, 3 TO 8 PERCENT SLOPES	4	
92C	BUCKLAND SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
92D	BUCKLAND SILT LOAM, 15 TO 25 PERCENT SLOPES	4	c

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.

WASHINGTON COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
93B	BUCKLAND SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	4	
93C	BUCKLAND SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
93D	BUCKLAND SILT LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	4	c
96D	PERU GRAVELLY FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY	4	c
98B	CABOT SILT LOAM, 3 TO 8 PERCENT SLOPES, EXTREMELY BOULDERY	6	
98C	CABOT SILT LOAM, 8 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY	6	
99C	COLONEL FINE SANDY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY BOULDERY	4	
99D	COLONEL FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, EXTREMELY BOULDERY	4	c
100	PITS, SAND AND PITS, GRAVEL	7	
102	PITS, QUARRY-DUMPS, MINE COMPLEX	7	
103	UDORTHENTS, LOAMY	7	
104	URBAN LAND-UDIPSAMMENTS COMPLEX, OCCASIONALLY FLOODED	7	
116B	MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	4	
116C	MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
116D	MUNDAL FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	4	c
151F	HOGBACK-ROCK OUTCROP-RAWSONVILLE COMPLEX, 35 TO 70 PERCENT SLOPES, VERY STONY	6	
162D	HOUGHTONVILLE-RAWSONVILLE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY BOULDERY	3	a, c
162E	HOUGHTONVILLE-RAWSONVILLE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY BOULDERY	6	
163C	HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2	
163D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 35 PERCENT SLOPES, VERY STONY	2	b
163E	HOUGHTONVILLE FINE SANDY LOAM, 35 TO 60 PERCENT SLOPES, VERY STONY	6	
168C	HOGBACK-RAWSONVILLE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
168D	HOGBACK-RAWSONVILLE COMPLEX, 15 TO 35 PERCENT SLOPES, VERY ROCKY	5	a, c
168E	HOGBACK-RAWSONVILLE COMPLEX, 35 TO 60 PERCENT SLOPES, VERY ROCKY	6	
172F	TACONIC-HUBBARDTON-ROCK OUTCROP COMPLEX, 60 TO 80 PERCENT SLOPE S	6	
W	WATER, LESS THAN 40 ACRES	7	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.