SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 105
PERKINS CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL LV K	SOIL LV T	HYDRIC SOILS
AAB	ABSHER-LOBURN LOAMS, 0 TO 9 PERCENT SLOPES							
		ABSHER	55	3	2	0.28	3	
		LOBURN	30	1	2	0.24	3	
ABC	ABSHER-SLICKSPOTS COMPLEX, 0 TO 15 PERCENT SLOPES							
		ABSHER	55	3	2	0.28	3	
		SLICKSPOTS	30	ER	ER			
AC	ABSHER-TREMBLES-SLICKSPOTS COMPLEX, CHANNELED							
		ABSHER	40	3	3	0.28	3	1/
		TREMBLES	20	1	3	0.20	5	
		SLICKSPOTS	15	ER	ER			
ADD	AMOR-CABBA LOAMS, 6 TO 15 PERCENT SLOPES							
		AMOR	60	3	2	0.28	4	
		CABBA	20	1	1	0.37	2	
AR	ARNEGARD LOAM							
		ARNEGARD	100	3	3	0.28	5	
BA	BADLAND							
		BADLAND	100	ER	ER			
BB	BANKS LOAMY FINE SAND							
		BANKS	100	1	3	0.17	5	
BCA	BELFIELD-GRAIL SILT LOAMS, 0 TO 2 PERCENT SLOPES							
		BELFIELD	55	1	3	0.32	3	2/
		GRAIL	35	3	3	0.32	5	
BDB	BELFIELD-MARMARTH COMPLEX, 0 TO 6 PERCENT SLOPES							
		BELFIELD	50	1	3	0.32	3	2/
		MARMARTH	30	3	3	0.28	4	
BEC	BELFIELD-MORTON COMPLEX, 2 TO 9 PERCENT SLOPES							
		BELFIELD	55	1	3	0.32	3	
		MORTON	30	3	3	0.32	4	
BFA	BELFIELD-RHOADES COMPLEX, 0 TO 2 PERCENT SLOPES							
		BELFIELD	65	1	3	0.32	3	
		RHOADES	20	1	3	0.32	3	
BHE	BLACKHALL-CABBART COMPLEX, 15 TO 40 PERCENT SLOPES							
		BLACKHALL	35	1	1	0.32	2	
		CABBART	30	1	1	0.37	2	
CAE	CABBA-LANTRY LOAMS, 15 TO 40 PERCENT SLOPES							
		CABBA	50	1	1	0.37	2	
		LANTRY	30	1	1	0.43	4	
CBD	CABBA-TREMBLES COMPLEX, 2 TO 30 PERCENT SLOPES							
		CABBA	60	1	1	0.37	2	
		TREMBLES	30	1	3	0.20	5	
CCD	CABBA AND WAYDEN STONY SOILS, 2 TO 25 PERCENT SLOPES							
		CABBA	85	3	2	0.17	2	
		WAYDEN STO	30	3	2	0.24	2	
CDE	COHAGEN-VEBAR COMPLEX, 15 TO 40 PERCENT SLOPES							
		COHAGEN	45	1	1	0.24	2	
		VEBAR	40	1	1	0.20	4	
DAB	DAGLUM-FELOR LOAMS, 2 TO 6 PERCENT SLOPES							
		DAGLUM	60	1	3	0.32	3	2/
		FELOR	30	3	3	0.28	4	
DB	DIMMICK AND HEIL SOILS							
		DIMMICK	50	1	3	0.28	5	HY-4
		HEIL	40	3	3	0.28	3	HY-3
FAA	FARNUF LOAM, 0 TO 2 PERCENT SLOPES							
		FARNUF	100	3	3	0.37	5	
FAB	FARNUF LOAM, 2 TO 6 PERCENT SLOPES							
		FARNUF	100	3	3	0.37	5	
FBA	FARNUF-DAGLUM LOAMS, 0 TO 2 PERCENT SLOPES							
		FARNUF	65	3	3	0.37	5	
		DAGLUM	25	1	3	0.32	3	
FCB	FELOR-YEGEN LOAMS, 2 TO 6 PERCENT SLOPES							
		FELOR	60	3	3	0.28	4	2/
		YEGEN	30	3	3	0.37	4	
FCC	FELOR-YEGEN LOAMS, 6 TO 9 PERCENT SLOPES							
		FELOR	55	3	3	0.28	4	
		YEGEN	25	3	3	0.37	4	
FD	FLUVAQUENTS, SALINE							
		FLUVAQUENT	100	1	3	0.24	5	HY-4
GA	GRAIL SILT LOAM							
		GRAIL	100	3	3	0.24	5	2/
LAA	LAWTHER SILTY CLAY, 0 TO 2 PERCENT SLOPES							
		LAWTHER	100	1	3	0.32	5	
LAB	LAWTHER SILTY CLAY, 2 TO 6 PERCENT SLOPES							
		LAWTHER	100	1	3	0.32	5	

SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 105
PERKINS CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL LV K	SOIL LV T	HYDRIC SOILS
LAC	LAWTHER SILTY CLAY, 6 TO 9 PERCENT SLOPES							
		LAWTHER	100	1	3	0.32	5	
LBB	LEFOR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES							
		LEFOR	100	1	3	0.20	4	2/
MAB	MANNING FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES							
		MANNING	100	1	3	0.20	4	
MBB	MARMARTH LOAM, 2 TO 6 PERCENT SLOPES							
		MARMARTH	100	3	3	0.28	4	
MCA	MORTON LOAM, 0 TO 2 PERCENT SLOPES							
		MORTON	100	3	3	0.32	4	2/
MCB	MORTON LOAM, 2 TO 6 PERCENT SLOPES							
		MORTON	100	3	3	0.32	4	2/
MCC	MORTON LOAM, 6 TO 9 PERCENT SLOPES							
		MORTON	100	3	3	0.32	4	2/
MDC	MORTON-LANTRY LOAMS, 2 TO 9 PERCENT SLOPES							
		MORTON	55	3	3	0.32	4	2/
		LANTRY	25	1	2	0.43	4	
MDD	MORTON-LANTRY LOAMS, 6 TO 15 PERCENT SLOPES							
		MORTON	40	3	3	0.32	4	2/
		LANTRY	35	1	2	0.43	4	
MED	MORTON-RHOADES LOAMS, 6 TO 15 PERCENT SLOPES							
		MORTON	65	3	2	0.32	4	
		RHOADES	25	1	2	0.32	3	
PA	PARSHALL FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES							
		PARSHALL	100	1	3	0.20	5	
PB	PSAMMENTS							
		PSAMMENTS	100	1	3	0.17	5	
RAA	REEDER LOAM, 0 TO 2 PERCENT SLOPES							
		REEDER	100	3	3	0.28	4	
RAC	REEDER LOAM, 6 TO 9 PERCENT SLOPES							
		REEDER	100	3	3	0.28	4	
RBB	REEDER-AMOR LOAMS, 2 TO 6 PERCENT SLOPES							
		REEDER	60	3	3	0.28	4	2/
		AMOR	25	3	3	0.28	4	
RCC	REEDER-LANTRY LOAMS, 2 TO 9 PERCENT SLOPES							
		REEDER	60	3	3	0.28	4	2/
		LANTRY	30	1	2	0.43	4	
RDB	REEDER-RHOADES LOAMS, 2 TO 6 PERCENT SLOPES							
		REEDER	60	3	3	0.28	4	
		RHOADES	30	1	3	0.32	3	
REB	REGENT-DAGLUM COMPLEX, 2 TO 6 PERCENT SLOPES							
		REGENT	65	3	3	0.32	4	
		DAGLUM	25	1	3	0.32	3	
RFB	REGENT-SAVAGE SILTY CLAY LOAMS, 2 TO 6 PERCENT SLOPES							
		REGENT	65	3	3	0.32	4	2/
		SAVAGE	25	3	3	0.37	5	
RHD	REGENT-WAYDEN SILTY CLAY LOAMS, 6 TO 15 PERCENT SLOPES							
		REGENT	55	3	2	0.32	4	
		WAYDEN	35	1	2	0.32	2	
RKD	RHOADES-CABBA LOAMS, 2 TO 25 PERCENT SLOPES							
		RHOADES	50	1	2	0.32	3	
		CABBA	20	1	1	0.37	2	
RMC	RHOADES-DAGLUM-SLICKSPOTS COMPLEX, 0 TO 9 PERCENT SLOPES							
		RHOADES	40	1	3	0.32	3	
		DAGLUM	30	1	3	0.32	3	
		SLICKSPOTS	15	ER	ER			
RND	RHOADES-ROCK OUTCROP COMPLEX, 6 TO 20 PERCENT SLOPES							
		RHOADES	50	1	2	0.32	3	
		ROCK OUTCR	35	ER	ER			
RDE	ROCK OUTCROP-CABBA COMPLEX, 9 TO 40 PERCENT SLOPES							
		ROCK OUTCR	50	ER	ER			
		CABBA	40	1	1	0.37	2	
SAA	SAVAGE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES							
		SAVAGE	100	3	3	0.37	5	2/
SBA	SAVAGE-DAGLUM COMPLEX, 0 TO 2 PERCENT SLOPES							
		SAVAGE	65	3	3	0.37	5	2/
		DAGLUM	25	1	3	0.32	3	
SC	SHAMBO LOAM							
		SHAMBO	100	3	3	0.28	5	

SOIL MAP UNITS AND COMPONENT HIGHLY ERODIBLE LAND CLASS
FOR SOIL SURVEY AREA 105
PERKINS CO.

MAP SYMBOL	SOIL MAP UNIT NAME		%	HEL CLASS WIND	HEL CLASS WATER	SOIL K	LV T	HYDRIC SOILS
SD	SHAMBO LOAM, CHANNELED							
		SHAMBO	100	3	3	0.28	5	
SEA	STADY LOAM, 0 TO 2 PERCENT SLOPES							
		STADY	100	3	3	0.28	4	
SH	LOHLER-TREMBLES COMPLEX							
		LOHLER	70	1	3	0.37	5	1/
		TREMBLES	25	1	3	0.20	5	
TA	TREMBLES FINE SANDY LOAM							
		TREMBLES	100	1	3	0.20	5	
TB	TREMBLES SOILS, CHANNELED							
		TREMBLES	100	1	3	0.20	5	1/
TCD	TWILIGHT-MARMARTH-PARCHIN ASSOCIATION, GENTLY ROLLING							
		TWILIGHT	40	1	2	0.24	4	2/
		MARMARTH	25	3	2	0.28	4	
		PARCHIN	25	1	3	0.24	3	
VAC	VEBAR-COHAGEN COMPLEX, 2 TO 9 PERCENT SLOPES							
		VEBAR	55	1	3	0.20	4	2/
		COHAGEN	30	1	2	0.24	2	
VAD	VEBAR-COHAGEN COMPLEX, 6 TO 25 PERCENT SLOPES							
		VEBAR	50	1	2	0.20	4	
		COHAGEN	30	1	1	0.24	2	
VBB	VEBAR-TALLY FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES							
		VEBAR	65	1	3	0.20	4	
		TALLY	25	1	3	0.20	5	
WAD	WABEK SANDY LOAM, 9 TO 35 PERCENT SLOPES							
		WABEK	100	1	1	0.20	2	
WBA	WABEK VERY GRAVELLY LOAMY SAND, 0 TO 2 PERCENT SLOPES							
		WABEK	100	3	3	0.10	2	
WCA	WATROUS LOAM, SHALLOW, 0 TO 3 PERCENT SLOPES							
		WATROUS	100	1	3	0.28	2	
YAB	YEGEN LOAM, 2 TO 6 PERCENT SLOPES							
		YEGEN	100	3	3	0.37	4	
YAC	YEGEN SANDY LOAM, 6 TO 9 PERCENT SLOPES							
		YEGEN	100	1	3	0.37	4	
ZA	ZEONA LOAMY FINE SAND, 2 TO 9 PERCENT SLOPES							
		ZEONA	100	1	3	0.17	5	

Footnotes:

R = 50, C = 0.55

1 = HIGHLY ERODIBLE, 2 = POTENTIALLY HIGHLY ERODIBLE,
3 = NOT HIGHLY ERODIBLE

HY = HYDRIC SOILS

ERROR = NOT RATED

1/ This map unit may have inclusions of hydric soils in low areas. FLUVAQUENTS, SALINE

2/ This map unit may have inclusions of hydric soils in depressions. DIMMICK OR HEIL SOILS

PERKINS COUNTY, SOUTH DAKOTA

MUSYM	MAP_UNIT_NAME	COMPNAME	I
AaB	BULLOCK-PARCHIN LOAMS, 0 TO 9 PERCENT SLOPES	BULLOCK	86
AaB	BULLOCK-PARCHIN LOAMS, 0 TO 9 PERCENT SLOPES	PARCHIN	86
AbC	BULLOCK-SLICKSPOTS COMPLEX, 0 TO 15 PERCENT SLOPES	BULLOCK	86
AbC	BULLOCK-SLICKSPOTS COMPLEX, 0 TO 15 PERCENT SLOPES	SLICKSPOTS, DRY	48
Ac	BULLOCK-TREMBLES-SLICKSPOTS COMPLEX, CHANNELED	BULLOCK	86
Ac	BULLOCK-TREMBLES-SLICKSPOTS COMPLEX, CHANNELED	TREMBLES	86
Ac	BULLOCK-TREMBLES-SLICKSPOTS COMPLEX, CHANNELED	SLICKSPOTS, DRY	48
AdD	AMOR-CABBA LOAMS, 6 TO 15 PERCENT SLOPES	AMOR	48
AdD	AMOR-CABBA LOAMS, 6 TO 15 PERCENT SLOPES	CABBA	86
Ar	ARNEGARD LOAM	ARNEGARD	48
Ba	BADLAND	BADLAND	86
Bb	BANKS LOAMY FINE SAND	BANKS	134
BcA	BELFIELD-GRAIL SILT LOAMS, 0 TO 2 PERCENT SLOPES	BELFIELD	48
BcA	BELFIELD-GRAIL SILT LOAMS, 0 TO 2 PERCENT SLOPES	GRAIL	48
BdB	BELFIELD-MARMARTH COMPLEX, 0 TO 6 PERCENT SLOPES	BELFIELD	48
BdB	BELFIELD-MARMARTH COMPLEX, 0 TO 6 PERCENT SLOPES	MARMARTH	48
BeC	BELFIELD-MORTON COMPLEX, 2 TO 9 PERCENT SLOPES	BELFIELD	48
BeC	BELFIELD-MORTON COMPLEX, 2 TO 9 PERCENT SLOPES	MORTON	48
BfA	BELFIELD-RHOADES COMPLEX, 0 TO 2 PERCENT SLOPES	BELFIELD	48
BfA	BELFIELD-RHOADES COMPLEX, 0 TO 2 PERCENT SLOPES	RHOADES	48
BhE	BLACKHALL-CABBART COMPLEX, 15 TO 40 PERCENT SLOPES	BLACKHALL	86
BhE	BLACKHALL-CABBART COMPLEX, 15 TO 40 PERCENT SLOPES	CABBART	86
CaE	CABBA-LANTRY LOAMS, 15 TO 40 PERCENT SLOPES	CABBA	86
CaE	CABBA-LANTRY LOAMS, 15 TO 40 PERCENT SLOPES	LANTRY	86
CbD	CABBA-TREMBLES COMPLEX, 2 TO 30 PERCENT SLOPES	CABBA	86
CbD	CABBA-TREMBLES COMPLEX, 2 TO 30 PERCENT SLOPES	TREMBLES	86
CcD	CABBA AND WAYDEN STONY SOILS, 2 TO 25 PERCENT SLOPES	CABBA	0
CcD	CABBA AND WAYDEN STONY SOILS, 2 TO 25 PERCENT SLOPES	WAYDEN	0
CdE	COHAGEN-VEBAR COMPLEX, 15 TO 40 PERCENT SLOPES	COHAGEN	86
CdE	COHAGEN-VEBAR COMPLEX, 15 TO 40 PERCENT SLOPES	VEBAR	86
DaB	DAGLUM-FELOR LOAMS, 2 TO 6 PERCENT SLOPES	DAGLUM	48
DaB	DAGLUM-FELOR LOAMS, 2 TO 6 PERCENT SLOPES	FELOR	48
Db	DIMMICK AND HEIL SOILS	DIMMICK	86
Db	DIMMICK AND HEIL SOILS	HEIL	38
FaA	FARNUF LOAM, 0 TO 2 PERCENT SLOPES	FARNUF	48
FaB	FARNUF LOAM, 2 TO 6 PERCENT SLOPES	FARNUF	48
FbA	FARNUF-DAGLUM LOAMS, 0 TO 2 PERCENT SLOPES	FARNUF	48
FbA	FARNUF-DAGLUM LOAMS, 0 TO 2 PERCENT SLOPES	DAGLUM	48
FcB	FELOR-YEGEN LOAMS, 2 TO 6 PERCENT SLOPES	FELOR	48
FcB	FELOR-YEGEN LOAMS, 2 TO 6 PERCENT SLOPES	YEGEN	48
FcC	FELOR-YEGEN LOAMS, 6 TO 9 PERCENT SLOPES	FELOR	48
FcC	FELOR-YEGEN LOAMS, 6 TO 9 PERCENT SLOPES	YEGEN	48
Fd	FLUVAQUENTS, SALINE	DOGIECREEK	86
Ga	GRAIL SILT LOAM	GRAIL	48
LaA	LAWTHER SILTY CLAY, 0 TO 2 PERCENT SLOPES	LAWTHER	86
LaB	LAWTHER SILTY CLAY, 2 TO 6 PERCENT SLOPES	LAWTHER	86
LaC	LAWTHER SILTY CLAY, 6 TO 9 PERCENT SLOPES	LAWTHER	86
LbB	LEFOR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	LEFOR	86
MaB	MANNING FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	MANNING	86
MbB	MARMARTH LOAM, 2 TO 6 PERCENT SLOPES	MARMARTH	48
McA	MORTON LOAM, 0 TO 2 PERCENT SLOPES	MORTON	48
McB	MORTON LOAM, 2 TO 6 PERCENT SLOPES	MORTON	48
McC	MORTON LOAM, 6 TO 9 PERCENT SLOPES	MORTON	48
MdC	MORTON-LANTRY LOAMS, 2 TO 9 PERCENT SLOPES	MORTON	48
MdC	MORTON-LANTRY LOAMS, 2 TO 9 PERCENT SLOPES	LANTRY	86

MUSYM	MAP_UNIT_NAME	COMPNAME	I
MdD	MORTON-LANTRY LOAMS, 6 TO 15 PERCENT SLOPES	MORTON	48
MdD	MORTON-LANTRY LOAMS, 6 TO 15 PERCENT SLOPES	LANTRY	86
MeD	MORTON-RHOADES LOAMS, 6 TO 15 PERCENT SLOPES	MORTON	48
MeD	MORTON-RHOADES LOAMS, 6 TO 15 PERCENT SLOPES	RHOADES	48
Pa	PARSHALL FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	PARSHALL	86
Pb	ORTHENTS, HUMMOCKY-HANLY COMPLEX, 0 TO 15 PERCENT SLOPES	ORTHENTS, HUMMOCKY	250
Pb	ORTHENTS, HUMMOCKY-HANLY COMPLEX, 0 TO 15 PERCENT SLOPES	HANLY	134
RaA	REEDER LOAM, 0 TO 2 PERCENT SLOPES	REEDER	48
RaC	REEDER LOAM, 6 TO 9 PERCENT SLOPES	REEDER	48
RbB	REEDER-AMOR LOAMS, 2 TO 6 PERCENT SLOPES	REEDER	48
RbB	REEDER-AMOR LOAMS, 2 TO 6 PERCENT SLOPES	AMOR	48
RcC	REEDER-LANTRY LOAMS, 2 TO 9 PERCENT SLOPES	REEDER	48
RcC	REEDER-LANTRY LOAMS, 2 TO 9 PERCENT SLOPES	LANTRY	86
RdB	REEDER-RHOADES LOAMS, 2 TO 6 PERCENT SLOPES	REEDER	48
RdB	REEDER-RHOADES LOAMS, 2 TO 6 PERCENT SLOPES	RHOADES	48
ReB	REGENT-DAGLUM COMPLEX, 2 TO 6 PERCENT SLOPES	REGENT	38
ReB	REGENT-DAGLUM COMPLEX, 2 TO 6 PERCENT SLOPES	DAGLUM	48
RfB	REGENT-SAVAGE SILTY CLAY LOAMS, 2 TO 6 PERCENT SLOPES	REGENT	38
RfB	REGENT-SAVAGE SILTY CLAY LOAMS, 2 TO 6 PERCENT SLOPES	SAVAGE	38
RhD	REGENT-WAYDEN SILTY CLAY LOAMS, 6 TO 15 PERCENT SLOPES	REGENT	38
RhD	REGENT-WAYDEN SILTY CLAY LOAMS, 6 TO 15 PERCENT SLOPES	WAYDEN	86
RkD	RHOADES-CABBA LOAMS, 2 TO 25 PERCENT SLOPES	RHOADES	48
RkD	RHOADES-CABBA LOAMS, 2 TO 25 PERCENT SLOPES	CABBA	86
RmC	RHOADES-DAGLUM-SLICKSPOTS COMPLEX, 0 TO 9 PERCENT SLOPES	RHOADES	48
RmC	RHOADES-DAGLUM-SLICKSPOTS COMPLEX, 0 TO 9 PERCENT SLOPES	DAGLUM	48
RmC	RHOADES-DAGLUM-SLICKSPOTS COMPLEX, 0 TO 9 PERCENT SLOPES	SLICKSPOTS, DRY	48
RnD	RHOADES-ROCK OUTCROP COMPLEX, 6 TO 20 PERCENT SLOPES	RHOADES	48
RnD	RHOADES-ROCK OUTCROP COMPLEX, 6 TO 20 PERCENT SLOPES	ROCK OUTCROP, SANDSTONE	0
RoE	ROCK OUTCROP-CABBA COMPLEX, 9 TO 40 PERCENT SLOPES	ROCK OUTCROP, SANDSTONE	0
RoE	ROCK OUTCROP-CABBA COMPLEX, 9 TO 40 PERCENT SLOPES	CABBA	86
SaA	SAVAGE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	SAVAGE	38
SbA	SAVAGE-DAGLUM COMPLEX, 0 TO 2 PERCENT SLOPES	SAVAGE	38
SbA	SAVAGE-DAGLUM COMPLEX, 0 TO 2 PERCENT SLOPES	DAGLUM	48
Sc	SHAMBO LOAM	SHAMBO	48
Sd	SHAMBO LOAM, CHANNELED	SHAMBO	48
SeA	STADY LOAM, 0 TO 2 PERCENT SLOPES	STADY	56
Sh	LOHLER-TREMBLES COMPLEX	LOHLER	86
Sh	LOHLER-TREMBLES COMPLEX	TREMBLES	86
Ta	TREMBLES FINE SANDY LOAM	TREMBLES	86
Tb	TREMBLES SOILS, CHANNELED	TREMBLES	86
TcD	TWILIGHT-MARMARTH-PARCHIN ASSOCIATION, GENTLY ROLLING	TWILIGHT	86
TcD	TWILIGHT-MARMARTH-PARCHIN ASSOCIATION, GENTLY ROLLING	MARMARTH	48
TcD	TWILIGHT-MARMARTH-PARCHIN ASSOCIATION, GENTLY ROLLING	PARCHIN	86
VaC	VEBAR-COHAGEN COMPLEX, 2 TO 9 PERCENT SLOPES	VEBAR	86
VaC	VEBAR-COHAGEN COMPLEX, 2 TO 9 PERCENT SLOPES	COHAGEN	86
VaD	VEBAR-COHAGEN COMPLEX, 6 TO 25 PERCENT SLOPES	VEBAR	86
VaD	VEBAR-COHAGEN COMPLEX, 6 TO 25 PERCENT SLOPES	COHAGEN	86
VbB	VEBAR-TALLY FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	VEBAR	86
VbB	VEBAR-TALLY FINE SANDY LOAMS, 0 TO 6 PERCENT SLOPES	TALLY	86
WaD	WABEK SANDY LOAM, 9 TO 35 PERCENT SLOPES	WABEK	86
WbA	WABEK VERY GRAVELLY LOAMY SAND, 0 TO 2 PERCENT SLOPES	WABEK	0
WcA	WATROUS LOAM, SHALLOW, 0 TO 3 PERCENT SLOPES	WATROUS	48
YaB	YEGEN LOAM, 2 TO 6 PERCENT SLOPES	YEGEN	48
YaC	YEGEN SANDY LOAM, 6 TO 9 PERCENT SLOPES	YEGEN	86
Za	ZEONA LOAMY FINE SAND, 2 TO 9 PERCENT SLOPES	ZEONA	134

MUSYM	MAP_UNIT_NAME	COMPNAME	I
w	WATER AREAS	WATER (LESS THAN 40 ACRES)	